

APPLICATION

When engineering and administrative controls are unable to remove the potential for eye and/or face injuries, suitable PPE must be worn. This assessment must also apply to passers-by and nearby workers.

RISK ASSESSMENT

When determining a need for eye protection, carry out a risk assessment of the task to ensure that the correct specification for eye protection is chosen. Never assume that the present choice is the right one.

Consider:

- Prescription eyewear for workers with vision weaknesses.
 Be aware of the risk of reader inserts in standard protective eyewear ie. the capacity to distort walking vision eg. on stairs.
- Low, Medium, High and Extra High (switching work) energy impact risks.
- Chemical, microbiological, hot materials and cryogenic liquids (chin guard attachments are essential for splash risk).
 LPG re-gassing is a cryogenic liquid eye injury risk.
- Welding operations require careful risk assessment including protection for welder's assistants.
- Laser protection for Classes 3, 3A and 4 must comply with the laser manufacturer's recommendations.
- Provision of emergency eyewash and first aid. Refer to the Health & Hygiene and Site Safety sections of this catalogue.
- Eye Protection Signs conforming to AS 1319:1994 Safety signs for the occupational environment.

AS/NZS 1337.1:2010 lists four impact ratings. These are Low, Medium, High and Extra High. Impact protection situations are listed in that standard. Extra High Impact rating visors must be used for electrical maintenance - refer page 57.

MARKING OF EYE PROTECTORS

In line with the proposed ISO standard, the following lens markings for Eye Protectors may apply:

TYPE OF LENS	LENS MARKING
Outdoor Use Untinted	"O"
Low Impact	"S" - optional
Medium Impact	"I" or "F"
High Impact	"V" or "B"
Extra High Impact	"A"
Splash Proof	"C" or "3"
Molten Metal	"M" or "9"
High Temperature	"H"

SAFETY PRESCRIPTION EYE PROTECTION

Amendments to AS/NZS 1337.6 Prescription Eye Protectors against Low and Medium Impact, state that prescription eye protection must be compliant with a standards testing protocol in order to be worn in the workplace. This standard now requires manufacturers of workplace prescription safety eyewear to be licensed.



SAFETY TIPS

- Spectacle arms can compromise hearing protection when ear muffs are worn.
- Eye protection may be compromised by respiratory protection. Check the two together.
- Grinding and cutting protection must include both a high impact face shield AND medium impact safety spectacles.
- Do not allow workers on site with non-compliant eyewear eg. fashion sunglasses.
- Ensure that a welding cover/chipping lens has a suitable impact rating.

All workers should be trained in the correct use and maintenance of personal protective equipment.

USEFUL REFERENCES

AS/NZS 1336:2014 Eye and face protection guidelines.

AS/NZS 1337.6:2012 Personal eye protection - Prescription eye protectors against low and medium impact.

AS/NZS 1337.1:2010/Amdt 1:2012 Eye and face protection for occupational applications.

AS/NZS 1338.1:2012 Filters for eye protectors.

SPECTACLES	12
GOGGLES	16
FACE SHIELDS	17
WELDING PROTECTION/ACCESSORIES	18







- Ultra lightweight
- Co-moulded temple tips for superior comfort and grip
- → Platinum® anti-scratch/anti-fog lens coating (both sides) as indicated

Adjustable PVC nose bridge

Rush+ Seal

 Features an SBR "positive seal" gasket and strap kit to maximise protection in dusty environments



Rush+ Small

· Adopts all the features of the Rush+, just in a smaller fit

CODE	DESCRIPTION	FRAME	LENS
VSC1662301			Clear ⁺ P AS/AF
VSS1662302			Smoke AS/AF
VSM1662310	Rush+	Red/Black	Twilight ⁺₽ AS/AF
VSM1662318			Contrast AF
VSM1662306			ESP AF
VSC1662301FB		Red/Black	Clear ⁺ P AS/AF
VSS1662302FB	Rush+ Seal		Smoke AS/AF
VSS1662310FB			Twilight ⁺ ? AS/AF
VSC1672301	Rush+ Small	Dive /Diegle	Clear ⁺ P AS/AF
VSS1672302	Rusn+ Small	Blue/Black	Smoke * AS/AF

VSC1672301



Ultra lightweight

- Adjustable PVC nose bridge
- · Co-moulded temple tips for superior comfort and grip
- · Anti-scratch/anti-fog lens coating

	CODE	LENS	CODE	LENS
	VSC1652301	Clear AS/AF	VSM1652310	Twilight AS/AF
	VSS1652302	Smoke AS/AF	VSARUSHPSJ	Amber AS/AF



 → Platinum® anti-scratch/ anti-fog lens coating (both sides)

· Adjustable and removable strap

CODE	LENS
VSCULTIPSI	Clear → AS/AF

bollé

Ness/Ness+

- · Ultra wrap-around frame
- · Panoramic field of vision
- Non-slip nose bridge
- Linear temple design Ness+ includes co-injected PC/TPR temples
- Anti-scratch/anti-fog lens coating Ness+ → Platinum® coating (both sides) as indicated

CODE	LENS	CODE	LENS
VSCNESSPSI	Clear AS/AF	VSCNESSPPSI	Clear ⁺₽ AS/AF
VSSNESSPSF	Smoke AS/AF	VSSNESSPPSF	Smoke ⁺₽ AS/AF
		VSCNESSPCSP	CSP + AS/AF



· All polycarbonate frame

with no metal parts

· Anti-scratch/anti-fog lens coating as indicated

CODE	LENS	CODE	LENS
VSC1614401	Clear AS/AF	VSM1614403	Silver Flash HC
VSS1614402	Smoke AS/AF	VSB1614404	Bronze AS/AF



Blade

- · Lightweight, all polycarbonate frame
- · High contour 10 base curve lens
- · Anti-scratch/anti-fog lens coating

CODE	LENS	CODE	LENS
VSC1668201	Clear AS/AF	VSS1668202	Smoke AS/AF



Silex

- Wrap-around frame
- Extended browguard
- Co-injected PC/TPR temples
- Soft and pliable 160°FLEX temples
- · Ultra sleek sporty styling with panoramic vision
- Anti-scratch/anti-fog lens coating (both sides)

CODE	LENS	CODE	LENS
VSCSILEXPSI	Clear AS/AF	VSSSILEXPSF	Smoke AS/AF



Baxter

 Wrap-around frame



· Protection against sprays of solids, liquids and dusts (no chemical rating)

 → Platinum® anti-scratch/anti-fog coating (both sides) as indicated



CODE	LENS	CODE	LENS
VSC1678101	Clear ⁺₽ AS/AF	VSC1678118	CSP ⁺ ₽ AS/AF
VSS1678102	Smoke ⁺₽ AS/AF	VSP1678107	Smoke Polarised H

BOLLÉ SAFETY eyewear is certified to AS/NZS 1337.1:2010 for Medium Impact Protection* HC=Hard Coat, AS=Anti-Scratch, AF=Anti-Fog

EYE & FACE PROTECTION



- Adjustable non-slip bridge
- PC/TPR co-injected temples
- Temples 160° FLEX
- + Platinum® anti-scratch/anti-fog lens coating (both sides) as indicated

CODE	LENS	CODE	LENS
VSCTRYOPSI	Clear ⁺ ₽ AS/AF	VSCTRYOCSP	CSP ⁺ ₽ AS/AF
VSSTRYOPSF	Smoke ⁺ ₽ AS/AF	VSMTRYOFLASH	Blue Flash HC



- · Premium over-theglasses frame
- Temples 160° FLEX
- PC/TPR adjustable co-injected temples
- Flexible upper forehead protection (TPR)
- * Platinum® anti-scratch/anti-fog lens coating (both sides)

CODE	LENS	CODE	LENS	
VSCTRYOTGPSI	OTG Clear * AS/AF	VSSTRYOTGPSF	OTG Smoke ⁺₽ AS/AF	
bollé	2			
Hurricane	bolle	15		
Dual lens sp with lightwo	pectacle			

with lightweight hydrated nylon frame

· Black velvet finish

• Anti-scratch/anti-fog lens coating as indicated

			01 11011
CODE	LENS	CODE	LENS
/SC1662201	Clear AS/AF	VSM1662204	Blue Flash HC
/SS1662202	Smoke AS/AF	VSP1662215	Green Polarised HC



Prowler

- Black, high gloss, dual material frame delivers superior strength & flexibility
- Co-moulded temple arms with TP rubber
- · Anti-scratch/anti-fog lens lens coating as indicated

• Anti-scratch/anti-fog lens coating as indicated

CODE	LENS	CODE	LENS
VSC162640	1 Clear AS/AF	VSM1626403	Silver Flash HC
VSS162640	2 Smoke AS/AF	VSM1626404	Blue Flash HC



CODE	LENS	CODE	LENS
VSS1651102	Smoke AS/AF	VSP1651107	Grev Polarised HC



gunmetal frame

- · Comfort nose pads & temple tips
- → Platinum® anti-scratch/anti-fog lens coating (both sides) as indicated



larised HC
etal AS/AF
Metal AS/AF
tal AS



- Ultra lightweight frame
- · Straight, highly flexible ergonomic temples
- Non-slip adjustable nose bridge
- ⁺**P** Platinum® anti-scratch/anti-fog lens coating (both sides)

CODE	LENS	CODE	LENS
VSC1676101	Clear → AS/AF	VSC1676118	CSP + P AS/AF
VSS1676102	Smoke ⁺ P AS/AF		



Hustler

- Black, high gloss frame
- · Rubber nose pads and EVA temple tip inserts
- · Provides true colour definition while fighting harsh glare - 99.9% UV protection
- · Anti-scratch/anti-fog lens coating as indicated



CODE	LENS	CODE	LENS
VSS1652602	Smoke AS/AF	VSM1652618	Blue Mirror
VSP1652607	Grey/Green Polarised HC	A2IAIT0250T9	Polarised AS/AF





Voodoo

- Translucent polycarbonate frame
- · Rubber nose pads and EVA temple tip inserts
- Distortion free lens
- · Anti-scratch/anti-fog lens coating as indicated



CODE	LENS
VSS1652702	Smoke AS/AF
VSB1652705	Brown AS/AE

CODE	LENS
VSP1652707	Grey/Green Polarised HC
VSP1652719	Brown Polarised HC

www.safetyquip.com.au





- temple tips and ultimate comfort
- Anti-fog and anti-scratch lens
- 99.9% UV protection for outdoor wear

CODE	LENS
VSC9180	Clear HC/AF
VSC9188	Indoor/Outdoor HC/AF

CODE	LENS
VSS9182	Smoke HC/AF
VSA9185	Amber HC/AF



- Nylon side arms
- Comfortable, soft and flexible temple ends
- · Anti-scratch/anti-fog lens coating as indicated

CODE	LENS	CODE	LENS
VSC261	Clear HC	VSC261AF	Clear HC/AF
VSS261	Smoke HC	VSS261AF	Smoke HC/AF
VSM261:BL	Blue Mirror HC	VSM261:SL	Silver Mirror HC



The General

- 99.9% UV protection
- Polycarbonate lightweight frame
- Anti-scratch/anti-fog lens coating
- Optional soft TPR gasket for exceptional protection against dust, mist and particles

CODE	LENS	CODE	LENS
VSC6400	Clear HC/AF	VSA6405	Amber HC/AF
VSS6402	Smoke HC/AF	VSR6400	Brown HC/AF



Vortex

- · Lightweight one-piece polycarbonate lens
- Wrap-around styling
- Frosted arms and nose bridge
- · Anti-fog/anti-scratch lens coating as indicated

CODE	LENS	CODE	LENS
VSC212	Clear HC	VSC212AF	Clear HC/AF
VSS212	Smoke HC	VSS212AF	Smoke HC/AF



Richter

- · Ultra lightweight, wrap-around style spectacle
- Nine base curve

Flexible temple tipsAnti-scratch/anti-fog lens coating					
CODE	LENS	CODE	LENS		
VSC6300	Clear HC/AF	VSM6309	Brown Silver Flash		
VSS6302	Smoke HC/AF	VSIVI0309	HC/AF		

POLARISED





Citron 296

- One-piece lens
- · Sleek wrap-around design
- Flexible rubber nose pads
- · Lightweight and comfortable
- · Anti-scratch/anti-fog lens coating as indicated

	CODE	LENS	CODE	LENS
	VSC296	Clear HC	VSC296AF	Clear HC/AF
	VSS296	Smoke HC	VSS296AF	Smoke HC/AF
_				



Mercury

- Lightweight, durable polycarbonate frame
- Adjustable nose bridge
- Anti-scratch/anti-fog lens

coating	, 3
CODE	LENS
VSC8200	Clear HC/AF
VSS8202	Smoke HC/AF

CODE	LENS
VSS8202BK	Smoke HC/AF
VSP8212	Smoke Polarised HC/AF



Maverick 242

Two-piece lens

VISION

Reader 101

- · Feathered nose pads
- Soft, rubberised temple ends
- · Anti-scratch, hard coat lens coating



CODE	LENS	CODE	LENS
VSS242	Smoke HC	VSP242	Smoke Polarised HC

*Note: Reader 101 is not certified to AS/NZS 1337.1:2010



Visitors Economy Spectacle

- One-piece lens provides unobstructed 180° view
- Deep frame design for use with prescription glasses



CODE	LENS	CODE	LENS
VSC160	Clear	VSS161	Smoke

PROCHOICE safety eyewear is certified to AS/NZS 1337.1:2010 for Medium Impact Protection






• Two-piece bifocal lens

• Rubber insert temple ends

mirror and plano options

· Also available in smoke, silver

CODE **LENS** VSC101R:2.5 2.5 Mag Clear H/C VSC101R:3.0 3.0 Mag Clear H/C



HC = Hard Coat (Anti-Scratch) AF = Anti-Fog

EYE & FACE PROTECTION

Helios · Stylish, lightweight,

- wrap-around design
- · Contoured nine base lens
- Flexible, vented, TPR padded pillow flex side arms
- · Clip-on/off dust guard for improved seal availa
- Adjustable spectacle strap available
- · Anti-static lenses with anti-scratch/ anti-fog coating

able	
	CALL PROPERTY.

DUST GUARD

VSX915DG

CODE	FRAME	LENS	CODE	FRAME	LENS
VSC9151	Black/	Clear H/P HC/AF	VSB9155	Black/Grey	Brown HC/AF
VSS9152	Red	Smoke H/P HC/AF	VSC9158	White/Red	Clear HC/AF

Honeywell **Hypershock** · Lightweight, wraparound frame provides increased side protection

· Streamlined padded temples and a moulded nosepiece for a secure, comfortable fit

Anti-scratch/anti-fog lens coating as indicated



CODE	LENS	CODE	LENS
VSC1024851	Clear AF	VSB1024854	Expresso HC
VSC1024852	Clear HC	VSP1024856	Expresso Polarised HC
VSB1024853	Expresso AF		

Buster

- · Floating lens
- 100% UV protection
- · Wrap-around sports style
- Co-moulded temple arms
- · Anti-scratch/anti-fog lens coating as indicated

CODE	LENS	CODE	LENS	
VSC101	Clear HC/AF	VSA101	Amber HC/AF	
VSS101	Smoke HC	VSM101	Blue Mirror HC	



Honeywell

A700

- Sports style wrap-around design
- Nine base polycarbonate lens
- Soft temple tip pads for a secure fit
- · Anti-scratch/anti-fog lens coating as indicated

	CODE	LENS	CODE	LENS
	VSC1015360	Clear AF	VSA1015441	Amber HC
	VSS1015351	Grey AF	VSM1015442	Light Brown Mirror AF
-				

Wasp

- Wrap-around design
- Soft nose pads
- · Lightweight, anti-static nine base lens
- Flexible, co-moulded, padded side arms
- · Anti-scratch/anti-fog lens coating

CODE	LENS	CODE	LENS
VSC0131	Clear HC/AF	VSB0133	Sunset (Mid-Brown)
VSS0132	Smoke HC/AF		HC/AF

Honeywell

Pinnacle

 Soft temple tips provide a comfortable fit for all day wear



· Anti-fog/anti-scratch lens coating





Bark Hut

- · Smooth rubberised frame
- · Soft fit facial feel
- · Options include clip-on/off dust guard
- Anti-scratch/anti-fog lens coa

ALANO TO THE STATE OF THE STATE	
oating	POLARISED OPTION

		_			
	CODE	LENS		CODE	LENS
	VSS007	Smoke HC/AF		VSM007	Green Mirror HC/AF
	VSS007DG	Smoke HC/AF Dustguard		VSP007	Smoke Polarised HC/A

Honeywell

Chill

- · Lightweight design
- Flexible temples
- · Comfort moulded nosepiece
- · Wrap-around nine base
- · Anti-scratch/anti-fog lens coating as indicated

CODE	LENS	CODE	LENS
VSC200XV	Clear HC	VSC205XV	Clear AF
VSS201XV	Grey HC	VSS206XV	Grey AF


Ecko

- Ultra lightweight design
- 100% UV protection
- Wrap-around polycarbonate
- Anti-scratch/anti-fog lens coating as indicated

CODE	LENS
VSC170	Clear HC/AF
VSS170	Smoke HC

CODE	LENS
VSM170	Clear Mirror HC

3M safety evewear is certified to AS/NZS 1337.1:2010 for Medium Impact Protection



HC = Hard Coat (Anti-Scratch) AF = Anti-Fog

Honeywell

XC®

- Lightweight 36gm
- · Wrap-around styling
- · Extendable arm lengths and temple pivot points
- Optional RX insert for prescription use
- · Anti-scratch/anti-fog lens coating as indicated

CODE	LENS	CODE	LENS
VSC1011027	Clear AF	VSM1011023	Light Silver Mirror AS
VSS1011025	Smoke Grey AF	VSM1011022	Silver Mirror AS

HONEYWELL safety evewear is certified to AS/NZS 1337.1:2010 for Medium Impact Protection







Blast Goggle

- Low profile PVC frame
- Vent options
- Polycarbonate lens with anti-scratch/anti-fog lens coating
- Can be worn over spectacles and disposable respirators
- Close-cell foam seal for dust protection



CODE	DESCRIPTION	UOM
VGC1669101	Clear/Top Vent Closed AS/AF	Ea
VGC1669201	Clear/Indirect Vents AS/AF	Ea
VGC1669203	Clear/Indirect Vents c/w Mouth Guard AS/AF	Ea
VGX1669204	Mouth Guard	Ea

vgx1669204

Pilot 2 Goggle

- Ventilated frame
- Fits over prescription glasses
- † Platinum® anti-scratch/ anti-fog lens coating



CODE	DESCRIPTION	UOM
VGC1679110	Clear ⁺ P AS/AF	Ea
VGS1679112	Smoke ⁺ P AS/AF	Ea



Atom Goggle

 Comfortable, compact and lightweight TPR frame

- Fits over prescription spectacles
- † Platinum® anti-scratch/anti-fog lens coating

CODE	LENS/FRAME	UOM
VGC1652801	Clear ⁺ P AS/AF Indirect Vents Top/Bottom	Ea
VGC1652821	Clear → AS/AF Top Vents Closed	Ea
VGS1652802	Smoke * AS/AF Indirect Vents Top/Bottom	Ea
VGS1652822	Smoke * AS/AF Top Vents Closed	Ea



Flex 440 Goggle

- Fully flexible twin lens frame with side vents & soft foam seal
- Wide fit adjustable headband
- Anti-scratch/anti-fog lens coating



All safety eyewear on this page is certified to AS/NZS 1337.1:2010 for Medium Impact Protection



- Wide peripheral vision and face coverage
- Anti-fog lens
- Multiple vents for increased airflow and minimisation of lens fogging
- Goggle and face shield can detach
- 99.9% UV protection for outdoor



CODE	DESCRIPTION	UOM
VGC5000	Clear AF	Ea
VGS5002	Smoke AF	Ea



3700 Series Wide Vision Goggle

- Foam bound frame
- Wide strap for comfort
- Hardened, anti-fog coated 2mm polycarbonate lens

CODE	DESCRIPTION	UOM
VGC3700	Clear HC/AF	Ea
VGS3702	Smoke HC/AF	Ea

3M

Neutron Goggle

- Polycarbonate lens with anti-scratch/anti-fog coating
- Wide vision, extremely flexible, PPE compatible low profile design



CODE	DESCRIPTION	UOM
VGC900	Clear Vented HC/AF	Ea
VGC910	Clear Vented Foam HC/AF	Ea
VGC950	Clear Red TPV Non Vented Foam HC/AF	Fa

Honeywell

Maxx Pro™ Goggle

- Compact low profile design
- Splash and impact protection rated
- Anti-fog/anti-scratch lens
- · Indirect venting system
- Fabric head strap



All safety eyewear on this page is certified to AS/NZS 1337.1:2010 for Medium Impact Protection



EYE & FACE PROTECTION

3M

Face Shield System

- High impact browguard
- Friction pivoting system for lifting and lowering
- Ratchet adjustable headband
- 1mm polycarbonate high impact visor
- Range of alternative visors to suit most applications
- AS/NZS 1337.1:2010 High Impact



CODE	DESCRIPTION	UOM
VF105	Face Shield c/w Clear P/C Visor 200mm x 300mm	Ea
VB997	Browguard	Ea
VVC848	Clear 1mm Visor Bound 200mm x 300mm	Ea



Face Shield System

- Lightweight, ratchet adjustable browguard made from durable polyethylene
- Cotton sweat band
- QuickLock clips for quick and easy visor replacement
- · Anti-fog polycarbonate visor
- Certified to AS/NZS 1337.1:2010 Extra High Impact, Molten Metal & Hot Solids Resistant



CODE	DESCRIPTION	UOM
VF900	Face Shield c/w Clear P/C Visor 405mm x 205mm	Ea
VB900	Browguard	Ea

3M

Polycarbonate High Impact Visors

- 1mm bound or 1.5mm unbound
- Safe operating temperature 105°C
- Resistance to water based liquids
- AS/NZS 1337.1:2010 High Impact & Splash

VVC854	
	UOM

CODE	DESCRIPTION	UOM
VVC848	Clear 1mm Visor Bound 200mm x 300mm	Ea
VVC730	Clear 1mm Visor Unbound 385mm x 200mm Flared	Ea
VVC501	Clear 1mm Visor Unbound 230mm x 400mm Chin Guard	Ea



Thermotuff+ Heat/Chemical/ High Impact Visors

- 1mm bound Thermotuff+
- Safe operating temperature 125° C
- Protection against harsh chemicals and splash
- AS/NZS 1337.1:2010 High Impact & Splash & Molten Metal



CODE	DESCRIPTION	UOM
VVC875	1mm Visor Bound 200mm x 300mm	Ea
VVC876	1mm Visor Bound 200mm x 400mm Flared	Ea
VVC882	1mm Visor Unbound 250mm x 400mm Flared	Ea

3M

Mesh Visors

- Metal mesh visors approved for protection against high levels of radiant heat
- Nylon (Forestry) mesh approved for protection against large dust particles and abrasion



VVMFCMY

• Low impact protection only: additional eye protection should be worn

CODE	DESCRIPTION	UOM
VVM602B	Brass Mesh 200mm x 300mm	Ea
VVM820	Aluminium Mesh 150mm x 385mm	Ea
VVMFCMY	Nvlon Mesh 185mm x 360mm	Ea



Visor Range

- Anti-fog polycarbonate as indicated
- Clear/smoke with 99.9% UV protection
- Certified to AS/NZS 1337.1:2010 for Extra High Impact, Molten Metal & Hot Solids Resistant (Mesh Visor excluded)





CODE	DESCRIPTION	UOM
VVC900	Clear Visor P/C 405mm x 205mm AF	Ea
VVC900E	Clear Visor P/C 405mm x 205mm Economy	Ea
VVS900	Smoke Visor P/C 405mm x 205mm AF	Ea
VVW900	Green Visor Shade 5 405mm x 205mm AF	Ea
VVM900	Visor Mesh Stainless Steel 380mm x 200mm	Ea



Sphere Face Shield System

- Ultra wrap-around fit
- Adjustable headgear
 Tilting polycarbonate shield - 205mm x 394mm
- Splash protection
- High impact to AS/NZS 1337.1 2010



CODE	DESCRIPTION	UOM
VF1652501	Clear Face Shield	Ea
VVC1652513	Clear Visor	Ea







- Traditional lift-up lens holder
- Shade 5 lens colour
- · PVC frame with indirect venting

5SCOTT Fire & Safety

- 50mm shade 5 filters and chipping lenses
- AS/NZS 1337.1.2010 for Medium Impact Protection



CODE	DESCRIPTION	LENS COLOUR	UOM
VGW835	Lift-up Goggle	Shade 5	Ea



• Rubberised eye seal

· Adjustable head strap

Tracker 2

Welder's

Spectacle

CODE	DESCRIPTION	LENS COLOUR	UOM
VSW1652016	Tracker 2 Spectacle	Shade 3 HC/AF	Ea
VSW1652017	Tracker 2 Spectacle	Shade 5 HC/AF	Ea

Cleaning Solutions & Accessories



VSXTB401 **Cleaning Tissues Dry Pack**



VSXSB600 **Reusable Cleaning Station**



Lens Cleaner Spray

VSXFR411



Alcohol-free Lens Wipes



VSXP3111408

Semi-hard Spectacle Case



VSXCUNIS

Universal Spectacle Strap

CODE	DESCRIPTION	UOM
VSXTB401	Multi-function Cleaning Tissues Dry Pack	Box/200
VSXSB600	Reusable Station c/w 500ml Spray, 2x200 Tissues	Ea
VSXFB411	Anti-reflective, Anti-static Lens Cleaner Spray 250ml	Ea
VSXWB100	Anti-reflective, Anti-static Wipes Dispenser	Box/100
VSXP3111408	Semi-hard Spectacle Case	Ea
VSXCUNIS	Adjustable Spectacle Strap (Rush+/Tryon/Ultim8/ Ness/Ness+)	Ea



CODE	DESCRIPTION	UOM
VSXPSP	Microfabric Spectacle Pouch with Drawstring	Ea
VSXWAF100	Anti-fog Lens Clean Wipes Alcohol Free	Box/100

Honeywell

Cleaning Solutions



VSXS1011380

Disposable Cleaning Station



VSXW16779



Alcohol-free Lens Wipes



VSXT1011379

Cleaning Tissues Dry Pack



Cleaning Solution Spray

olouning rissuos bry r dok olouning colucion opidy		
CODE	DESCRIPTION	UOM
VSXS1011380	Disposable Station c/w Tissues & Spray Cleaner	Ea
VSXS1011377	Reusable Station c/w Tissues & Spray Cleaner	Ea
VSXW1011332	Lens Cleaning Wipes Alcohol-free Box	Box/100
VSXW16779	Reusable Dry Anti-fog Wipes Alcohol-free Box	Box/100
VSXT1011379	Lens Cleaning Tissues Dry Pack Box	Box/500
VSXF1011378	Lens Cleaning Fluid - Alcohol-free Spray 500ml	Ea



Knitted Spectacle Cord



Cloth Tube Spectacle Strap

CODE	DESCRIPTION	UOM
VSXC500	Knitted Cord - Specify colour BK/OG/GR/RD/YL	Ea
VSXC550	Cloth Tube Strap - Specify colour BK/BL/RD/YL	Ea