



SAFETY FOOTWEAR

APPLICATION

AS/NZS 2210.1:2010 recommends that safety footwear should be worn to reduce foot injuries caused by contact with moving or falling objects, sharp materials that may penetrate through the sole or uppers, friction, contact with chemicals, heat, molten metals, slipping and electrical hazards.

RISK ASSESSMENT

A risk assessment identifying all possible foot hazards is essential before implementing a footwear protection programme. It is important to note that safety footwear can only provide a limited degree of protection against hazards in the workplace.



FOOTWEAR SELECTION ELEMENTS

SOLE	
Rubber	Heat resistant to 300°C
TPU	Heat resistant to 130°C - 140°C
PU	Heat resistant to 130°C - 140°C
PVC	Waterproof, oil/fat/acid resistant
TOE CAPS	
Steel	200 Joules/1500 Newtons
Composite	200 Joules/1500 Newtons
ELECTRICAL RESISTANCE	
Anti-static	Allows static electricity to earth
Conductive	Allows mains & static electricity to earth
Insulating	Protects against high voltage
OTHER	
Metatarsal Guard	Protects the metatarsal bones of the foot
Steel Midsole	Penetration resistant layer imbedded into the sole

Typical hazards may include:

- Slipping due to surface type & condition and wet or dry state (including type of liquid)
- Dropped or falling objects causing crushing or cutting injuries
- Moving plant and equipment causing crushing injuries
- Sharp objects with the potential to puncture or penetrate
- Exposure to extremes of temperature including welding and hot metal operations
- Chemical spills and other hazardous or toxic substances
- Unsafe electrical equipment
- Static electricity discharge can cause harm to workers and equipment
- Uneven terrain
- High levels of physical activity and duration of shifts causing foot soreness/discomfort

SAFETY TIPS

- Correct fitting is essential to comfort and good foot health.
- If orthotics, arch supports and other inserts are necessary ensure fitting considers these requirements.
- Fitting is best conducted whilst standing and later in the day to allow for working conditions.
- Keep footwear clean and well maintained to ensure effectiveness.
- Good quality socks assist with comfort and overall foot hygiene if replaced daily.

All workers should be trained in the correct use and maintenance of personal protective equipment.

USEFUL REFERENCES

AS/NZS 2210.1:2010 Safety, protective and occupational footwear - Guide to selection, care and use.

LEATHER FOOTWEAR	68
PVC FOOTWEAR	75
ACCESSORIES	76



by Honeywell



AT's 55 Series

- Water resistant leather
- 'TECtuff' toe & heel guard
- Dual density PU/Rubber sole, anti-static, heat resistant to 300°C
- Shock absorbing polyurethane midsole
- 'NANOlite' footbed for enhanced comfort and reduced odour
- Aramid thread on critical wear seams



FO55332Z



FO55322



FO55320



FO55345Z



FO55332



FO55336



FO55337



FO55345



FO55385

CODE	STYLE	COLOUR	SIZES
FO55322	Elastic Sided Boot	Wheat	4-14, 6½-12½
FO55320	Elastic Sided Boot	Black	4-14, 6½-12½
FO55332	150mm Lace-up Boot	Wheat	4-14, 6½-12½
FO55332Z	150mm Lace-up/Zip Sided Boot	Wheat	4-14, 6½-12½
FO55336	150mm Lace-up Boot, Metatarsal	Wheat	4-14, 6½-12½
FO55337	150mm Lace-up Boot	Claret	4-14, 6½-12½
FO55345	150mm Lace-up Boot	Black	4-14, 6½-12½
FO55345Z	150mm Lace-up/Zip Sided Boot	Black	4-14, 6½-12½
FO55346	150mm Lace-up Boot, Metatarsal	Black	4-14, 6½-12½
FO55385	High Leg Lace-up/Zip Sided Boot	Wheat	4-14, 6½-12½



FO55346



by Honeywell



AT's 45 Series

- Water resistant leather
- 'NATUREform' wide profile high impact non-metallic composite toe cap
- Dual density PU/TPU sole, heat resistant to 130°C
- Shock absorbing polyurethane midsole
- Fully lined with padded comfort collar and tongue (lace up styles)



FO45632



FO45627



FO45632Z



FO45637

CODE	STYLE	COLOUR	SIZES
FO45632	Lace-up Mid Cut Boot 150mm	Wheat	5-14, 6½-10½
FO45627	Elastic Sided Boot	Brown	5-14, 6½-10½
FO45632Z	Zip Sided Mid Cut Boot 150mm	Wheat	5-14, 6½-10½
FO45637	Lace-up Mid Cut Boot 150mm	Brown	5-14, 6½-10½
FO45645	Lace-up Mid Cut Boot 150mm	Black	5-14, 6½-10½
FO45645Z	Zip Sided Lace-up Mid Cut Boot 150mm	Black	5-14, 6½-10½



FO45645



FO45645Z

OLIVER safety footwear conforms to AS/NZS 2210.3



by Honeywell



34 Series Dual Density Footwear

- Griphane® dual density polyurethane sole
- Slip resistant and heat resistant to 130 °C
- Water resistant leather uppers
- AEGIS Microbe Shield® comfort footbed
- COMFORTcushion® Impact Absorption System with PORON
- NATUREform® safety steel toe cap



FO34626



FO34610



FO34613



FO34615



FO34623



FO34624



FO34620



FO34632



FO34634



FO34652



FO34660



FO34662



FO34674



FO34692

CODE	STYLE	COLOUR	SIZES
FO34626	Elastic Sided Leather Boot	Claret	4-13, 6½-10½
FO34610	Slip-on Nubuck Leather Shoe	Black	4-13, 6½-10½
FO34613	Suede Lace-up Safety Jogger	Black	4-13, 6½-10½
FO34615	Slip-on Nubuck Leather Shoe	Wheat	4-13, 6½-10½
FO34620	Elastic Sided Leather Boot	Black	4-13, 6½-10½
FO34623	Suede Lace-up Ankle Jogger	Black	4-13, 6½-10½
FO34624	Elastic Sided Suede Boot	Beige	4-13, 6½-10½

CODE	STYLE	COLOUR	SIZES
FO34632	Lace-up Nubuck Leather Boot	Wheat	4-13, 6½-10½
FO34634	Lace-up Leather Boot	Black	4-13, 6½-10½
FO34652	Lace-up Derby Leather Shoe	Black	4-13, 6½-10½
FO34660	Zip Sided Ankle Boot	Black	4-13, 6½-10½
FO34662	Zip Sided Ankle Boot	Wheat	4-13, 6½-10½
FO34674	High Leg 190mm Zip Side Boot	Beige	4-13, 6½-10½
FO34692	Pull-on Rigger Boot	Brown	4-13, 6½-10½



by Honeywell



44 Series Dual Density Footwear

- Dual density PU/TPU sole, heat resistant to 130 °C
- Padded collar and tongue
- Heel protection guard
- High impact non-metallic composite toe cap



FO44500



FO44515



FO44535

CODE	STYLE	COLOUR	SIZES
FO44535	Lace-up Boot	Blue/Grey	5-14, 6½-10½
FO44500	Lace-up Shoe	Black	5-14, 6½-10½
FO44515	Lace-up Shoe	Black/Grey	5-14, 6½-10½

OLIVER safety footwear conforms to AS/NZS 2210.3



49 Series Women's Dual Density Footwear

- Specifically designed last to support the shape of a female foot
- Dual density PU/Rubber sole with lightweight shock absorbing PU midsole
- Water resistant leather upper
- Oliver SOFTstride® insole support
- Anti-static sole
- Heat resistant outsole to 300°C
- NATUREform® wide profile steel safety toe cap
- Oliver COOLstep® lining to absorb moisture and odour
- COMFORTcushion® Impact Absorption System with PORON®



FO49432Z



FO49445Z



FO49414



FO49430

CODE	STYLE	COLOUR	SIZES (METRIC)
FO49432Z	Lace-up Boot Zip Side	Wheat	35-42
FO49445Z	Lace-up Boot Zip Side	Black	35-42
FO49414	Jogger Lace-up	Grey/Blue	35-42
FO49430	Slip-on Shoe	Black	35-42



38 Series Footwear

- Lightweight dual density polyurethane sole
- Premium soft touch waterproof leather
- COMFORTcushion® Impact Absorption System with PORON®
- NATUREform® wide profile steel toe cap
- Footbed infused with ecofriendly Odorban™
- Oliver SOFTstride® insole support
- Excellent slip resistant sole rated SRC
- Anti-static sole
- Heat resistant outsole to 130°C



FO38275



FO38250



FO38265

CODE	STYLE	COLOUR	SIZES
FO38275	Executive Shoe	Black	6-13, 6½-10½
FO38250	Executive Pull-on Boot	Black	6-13, 6½-10½
FO38265	Executive Zip Side Boot	Black	6-13, 6½-10½



INSOL-N Nanolite Footbed

- PORON heel and ball of foot inserts for exceptional comfort
- Shaped PU footbed
- Removeable & washable
- Resistant to odours
- Massages your feet as you walk



CODE	DESCRIPTION	SIZES
FGX600	INSOL-N Nanolite Footbed	4 - 14



AT65 Series Mining & Caustic Resistant Footwear

Mining Boot

- 100% waterproof premium full grain leather
- New Y-Guard TPU ankle protectors provides impact resistance
- Flush, integrated zip contours
- Heavy duty Aramid stitching on critical wear seams
- Internal PORON®2 XRD metatarsal guard
- Q-flex® non metallic penetration protection insole
- Reflective panel above the heel



FO65791

Rigger's Boot

- 100% waterproof premium full grain leather
- Heavy duty, durable coated leather
- Internal PORON® XRD metatarsal guard
- Q-flex® non metallic penetration protection insole
- Pull on loops for easy donning



FO65493

Lace Up Boot

- 100% waterproof CORDURA® and full grain leather
- High abrasion and chemical resistance
- New and improved SAFETYcell®
- Q-flex® non metallic penetration protection insole
- Free running, quick-adjust lacing system



FO65490

CODE	STYLE	COLOURS	SIZES
FO65791	350mm Laced in Zip Mining Boot	Black	4-14, 6 ½ - 10 ½
FO65493	240mm Pull-on Riggers Boot	Brown	4-14, 6 ½ - 10 ½
FO65490	150mm Lace-up Boot	Brown	4-14, 6 ½ - 10 ½

OLIVER safety footwear conforms to AS/NZS 2210.3



**[MONGREL
BOOTS]**

ZipSider Safety Boots

- Slip, oil & fat resistant TPU/PU ToughSider sole
- OrthoTec PU footbed with anatomical arch support
- YKK zipper with ZipGuard
- AirZone Comfort System
- Padded tongue and collar
- Coats NylBond stitching
- Temperature regulating lining
- Certified to Type 1 AS/NZS 2210.3: 2009 Class 1 - 200J steel toe cap
- Rubber/PU sole (where indicated)
 - Heat, oil & acid resistant Vibram XS Work outsole
 - SRC slip resistance
 - Silicone AbrasionGuard
 - Dri-Freeze® lining that dissipates heat
- Moulded PU scuff cap for longevity (where indicated)



FV261020



FV261050



FV261060

AUSSIE BORN & BRED



FV251020



FV251050



FV451050



FV461020



FV461050



FV461060

CODE	STYLE	SOLE	COL.	SIZES
FV251020	Lace-up/ZipSider High Leg	TPU/PU	Black	5-14, 6½-10½
FV251050	Lace-up/ZipSider High Leg	TPU/PU	Wheat	3-14, 6½-10½
FV261020	Lace-up/ZipSider Ankle	TPU/PU	Black	3-14, 6½-10½
FV261050	Lace-up/ZipSider Ankle	TPU/PU	Wheat	3-14, 6½-10½
FV261060	Lace-up/ZipSider Ankle	TPU/PU	Stone	3-14, 6½-10½
FV451050	ZipSider High Leg Lace-up c/w Scuff Cap	TPU/PU	Wheat	5-14, 6½-10½
FV461020	ZipSider Lace-up c/w Scuff Cap	TPU/PU	Black	5-14, 6½-10½
FV461050	ZipSider Lace-up c/w Scuff Cap	TPU/PU	Wheat	5-14, 6½-10½
FV461060	ZipSider Lace-up c/w Scuff Cap	TPU/PU	Stone	5-14, 6½-10½
FV561020	High Ankle ZipSider c/w Scuff Cap	Rubber/PU	Black	5-13, 6½-10½
FV561050	High Ankle ZipSider c/w Scuff Cap	Rubber/PU	Wheat	5-13, 6½-10½



FV561020



FV561050



**[MONGREL
BOOTS]**

Safety Shoes

- Slip, oil & fat resistant TPU/PU ToughSider sole
- AirZone Comfort System
- Padded tongue and collar
- Coats NylBond stitching
- OrthoTec PU footbed with anatomical arch support
- Temperature regulating lining
- Certified to Type 1 AS/NZS 2210.3:2009 Class 1 - 200J steel toe cap



FV390080



FV315085



FV210025



FV315060

CODE	STYLE	SOLE	COLOUR	SIZES
FV210025	Lace-up	TPU/PU	Black	3-14, 6½-10½
FV315085	Slip-on	TPU/PU	Black	3-13, 6½-10½

CODE	STYLE	SOLE	COLOUR	SIZES
FV315060	Slip-on	TPU/PU	Stone	3-13, 6½-10½
FV390080	Lace-up Hiker	TPU/PU	Black	3-13, 6½-10½

MONGREL safety footwear conforms to AS/NZS 2210.3:2009 Class 1



Elastic Sided Safety Boots

- Slip, oil & fat resistant TPU/PU ToughSider sole
- OrthoTec PU footbed
- AirZone Comfort System
- Coats NylBond stitching
- Certified to Type 1 AS/NZS 2210.3: 2009 Class 1 - 200J steel toe cap
- Rubber/PU sole (where indicated)
 - Heat, oil & acid resistant Vibram XM Work outsole
 - SRC slip resistance
 - Temperature regulating lining
- Moulded PU scuff cap for longevity (where indicated)



CODE	STYLE	SOLE	COLOUR	SIZES
FV240020	Elastic Sided	TPU/PU	Black	5-14, 6½-10½
FV240030	Elastic Sided	TPU/PU	Claret	3-14, 6½-10½
FV240040	Elastic Sided	TPU/PU	Wheat	5-14, 6½-10½
FV240060	Elastic Sided	TPU/PU	Stone	5-14, 6½-10½

CODE	STYLE	SOLE	COLOUR	SIZES
FV240090	Oil Kip Elastic Sided	TPU/PU	Tan	5-14, 6½-10½
FV440050	Elastic Sided c/w Scuff Cap	TPU/PU	Wheat	5-14, 6½-10½
FV545030	Elastic Sided c/w Scuff Cap	Rubber/PU	Claret	5-13, 6½-10½



Lace-Up Safety Boots

- Slip, oil & fat resistant TPU/PU ToughSider sole
- OrthoTec PU footbed
- AirZone Comfort System
- Temperature regulated lining
- Padded tongue and collar
- Coats NylBond stitching
- Certified to Type 1 AS/NZS 2210.3: 2009 Class 1 - 200J steel toe cap



CODE	STYLE	SOLE	COLOUR	SIZES
FV230080	Suede Hiker	TPU/PU	Black	5-14, 6½-10½
FV260020	Ankle Lace-up	TPU/PU	Black	3-14, 6½-10½

CODE	STYLE	SOLE	COLOUR	SIZES
FV260030	Ankle Lace-up	TPU/PU	Claret	5-14, 6½-10½
FV260050	Ankle Lace-up	TPU/PU	Wheat	3-14, 6½-10½

[MONGREL BOOTS]
OrthoTec PU Footbed

- Anti-bacterial polyurethane cushion footbed
- Provides arch support and shock absorption
- Incorporates AirZone comfort system

CODE	SIZES	UOM
FGX500	3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13-14	Pr

[MONGREL BOOTS]
Replacement Laces

- Cotton laces to suit Mongrel footwear

CODE	LENGTH	COLOURS	UOM
FGLV120	120cm	Wheat, Black, Stone	Pr
FGLV140	140cm	Wheat, Black, Stone	Pr
FGLV150	150cm	Wheat, Stone	Pr

[MONGREL BOOTS]
Suede & Nubuck Protector

- Highly effective water and oil repellent
- Promotes longer life for footwear

CODE	DESCRIPTION	UOM
FG200	200ml Atomiser Spray Bottle	Ea

MONGREL safety footwear conforms to AS/NZS 2210.3:2009 Class 1



Xfoot Rubber Safety Range

- Water resistant leathers
- Moulded TPU bump cap for added leather protection
- Dual density PU/Rubber sole - excellent slip resistance, heat resistant to 300°C
- Luxury arch PU footbed - breathable, anti-bacterial
- Broad fit steel toe cap
- XRD® Extreme Impact Protection



FBL992



FBL892



FBL897



FBL982



FBL983



FBL990



FBL997



CODE	STYLE	COLOUR	SIZES
FBL892	Women's Nubuck Zip Sided Boot	Wheat	5-11, 6½-9½
FBL897	Women's Leather Zip Sided Boot	Black	5-11, 6½-9½
FBL982	Chemical Resistant Zip Sided Boot	Black	5-14, 7½-10½
FBL983	Leather 150mm Zip Sided Boot	Crazy Horse	5-14, 7½-10½
FBL990	Leather Elastic Sided Boot	Black	3-14, 6½-10½
FBL992	Nubuck 150mm Zip Sided Boot	Wheat	5-14, 7½-10½
FBL997	Leather 150mm Zip Sided Boot	Black	5-14, 7½-10½



TPU Safety Range

- Dual density TPU sole for durability and comfort, heat resistant to 140°C
- Broad fit steel toe cap
- XRD® Extreme Impact Protection
- PU footbed - breathable and anti-bacterial



FBL318



FBL319



FBL145



FBL172



FBL143



FBL242



CODE	STYLE	COLOUR	SIZES
FBL143	Water Resistant Lace-up Boot	Crazy Horse	3-14, 7½-10½
FBL145	Suede Elastic Sided Boot	Fawn	5-13, 7½-10½
FBL172	Elastic Sided Boot	Brown	3-14, 6½-10½

CODE	STYLE	COLOUR	SIZES
FBL242	Water Resistant Zip Sided Boot	Black	5-13, 7½-10½
FBL318	Nubuck Zip Sided Boot	Wheat	3-13, 7½-10½
FBL319	Nubuck Zip Sided Boot	Black	3-13, 7½-10½



Men's Jogger Range

- Breathable upper material
- Airport friendly composite toe cap
- Durable rubber outsole with increased grip, heat resistant to 140°C
- Lightweight Comfort-XRD® Technology



FBL794



FBL793



FBL795

CODE	STYLE	COLOUR	SIZES
FBL793	Lace-up Safety Jogger	Black/White	5 - 13
FBL794	Lace-up Safety Jogger	Grey	5 - 13
FBL795	Lace-up Uniform Safety Jogger	Black	5 - 13



Women's Shoe Range

- Specific fit for women
- Airport friendly composite toe cap
- Durable rubber outsole with increased grip, heat resistant to 140°C
- Lightweight Comfort-XRD® Technology



FBL885



FBL884



FBL886

CODE	STYLE	COLOUR	SIZES
FBL884	Lace-up Safety Jogger	Black	5-11, 6½-9½
FBL885	Nubuck Zip Sided Boot	Sand/Purple	5-11, 6½-9½
FBL886	Slip-on Safety Shoe	Black	5-11, 6½-9½

BLUNDSTONE safety footwear conforms to AS/NZS 2210.3:2019



BATA INDUSTRIALS

Naturals Collection Footwear

- Cushioned dual density polyurethane outsole
- Type 1, 200 joule steel toe cap
- Oil, acid and heat resistant to 130°C
- Defined heel strike for ladder use
- Anti-static, slip resistant sole
- Premium styling featuring a wide, stable footbed
- PU cushioned insoles
- Unique Bata Tunnel System® in the heel



FB88841



FB60511



FB80510



FB60510



FB60514



FB80514

NATURALS

CODE	STYLE	COLOUR	SIZES
FB60510	Saturn Lace-up Boot	Black	2-13, 6½-10½
FB60514	Hercules Elastic Sided Boot	Black	2-13, 6½-10½
FB80510	Titan Lace-up Boot	Wheat	3-13, 6½-10½

CODE	STYLE	COLOUR	SIZES
FB80514	Mercury Elastic Sided Boot	Sand	3-13, 6½-10½
FB60511	Neptune Lace-up Shoe	Black	2-13, 6½-10½
FB88841	Zippy Nubuck Zip/Lace-up Boot	Wheat	2-13, 6½-10½



BATA INDUSTRIALS

Helix Energy Footwear Range

- High quality leather uppers with triple seam stitching
- D30® impact shock protection
- AS/NZS 2210.3 certified
- Dual density PU/Rubber sole - heat resistant to 300°C
- BOA lacing system and rubber soles (selected styles)
- Tri density PU/foam comfort insole
- Type 1 200 joule steel toe cap
*Longreach CT styles include Type 1 200 joule composite toe cap



FB83964



FB63979



FB83968



FB65143



FB85139



FB63963



FB44987

HELIX
ENERGY FOOTWEAR

CODE	STYLE	COLOUR	SIZES
FB83964	Horizon Leather Zip Side/Lace-up Boot	Wheat Nubuck	3-14, 6½-10½
FB63963	Horizon Leather Zip Side/Lace-up Boot	Black Full Grain	3-14, 6½-10½
FB83968	Longreach Leather Lace-up Boot	Wheat Nubuck	3-14, 6½-10½
FB63979	Longreach Leather Lace-up Boot	Black Full Grain	3-14, 6½-10½
FB86147	Longreach-CT Zip Side/Lace-up Boot*	Wheat Nubuck	3-14, 6½-10½
FB66146	Longreach-CT Zip Side/Lace-up Boot*	Black Full Grain	3-14, 6½-10½
FB44987	Trekker-ST Elastic Sided Boot	Claret Full Grain	3-14, 7½-10½
FB85139	Ranger BOA Lace Boot (Rubber Sole)	Wheat Nubuck	3-14, 6½-10½
FB65143	Ranger BOA Lace Boot (Rubber Sole)	Black Full Grain	3-14, 6½-10½



FB66146



FB86147



BATA INDUSTRIALS

Deep Comfort Footwear Range

- Dual density PU/rubber sole
- Lamella & CTS absorption zones
- Steel safety toe cap
- External scuff cap



FB80647



FB80647



CODE	STYLE	COLOUR	SIZES
FB80647	Patriot Nubuck Zip Side/Lace-up Boot	Wheat	5-14, 6½-10½
FB60647	Patriot Leather Zip Side/Lace-up Boot	Black	4-14, 6½-10½



BATA INDUSTRIALS

SportMates Footwear Range

- Dual density EVA/ rubber sole - heat, oil and acid resistant
- Padded collar and tongue
- Contemporary sports styling and lightweight design
- Breathable suede leather and mesh uppers
- Type 1 (200 joule steel toe cap)



FB62687



FB66686

CODE	STYLE	COLOUR	SIZES
FB62687	Fury Suede Safety Jogger	Black	3-13
FB66686	Force KPU/Mesh Hiker	Black	3-13

BATA INDUSTRIALS safety footwear conforms to AS/NZS 2210.3



BATA INDUSTRIALS

Utility PVC Gumboots

- Fully lined, 400mm knee length boots
- Oil & acid resistant
- Kick-off lug
- Reinforced at heel, ankle and shin
- AS/NZS 2210.3: 2009 (safety styles)



FBG65190

FBG11090

FBG66380

FBG69092



CODE	STYLE	COLOUR	SIZES
FBG69092	Steel Toe/Midssole Boot	Black/Blue	5-12
FBG66380	Non Safety Boot	Black	5-12
FBG11090	Steel Toe Boot	White	5-12
FBG65190	Steel Toe Boot	Black/Red	5-12



BATA INDUSTRIALS

Jobmaster III PVC Gumboots

- 400mm knee length boots
- Reinforced at heel, toe, calf and ankle
- Comfort fabric lining
- Wide comfortable fitting with broad toe design
- Kick-off lug
- AS/NZS 2210.3: 2009 (safety styles)



FBG62290

FBG67280

FBG22292



CODE	STYLE	COLOUR	SIZES
FBG22292	Steel Toe/Midssole Boot	Black/Grey	4-14
FBG67280	Non Safety Boot	Black/Green	4-14
FBG62290	Steel Toe Boot	Black/Grey	4-14



10 Series PVC Gumboots

- PVC/Nitrile sole
- Nylon lined
- 3 trim heights
- Heavy duty PVC upper
- Reinforced ankle, heel and instep
- Wide profile Type 1 toe cap
- AS/NZS 2210.3:2009



FKG10105

FKG10110

FKG10100

CODE	STYLE	COLOUR	SIZES
FKG10100	Steel Toe Boot	Black/Yellow	5-12
FKG10110	Steel Toe Boot	White/Tan	5-12
FKG10105	Steel Toe/Midssole Boot	Black/Yellow	5-12



22 Series PVC Gumboot

- Green, waterproof PVC/nitrile gumboot
- Steelflex steel midsole penetration protection
- METprotect metatarsal protection
- Kick-off spur
- Two trim heights
- AS/NZS 2210.3:2009



COMFORTcushion Impact Absorption System



NATUREform Type 1 Toe Cap



CODE	STYLE	COLOUR	SIZES
FOG22205	PVC Gumboot Safety Toe & Midssole	Green/Tan	5-13

B3G BAMBOO 3G
ULTIMATE COMFORT | ULTIMATE ANTI-ODOUR

Bamboo Charcoal Work Socks

- Nano Bamboo Charcoal Technology in sole helps keep feet dry and comfortable
- Ultimate anti-bacterial performance which eliminates foot odour
- Regulates skin temperature keeping your skin cooler in summer and warmer in winter
- Ribbed band on foot for less movement



FGS30

Thick Work Sock

- 4 yarn sock

Work Sock

- Thinner, 3 yarn sock

Trekking Sock



FGS31/2



FGS33

CODE	DESCRIPTION	COLOURS	SIZES	UOM
FGS30	Bamboo Charcoal Thick Work Sock - 4 Yarn	Various	4-6, 6-10, 10-14	Pair
FGS31/2	Bamboo Charcoal Work Sock - 3 Yarn	Navy, Black	6-10, 10-14	Pack/2 Pairs
FGS33	Bamboo Charcoal Trekking Sock	Brown, Red, Khaki, Black	4-6, 6-10, 10-14	Pair



Horse Care Products

Dubbin Polish

- Traditional non-shine waterproofing compound
- Not recommended for suede or nubuck



CODE	DESCRIPTION	COLOURS	UOM
FG3301	Dubbin 125gm	Black, Brown, Tan, Neutral	Ea



Waterproofer Spray

- Protection for leather, suede and nubuck
- Ozone friendly aerosol



CODE	DESCRIPTION	UOM
FG43400	Waterproofer 200gm	Ea



Boot Cleaning Brush

- Excellent for building and construction sites
- Sturdy construction for long life
- UV stabilised bristles
- Can be bolted down



CODE	DESCRIPTION	UOM
FGBB4059	Badger Boot Cleaning Brush	Ea



Bamboo Work Socks

- Highly absorbent, wear resistant fabric - 92% bamboo/8% elastane
- Antibacterial properties to reduce foot odour
- Thermo-regulating for hot or cold weather
- Extensive colour palette
- XLong style - perfect for gumboots



FGS08



FGS09



CODE	DESCRIPTION	COLOURS	SIZES	UOM
FGS08	Bamboo Sock Extra Thick Short	Various	6 - 10 10 - 14	Pair
FGS09	Bamboo XL Gumboot Sock	Black, Navy, Khaki	14 - 18	Pair



Bowyangs - Bootcovers

- Elastic top to cover top of wearer's boots
- Keeps the dirt out of your boots
- Made of cotton drill
- One size




CODE	DESCRIPTION	COLOURS	UOM
FG15C	Bootcover Cotton	Navy, Khaki, Green	Pair
FG15HV	Bootcover HI VIS	Orange	Pair



Boot Dip Mat

- Raised walls to hold detergent or any liquid for hygienic cleaning
- Hundreds of cleaning bristles encourage boot cleaning whilst trapping dirt
- Yellow edges for high visibility
- Cross grip rear design firmly holds the mat to the floor



CODE	DESCRIPTION	UOM
YMATBDM	Boot Dip Mat 980mm x 810mm x 47mm	Ea