

HAND PROTECTION

APPLICATION

Many workplace tasks cannot be undertaken safely without some form of hand protection. In general, hand protection must be provided wherever there is residual hand injury risk after other control measures have been put in place.

RISK ASSESSMENT

The need for hand protection should be assessed by conducting an audit of potential workplace hazards. To ensure that the most appropriate glove is provided for the tasks and the environmental conditions, it is necessary to:

- identify the hazard(s) and the need for hand protection;
- identify the level of manual dexterity required;
- select suitable material to give the protection required;
- select a suitable style and a good fit;
- determine whether re-useable or disposable gloves are appropriate.

CHEMICAL RISKS

AS/NZS 2161.10.3:2005 and EN374.1:2016 apply to gloves that protect against chemicals and micro-organisms. The pictograms below signify that gloves so marked indicate:



TYPE 'C'
X - LOW CHEMICAL
Level 1 (>10mins) performance against at least 1 chemical



TYPE 'B'
X X X
Level 2 (>30mins) performance against at least 3 chemicals



TYPE 'A'
X X X X X X
Level 2 (>30mins) performance against at least 6 chemicals

A	METHANOL	J	N-HEPTANE
B	ACETONE	K	SODIUM HYDROXIDE 40%
C	ACETONITRILE	L	SULPHURIC ACID 96%
D	DICHLOROMETHANE	M	NITRIC ACID 65%
E	CARBON DISULPHIDE	N	ACETIC ACID 99%
F	TOLUENE	O	AMMONIA HYDROXIDE 25%
G	DIETHYLAMINE	P	HYDROGEN PEROXIDE 30%
H	TETRAHYDROFURANE	S	HYDROFLUORIC ACID 40%
I	ETHYL ACETATE	T	FORMALDEHYDE 37%

When dealing with glove performance against chemicals it is important to reference supplier glove compatibility charts for suitability and permeation & degradation time frames.


USEFUL REFERENCES

AS/NZS 2161 Set: 2008 Occupational Protective Gloves Set.

EN 388



XXXXXX



MECHANICAL RISKS

AS/NZS 2161.3/EN388 applies to gloves that protect against physical and mechanical hazards. Glove performance is indicated by the numbers below the pictogram for Abrasion, Cut-Coup, Tear, Puncture, Cut ISO13997 and Impact EN13594:2015.

Impact EN13594:2015: Pass or Fail

Cut ISO13997: Min A, Max F

Puncture: Min 0, Max 4

Tear: Min 0, Max 4

Cut - Coup: Min 0, Max 5

Abrasion: Min 0, Max 4

SAFETY TIPS

- Correct glove fit is essential to comfort and dexterity.
- Do not use gloves worn by others or where there is any uncertainty about prior chemical exposure.
- Consider the use of barrier creams before and after work - but never as the primary care.
- Cotton liners may assist in reducing moisture where prolonged use occurs.
- Extended cuff length may provide protection to the lower arm.
- Dispose of contaminated gloves appropriately.

All workers should be trained in the correct use and maintenance of personal protective equipment.

CUT RESISTANT	77
SYNTHETIC/MECHANICS	80
RIGGERS/LEATHER GENERAL PURPOSE	81
NITRILE DIP	82
LATEX DIP	83
PU, PVC DIP/INDUSTRIAL	84
CHEMICAL, CLEANING	85
DISPOSABLE	86
WELDER'S/COTTON/ELECTRICIAN'S	87
ACCESSORIES	88

Cut Resistant Gloves



PRO
PRO CHOICE SAFETY GEAR

Arax
The Cutting Edge in Hand Protection

- High performance industrial yarn with a proprietary Arax® Knit Technology
- Superior cut resistance is in the way the proprietary Arax® fabric is woven
- Tight knit for greater protection
- Anti-static and breathable fabric
- Tested to EN388:2016 - CUT ISO13997 'real world' cut test

ARAX® Platinum - Nitrile Cut Level F

- Durable black nitrile sand finish coated palm
- High level of cut resistance without sacrificing comfort or dexterity
- EN388 4X44F



CODE	SIZES	UOM
GCRAPNPD	7 - 11	Pair



ARAX® Gold Cut - Nitrile Cut Level D

- Gold ARAX® knit liner
- Black nitrile sand dip
- Contact heat resistant to 100°C
- EN388 4X43D



ARAX® Wet Grip - Nitrile Cut Level D

- Black nitrile sand palm dip for superior grip in wet/greasy conditions
- Contact heat resistant to 100°C
- EN388 4X42D



ARAX® Gold PU Dip - Cut Level D

- HI VIS polyurethane palm dip
- Lightweight Arax® liner
- Excellent dexterity - Bare Hand Technology (BHT)
- EN388 4X43D



ARAX® Heavy Duty - Nitrile Cut Level D

- Reinforced chrome leather palm
- Black nitrile foam palm dip
- Contact heat resistant to 100°C
- EN388 4X44D



ARAX® Touch - PU Cut Level C

- Water-based black polyurethane palm dip for superior sensitivity and dexterity
- Contact heat resistant to 100°C
- EN388 4X42C

CODE	SIZES	UOM
GCRAFYN	7 - 11	Pair

CODE	SIZES	UOM
GCRAND	7 - 11	Pair

CODE	SIZES	UOM
GCRAFYPU	7 - 11	Pair

CODE	SIZES	UOM
GCRAFND	7 - 11	Pair

CODE	SIZES	UOM
GCRAPUD	7 - 11	Pair



ARAX® Liner - Cut Level D

- Uncoated liner glove
- Contact heat resistant to 100°C
- EN388 4X4XD



ARAX® One® Anti Vibe - Cut Level D

- TPR padding protects fingers and knuckles
- Anti-vibration foam padded palm
- Black nitrile sand palm dip for superior grip in wet/greasy conditions
- EN388 4X43D



ARAX® Wet Grip Extendor - Nitrile Cut Level D

- Black nitrile sand palm dip for superior grip in wet/greasy conditions
- Extended cuff protects forearm
- Contact heat resistant to 100°C
- EN388 4X42D



ARAX® Lite - Nitrile Cut Level C

- Lite ARAX® knit liner
- Super thin 18 gauge machine knit
- Black nitrile sand dip
- EN388 4X13C



ARAX® Dry Grip - Latex Cut Level C

- Black latex crinkle palm dip
- Superior grip on smooth dry surfaces
- Contact heat resistant to 100°C
- EN388 4X42C

CODE	SIZES	UOM
GCRAL	7 - 11	Pair

CODE	SIZES	UOM
GCRONE	7 - 11	Pair

CODE	SIZES	UOM
GCRANEC	7 - 11	Pair

CODE	SIZES	UOM
GCRAGND	7 - 11	Pair

CODE	SIZES	UOM
GCRALD	7 - 11	Pair

Cut Resistant Gloves



Honeywell Spectra

- Super-fibre engineered for its lightweight strength, superior cut resistance and abrasion resistance
- Enhanced dexterity and durability
- Natural cooling and moisture-repelling properties
- Made from a knit of Spectra polyamide, composite fibre & elasthane



SpectraKnight® PU Cut 5

- Polyurethane palm dip coating provides outstanding abrasion resistance
- Ventilated back for breathability
- Spectra touch gives an added sensation of cool comfort
- 13 gauge knitting technique
- EN388 4543

CODE	SIZES	UOM
GCRSPEC5	7 - 11	Pair

ELLIOTTS



G-Flex Dynamax® C5 Roustabout Impact Cut 5

- K-Guard® TPR exoskeleton top of hand impact protection
- Dynamax® C5 13 gauge seamless liner
- T-Touch coating over a blue nitrile ¾ coating
- Excellent dexterity, sensitivity and tactility
- EN388 4543 C



CODE	SIZES	UOM
GCR3416	8 - 11	Pair



G-Flex Dynamax® C5 AirTouch Nitrile Cut 5

- Lightweight AIRTouch nitrile palm dip coating
- Dynamax® C5 15 gauge seamless blue liner
- Abrasion and tear resistance with back of hand ventilation
- Excellent dexterity, sensitivity & tactility
- EN388 4543 C



CODE	SIZES	UOM
GCR3420	7 - 11	Pair



Perfect Cutting® Spectra NBR Cut 3

- Nitrile palm dip coating for secure grip on smooth and rough surfaces
- Outstanding abrasion resistance
- Superior fit, dexterity and durability
- Seamless knit with open back for ventilation
- EN388 4343



CODE	SIZES	UOM
GCR2318766	7 - 11	Pair

Perfect Cutting® Spectra PU Cut 3

- Polyurethane palm dip coating
- Resistant to abrasion and snags/tears
- Superior fit, dexterity and durability
- Seamless knit with open back for ventilation
- EN388 4342



CODE	SIZES	UOM
GCR2318765	7 - 11	Pair

Needle & Puncture Resistant Gloves



Protection in high injury applications like recycling, waste handling and bottling.



CP Neon Wrap

- Suitable for hypodermic needles, broken glass, sharp metal edges, or other sharps
- CP material on palms, fingers and fingertips
- String knit PU coated - excellent durability and grip when handling wet and oily surfaces
- Back of hand breathability
- ASTM F3 2878-10 Hypodermic needle puncture 25 gauge >0.75 lbf

CODE	LENGTH	SIZES	UOM
GRCRPR330	330mm	S - XL	Pair
GRCRPR430	430mm	S - XL	Pair



Alpha Glove

- Hypodermic needle and cut-resistant palm and fingertips
- Slash-resistant knit on back of hand
- Outstanding dexterity with short break-in time
- High-stretch knit backing for snug fit
- Grip pads to assist in searches
- ASTM F3 2878-10 Hypodermic needle puncture 25 gauge <1.25lbf

CODE	SIZES	UOM
GCRTUS008	XS - 2XL	Pair



Bravo Glove

- Super lightweight aramid fabric construction
- Needle resistant palm and fingertips
- Breathable mesh knit - ideal for use in warm weather
- Excellent dexterity and comfort
- ASTM F3 2878-10 Hypodermic needle puncture 25 gauge >1.0 lbf

CODE	SIZES	UOM
GCRTUS009	XS - 2XL	Pair



Delta Glove

- Hypodermic needle and cut resistant palm and fingertips
- Slash-resistant knit on inside back of hand
- Outstanding dexterity with short break-in time
- 100% leather shell gives glove snug fit with tactile sensitivity
- ASTM F3 2878-10 Hypodermic needle puncture 25 gauge <1.25 lbf

CODE	SIZES	UOM
GCRTUS010	S - XL	Pair

Synthetic Leather Gloves



PRO
PRO CHOICE SAFETY GEAR

PROFIT Mechanics

- Quality synthetic leather fabrics
- Wide range of coatings for improved wear and performance
- Breathability through design and fabric selection
- Abrasion resistant
- Full hand, fingerless, anti-vibration and thermal styles

ProFit® Riggamate

- Synthetic leather palm
- Reinforced foam padded inner palm
- Neoprene knuckle panel
- Velcro strap
- EN388 3121



CODE	COLOUR	SIZES	UOM
GLSPFR	Black	S - 2XL	Pair
GLSPFRY	Yellow	S - 2XL	Pair



ProFit® Stockman

- Premium cow grain leather palm
- Foam padded palm
- Split leather fingertips
- Soft TPR impact knuckle protectors
- EN388 3133



ProFit® Deer Hunter

- Premium gold deer grain leather palm
- Nylon, lycra, foam back for comfort & flexibility
- Neoprene knuckle bar protectors
- Elastic cuff with fastener tape
- EN388 3121



ProFit® Razorback

- Hand impact protection system - thermoplastic rubber on back of fingers, knuckle & hand
- Double layer water/oil resistant palm
- Silicone grip
- Elastic cuff
- EN388 3233



ProFit® Silver Riggamate

- Lightweight and durable synthetic leather palm
- Breathable mesh back to reduce hand heat
- Keystone thumb pattern
- EN388 3111



ProFit® PROtec

- Durable synthetic leather palm
- Reinforced foam padded palm
- Neoprene knuckle bar
- Mesh backing for breathability
- Extended neoprene cuff
- EN388 3121

CODE	SIZES	UOM
GLSPS	S - 2XL	Pair

CODE	SIZES	UOM
GLSPFD	S - 2XL	Pair

CODE	SIZES	UOM
GLSPFRB	S - 4XL	Pair

CODE	SIZES	UOM
GLSPFRS	S - 2XL	Pair

CODE	SIZES	UOM
GLSPT	S - 3XL	Pair



ProFit® PROvibe

- Anti-vibration 100% foam padded palm
- Padded knuckle panel
- Easy pull on tab
- Velcro® strap for snug fit
- Ideal grip for hand/power tools
- EN388 4121



ProFit® Fingerless (AV)

- Synthetic leather Gecko grip palm
- SBR foam insert for vibration attenuation
- Reinforced foam padded inner palm
- Breathable mesh back
- Padded knuckles
- EN388 3131



ProFit® Magnetic

- Synthetic leather Gecko grip palm
- Cut off fingers
- Magnet inserted back of hand
- Neoprene knuckle panel
- Easy-on finger loop
- EN388 3131



DexiPro One Impact

- Ultra fine nitrile foam coating provides dexterity
- Full back of hand protection to assist with impact injuries
- Reinforced thumb crutch
- Velcro wrist closure
- EN388 4221XP



ProFit® PROtec HI VIS

- Durable synthetic leather palm
- Reinforced foam padded palm
- Neoprene knuckle bar
- HI VIS mesh backing for breathability
- Extended neoprene cuff
- EN388 3121

CODE	SIZES	UOM
GAVPV	M - 2XL	Pair

CODE	SIZES	UOM
GLSPF	S - 2XL	Pair

CODE	SIZES	UOM
GLSPFM	S - 2XL	Pair

CODE	SIZES	UOM
GRNONNFY	7 - 11	Pair

CODE	SIZES	UOM
GLSPTY	S - 2XL	Pair

Synthetic Leather Gloves



ELLIOTTS Mec-Flex Mechanics

Mec-Flex® Oiler LX

- Full 360° Dynamax Cut level 5 protection on the palm, back of hand and all finger walls
- K-Guard® TPR back of hand exoskeleton
- Soft, durable goat leather on the palm
- Neoprene cuff
- Kevlar® stitched palm
- HI VIS stretch spandex on the back of the hand
- EN388 2542DP



CODE	SIZES	UOM
GLS6230	M - 2XL	Pair



Mec-Flex® Rigger GT

- Rigger style with goat skin palm
- K-Guard® TPR back of hand exoskeleton
- Rubberised reinforced palm
- Black soft neoprene cuff with TPR pull tab and Velcro® closure
- EN388 3133



CODE	SIZES	UOM
GLS6310	M - 2XL	Pair



Leather Riggers Gloves



Riggamate® Cowsplit

- Grey 'suede look' cow split leather
- Tough and durable
- Elastic on back of wrist
- EN388 3121

CODE	SIZES	UOM
GLC050	L - 2XL	Pair



Riggamate® Natural

- High quality cow grain leather
- Wing thumb design
- Elastic on back of wrist
- EN388 3121

CODE	SIZES	UOM
GLC301	S - 3XL	Pair



Riggamate® Premium

- Premium beige cow grain leather
- Wing thumb design
- Elastic on back of wrist
- EN388 3121

CODE	SIZES	UOM
GLC201	S - 2XL	Pair




Riggamate® Cut Resistant

- High quality cow grain leather
- Knitted Kevlar® palm
- Wing thumb
- Stitch free palm
- EN388 3522

CODE	SIZES	UOM
GCR301	M - 2XL	Pair

General Purpose Leather Gloves



Yellow & Grey

- Heavy duty one piece palm
- Yellow safety cuff & knuckle bar
- Cotton back with elastic
- EN388 3232

CODE	SIZES	UOM
GLC727	One Size	Pair



Grey All Chrome

- 'A' Grade quality heavy duty
- All chrome cow split leather
- 5cm leather cuff
- EN388 3232

CODE	SIZES	UOM
GLC722	One Size	Pair



Candy Stripe

- Lightweight cow split leather palm
- Cotton back
- Elastic on back of wrist
- Safety cuff & knuckle bar

CODE	SIZES	UOM
GLC747	One Size	Pair



Green & Grey

- Heavy duty with safety cuff
- Reinforced palm/thumb/fingers
- Cotton back with knuckle bar
- EN388 3232

CODE	SIZES	UOM
GLC714	One Size	Pair

PALM SHOWN

General Purpose Nitrile Dipped Gloves



PRO PROsense Nitrile



ONE - Multi Purpose

- Foam nitrile palm
- HI VIS
- Seamless glove liner
- TPR padded knuckles/fingers
- EN388 4241

CODE	SIZES	UOM
GRNONN	7 - 11	Pair



DexiPro™ Wet/Dry

- Nitrile coating for wet/dry grip
- Lycra infused lint free nylon knit liner
- Extra long 20mm cuff
- Anti-static
- EN388 3221

CODE	SIZES	UOM
GRNBNNL	7 - 11	Pair

MaxiPro™ Wet/Dry PU Foam

- Palm dipped nitrile/water based PU foam coating
- Seamless 15 gauge, nylon fused lycra shell
- Back of hand dip options for additional protection
- Wet & dry grip without sacrificing dexterity
- Can be used with touch screens
- EN388 4112



GRNNPN

CODE	DESCRIPTION	SIZES	UOM
GRNNPN	MaxiPro Palm Dip	6 - 11	Pair
GRNNPNHB	MaxiPro 270 ¾ Dip	6 - 11	Pair
GRNNPNFB	MaxiPro 360 Full Dip	6 - 11	Pair



Touch Screen Sand Dip Winter Lined

- Full 360° nitrile dip
- Sandy nitrile dip with touchscreen capabilities
- Warm acrylic liner
- EN388 3121

CODE	SIZES	UOM
GRNNSDWL	7 - 12	Pair



Lite Grip Water Repellent

- Ultra thin nitrile foam
- Full hand dip on nylon knit liner
- Water/oil repellent
- Wet/dry grip
- EN388 4121

CODE	SIZES	UOM
GRNNFWR	7 - 11	Pair



DexiPro ONE Impact

- Ultra-fine nitrile foam coating for dexterity
- Full back of hand protection
- Reinforced thumb crutch
- Velcro wrist closure
- EN388 4221XP

CODE	SIZES	UOM
GRNONNFY	7 - 11	Pair



DexiFrost Winter Liner

- Nylon/lycra with brushed acrylic liner
- Nitrile dot palm
- Wet/dry grip
- Breathable foam technology
- EN388 4131

CODE	SIZES	UOM
GRNBNNLF	7 - 11	Pair



Lite Grip Nitrile Foam

- Nitrile foam palm dip
- Breathable and lightweight nylon liner
- Anti-static
- EN388 4131

CODE	SIZES	UOM
GRN5643	7 - 11	Pair

General Purpose Nitrile Dipped Gloves



PRO PROsense SuperGuard/SuperLite



SuperGuard Safety Cuff

- Heavyweight abrasion resistant nitrile
- Fully dipped
- Cotton liner
- Canvas cuff
- EN388 4121

CODE	SIZES	UOM
GRN5630	9 - 11	Pair



SuperGuard Blue

- Heavyweight abrasion resistant nitrile
- ¾ dipped
- Cotton liner
- Knit wrist cuff
- EN388 4121

CODE	SIZES	UOM
GRN5635	9 - 10	Pair



SuperLite Blue Full Dip

- Lightweight fully dipped nitrile
- Abrasion resistant
- Cotton liner
- Knit wrist
- EN388 4111

CODE	SIZES	UOM
GRNBRFB	9 - 10	Pair



SuperLite

- Lightweight ¾ dipped nitrile
- Abrasion resistant
- Cotton liner
- Knit wrist
- EN388 4111

CODE	COL.	SIZES	UOM
GRN5460	Orange	7 - 10	Pair
GRNBRB	Blue	7 - 10	Pair

General Purpose Nitrile Dipped Gloves



Honeywell WorkEasy® Nitrile

WorkEasy® Polytril Plus

- Sandy nitrile palm dip
- Resists oil/grease
- Black nylon seamless knit construction
- Knit wrist
- Black and HI VIS options
- EN388 4121



CODE	COLOUR	SIZES	UOM
GRN2232232	Black	7 - 11	Pair
GRN2232232H	HI VIS	7 - 11	Pair

ELLIOTTS E



G-Flex SandStorm

- Lightweight "sandy" foam nitrile coating
- Black nylon 18 gauge seamless liner
- Palm dip
- Open back of hand
- Light oil surface grip
- EN388 4121



CODE	SIZES	UOM
GRN3223	7 - 11	Pair

G-Flex Nitrile

- Super lightweight nitrile coating
- Seamless 18 gauge black nylon liner
- Palm dip - open back of hand
- Wet/dry grip
- EN388 4141



CODE	SIZES	UOM
GRN3000	7 - 11	Pair

WorkEasy® 110

- Nitrile palm dip
- Resists oil/grease
- Lightweight black polyester shell
- Smooth/rough surface grip
- EN388 4121



CODE	SIZES	UOM
GRNWE110	L - 2XL	Pair

WorkEasy® Grip

- Sandy nitrile full dip
- Resists oil/grease
- Black nylon seamless knit construction
- EN388 4121



CODE	SIZES	UOM
GRN2232232F	7 - 11	Pair

General Purpose Latex Dipped Gloves



PRO PRO CHOICE SAFETY GEAR

PROsense

Latex

ProSense™ Black Panther®

- Latex dipped palm for extra grip
- Seamless 13 gauge black nylon liner
- Excellent abrasion resistance
- Breathable anti-static liner
- EN388 3121



CODE	SIZES	UOM
GRL5000	7 - 11	Pair

ELLIOTTS E



G-Flex Red Devil™

- Lightweight crinkle latex dip palm for excellent grip on light oil surfaces
- Seamless nylon liner
- Protection from small knicks and cuts
- EN388 2242



CODE	SIZES	UOM
GRL3220	8 - 11	Pair

ProSense™ Latex Foam

- Latex foam coated palm
- Anti-static HI VIS nylon liner
- Anti-microbial
- Wet/dry grip
- EN388 3131



CODE	SIZES	UOM
GRLFN	7 - 11	Pair

ProSense™ Diamond Grip

- Crinkle latex dip palm
- Poly/cotton liner
- Open knit back
- EN388 3141



CODE	SIZES	UOM
GRL5485	8 - 11	Pair

ProSense™ ArcticPro

- Latex dip palm
- HI VIS poly/cotton knit
- Acrylic wool lined
- EN388 1141



CODE	SIZES	UOM
GRLAB	9 - 11	Pair

PRO PRO CHOICE SAFETY GEAR

Latex Glass Gripper

- Latex ¾ dip
- Ripple palm for grip
- Jersey lined for comfort and sweat absorption
- Knit wrist



CODE	SIZES	UOM
GRL5476	One Size	Pair

General PU/PVC Dipped Gloves



PRO PROsense

PU/PVC

ProSense™ Stinga®

- PVC foam palm dip
- Seamless 15 gauge nylon shell
- Water repellent
- Wet/dry grip
- Silicone free
- EN388 4131



CODE	SIZES	UOM
GPVNPF	7 - 11	Pair

Honeywell WorkEasy®

WorkEasy® 210

- PU palm dip
- Lightweight 13 gauge nylon liner
- Cool, comfortable, flexible
- EN388 4121



CODE	SIZES	UOM
GPUWE210	L - 2XL	Pair

WorkEasy® Lite

- Ultra thin PU palm dip
- Lightweight 18 gauge nylon liner
- Form fitting for tactile sensitivity
- EN388 2121



CODE	SIZES	UOM
GPUWE50	S - XL	Pair

ELLIOTTS E



G-Flex® Lite

- Ultra-lightweight PU palm coat
- Seamless, lint free nylon liner
- Excellent dexterity, sensitivity & tactility
- EN388 4142



CODE	SIZES	UOM
GPU3100	7 - 11	Pair



ProSense™ ProLite®

- PU palm dip
- Breathable nylon liner
- Anti-static
- EN388 4131

CODE	SIZES	UOM
GPUPUN	7 - 11	Pair



ProSense™ ProLite® HI VIS

- HI VIS PU palm dip
- Breathable nylon liner
- Anti-static
- EN388 4131

CODE	SIZES	UOM
GPUPUNY	6 - 11	Pair



ProSense™ Stinga Frost

- PVC foam palm dip
- Seamless 15 gauge nylon shell
- Fleece lined
- Water repellent
- Wet/dry grip
- EN388 3221

CODE	SIZES	UOM
GPVNPF	7 - 11	Pair

Industrial PVC Gloves



PRO Single Dip PVC

- Oil & grease resistant
- Interlock lined
- Abrasion resistant
- EN388 3121



GPV127



GPV126



GPV145

CODE	DESCRIPTION	SIZES	UOM
GPV127	27cm	One Size	Pair
GPV126	27cm Knit Wrist	One Size	Pair
GPV145	45cm	One Size	Pair

Double Dip PVC

- Sand palm finish
- Oil & grease resistant
- Jersey lined
- Abrasion resistant
- EN388 4221




GPV227



GPV245

CODE	LENGTH	SIZES	UOM
GPV227	27cm	One Size	Pair
GPV245	45cm	One Size	Pair

Chemical Gloves



Double Dipped PVC

- Double dipped PVC
- Chemical Cat III gloves
- Resistant to chemicals, oil and grease
- Sandy palm finish for enhanced grip
- Jersey lined for extra comfort
- Available in 3 lengths
- EN374-1 JKL
- EN388 4121




CODE	LENGTH	SIZES	UOM
GPV827	27cm	XL	Pair
GPV835	35cm	XL	Pair
GPV845	45cm	XL	Pair

ELLIOTTS

ChemVex® Nitrile

ChemVex® 7000

- Triple layer nitrile
- T-Touch palm
- Resistant to chemicals, oil and grease
- Superior grip in wet and oily conditions
- 18 gauge nylon liner
- 356mm length with safety cuff
- EN374-3 AJKL
- EN388 4121



CODE	SIZES	UOM
GRN7000	7 - 11	Pair

Chemical Gloves



Neoprene & Nitrile

Neoprene Chemical

- Heavy duty neoprene
- Cotton flock lining
- Resistant to solvents, oils & mild acids
- EN388 4110/ EN374-3 ABCIJ



Nitrile Chemical

- Premium grade nitrile
- Textured palm
- Flock lined
- EN374-1 AJKLPS or AJKLPT
- EN388 4101



CODE	LENGTH	SIZES	UOM
GRN4000	33cm	L - 2XL	Pair

CODE	LENGTH	SIZES	UOM
GRN5650	33cm	S - 3XL	Pair
GRN5655	45cm	M - XL	Pair

ELLIOTTS

ChemVex® Nitrile

ChemVex® C3 7010

- 18 gauge Dynamax cut level 3 liner
- Triple layer nitrile
- T-Touch palm
- Resistant to chemicals, oil and grease
- 356mm length with safety cuff
- EN374-3 AJKL
- EN388 4343



CODE	SIZES	UOM
GRN7010	8 - 11	Pair

Cleaning Gloves



Latex Rubber

Thrifty Yellows

- Yellow latex rubber
- Non slip embossed palm
- Lightweight, soft and flexible
- Flock lined comfort
- 30cm length - 0.38mm thick
- HACCP certification



CODE	SIZES	UOM
GRL350	S - XL	Pair



Tuff Pinks

- Pink latex rubber
- Honeycomb palm grip
- Silver lined - anti-microbial protection to resist bacteria
- Resistant to detergents and diluted chemicals
- 30cm length - 0.50mm thick
- HACCP certification



CODE	SIZES	UOM
GRL330	7 - 7½, 8 - 8½, 9 - 9½, 10 - 10½	Pair



Process Blues

- Food safe blue latex rubber
- Honeycomb palm grip
- Blue lined - anti-microbial protection to resist bacteria
- Resistant to detergents and diluted chemicals
- 30cm length - 0.45mm thick
- HACCP certification



CODE	SIZES	UOM
GRL300	7 - 7½, 8 - 8½, 9 - 9½, 10 - 10½	Pair

Disposable Gloves - Latex



Securitex

Securitex Examination

- Latex rubber
- Beaded cuff
- Ambidextrous design
- 295mm length
- Textured surface
- For single use, non sterile
- TGA listed
- HACCP Certification



CODE	DESCR.	SIZES	UOM
GDL6500	Lightly Powdered	S - XL	Bx/100
GDL6510	Powder Free	XS - XL	

Securitex HR Examination PF

- High Risk examination glove
- Triple thickness latex
- Powder free
- Textured surface
- Ambidextrous design - 295mm
- For single use, non sterile
- TGA listed
- HACCP Certification



CODE	SIZES	UOM
GDL41066	S - 2XL	Bx/50



Latex

Examination

- Latex rubber
- Textured surface
- Ambidextrous design
- 'Sensitive touch' for enhanced dexterity
- For single use, non sterile
- HACCP Certification



CODE	DESCR.	SIZES	UOM
GDL6550	Lightly Powdered	S - XL	Bx/100
GDL6560	Powder Free	XS - XL	

Disposable Gloves - Vinyl



General Purpose Vinyl LP

- Vinyl - latex free
- Lightly powdered
- Ambidextrous design
- Smooth surface
- For single use, non sterile
- HACCP Certification



CODE	COLOURS	SIZES	UOM
GDV5525	Clear, Blue	S - XL	Bx/100

General Purpose Vinyl PF

- Vinyl - latex free
- Powder free
- Smooth surface
- Ambidextrous design
- For single use, non sterile
- HACCP Certification



CODE	COLOURS	SIZES	UOM
GDV5520	Clear, Blue	S - XL	Bx/100



All Clear/ Foodie Blues Vinyl LP

- Vinyl - latex free
- Lightly powdered
- Ambidextrous design
- Oil/fat/grease resistant
- HACCP Certification



CODE	DESCR.	SIZES	UOM
GDV5500	Foodie Blue	S - XL	Bx/100
GDV5505	All Clear	S - XL	Bx/100

Disposable Gloves - Nitrile



Nitrile Blax PF

- Strong, durable nitrile
- Powder free
- Resistant to chemicals, oils & fuels
- Textured fingertips
- Ambidextrous design
- Beaded cuff

CODE	SIZES	UOM
GDN41079	S - XL	Bx/100



Nitesafe Examination PF

- Strong, stretchy nitrile
- Powder free
- Resistant to chemicals
- Textured surface
- Ambidextrous design
- Single use - non sterile
- TGA listed
- HACCP Certification

CODE	SIZES	UOM
GDN7500	S - XL	Bx/100



General Purpose Nitrile PF

- Industrial grade nitrile
- Powder free
- Chemical & oil resistant
- Textured surface
- Single use - non sterile
- Bio-degradable option
- HACCP Certification

CODE	COL.	SIZES	UOM
GDN7550	Blue	S - XL	Bx/100
GDN2000	Black	S - 2XL	



GDN1500



GDN1000

Extra Heavy Duty Nitrile

- Stronger, thicker nitrile
- Powder free
- Chemical, oil, grease, fuels, cleaners and solvent resistant
- Textured surface
- HACCP Certification

CODE	COL.	SZ.	UOM
GDN1000	Black	S - 2XL	Bx/100
GDN1500	Orange		

Welder's Gloves



PRO
PRO CHOICE SAFETY GEAR

PYROMATE
WELDING GEAR



Pyromate® Blue Heeler® Blue & Gold

- High quality blue cow split leather
- Aramid thread stitched
- Lined and welted
- Reinforced palm and thumb
- 406mm gauntlet
- EN388 2344
- EN407 42434X

CODE	SIZES	UOM
GLC60W	One Size	Pair



Pyromate® Black Jack® Black & Gold

- High quality black cow split leather
- Lined and welted
- 406mm gauntlet
- EN388 4143
- EN407 414X4X

CODE	SIZES	UOM
GLC50W	One Size	Pair



Pyromate® Tigga™

- Durable deerskin leather
- Aramid thread stitched
- 340mm gauntlet
- EN388 2121
- EN407 41224X

CODE	SIZES	UOM
GLP13W	L, XL	Pair

ELLIOTTS



KEV Blue

- Premium butt leather, lined
- Reinforced palm/thumb
- Aramid stitching
- 406mm gauntlet
- EN407 41324X
- EN388 4244

CODE	SIZES	UOM
GLC300KB	S - XL	Pair



The Wakatac®

- Red butt leather, lined
- Welted seams
- Aramid stitching
- 406mm gauntlet
- EN407 41324X
- EN388 3243

CODE	SIZES	UOM
GLC300WA	L	Pair

Cotton/Poly Gloves



PRO
PRO CHOICE SAFETY GEAR



Poly/Cotton Interlock Knit Wrist

- Lightweight bleached interlock blend
- Knitted wrist band
- Suitable for use as a liner

CODE	SIZES	UOM
GC0146	Men's	Pair
GC0145	Women's	Pair

Poly/Cotton Knit Polka Dot

- Bleached 7 gauge poly/cotton blend knit
- PVC dot grip palm
- Seamless design



CODE	SIZES	UOM
GC0418	Men's	Pair
GC0007	Women's	Pair

Poly/Cotton Interlock Liner

- Hemmed liner glove
- Bleached for clean appearance
- Reversible design



CODE	SIZES	UOM
GC0440	Men's	Pair
GC0155	Women's	Pair

Poly/Cotton Knit

- Bleached 7 gauge poly/cotton blend knit
- Seamless ambidextrous design



CODE	SIZES	UOM
GC0450M	Men's	Pair
GC0450L	Women's	Pair

Cotton Drill Knit Wrist

- Tough cotton drill
- Knit wrist to exclude debris
- Wing thumb design



CODE	SIZES	UOM
GC0410	Men's	Pair
GC0411	Women's	Pair

Electrician's Gloves



Honeywell Electrosoft Latex

- Natural latex base with high dielectric characteristics
- Straight cuff with cut edge
- Glove ratings from 650 to 4,000 volts
- Multiple size & length options
- AS 2225:1994 approved



OVERGLOVE
GLC2012897

Overglove

- Protects Electrosoft gloves from mechanical hazards
- Water repellent cowhide silicone grain leather

CODE	WORKING VOLTAGE	LENGTH (MM)	SIZES	UOM
GRL091607	650	360	8 - 11	Pair
GRL091612	1,000	360	8 - 11	Pair
GRL091613	1,000	410	8 - 11	Pair
GRL091622	3,300	360	8 - 11	Pair
GRL091632	4,000	360	9 - 11	Pair
GLC2012897	1,000	310	8 - 11	Pair



Derma Guard Skin Protectant

- Light and easy to use
- Protects and nourishes
- Non greasy formula
- One application lasts four hours
- Protects against acids, chemicals, odours, resins, mastic, adhesives, and more



CODE	DESCRIPTION	UOM
JHDG50M	Derma Guard Mousse - 50ml	Ea
JHDG150M	Derma Guard Mousse - 150ml	Ea
JHDG500M	Derma Guard Mousse - 500ml	Ea
JHDG100C	Derma Guard Cream - 100ml	Ea
JHDG150C	Derma Guard Cream - 150ml	Ea
JHDG500C	Derma Guard Cream Pump - 500ml	Ea
JHDG2000C	Derma Guard Cream Pump - 2L	Ea
JHDGWALL	Wall Dispenser for 500ml Aerosol Mousse	Ea



Glove Dispenser

- Dispenses quickly & cleanly
- Manages high usage
- Single: 95(H) x 295(W) x 100mm(D)
- Triple: 490(H) x 275(W) x 100mm(D)



CODE	DESCRIPTION	UOM
GDZ41056	Single Box Dispenser	Ea
GDZ41057	Triple Box Dispenser	Ea



By VISIONSafe

Glove Guard Clip

- Double jaw configuration
- Attaches to belt loop, pocket, etc.
- 'Safety Breakaway' feature
- Metal detectable version available



CODE	COLOURS	UOM
MGG1	Various	Ea



Barrier Creams

Water Repellent Barrier Cream

- Protects hands against chemicals, detergents, acids, alkalis
- Relieves and moisturises



Solvent Resistant Barrier Cream

- Protects hands against solvents, steel, dust, oils
- Relieves and moisturises



After Work Moisturising Cream

- Assists in repair of damaged skin
- Relieves and moisturises
- Contains lanolin



CODE	DESCRIPTION	UOM
JHBCWR125	Ultra Clean Water Repellent Barrier Cream - 125ml	Ea
JHBCWR500	Ultra Clean Water Repellent Barrier Cream - 500ml	Ea
JHBCWR1	Ultra Clean Water Repellent Barrier Cream - 1L	Ea
JHBCSR125	Ultra Clean Solvent Resistant Barrier Cream - 125ml	Ea
JHBCSR500	Ultra Clean Solvent Resistant Barrier Cream - 500ml	Ea
JHBCSR1	Ultra Clean Solvent Resistant Barrier Cream - 1L	Ea
JHBCMC125	Ultra Clean After Work Moisturising Cream - 125ml	Ea
JHBCMC500	Ultra Clean After Work Moisturising Cream - 500ml	Ea
JHBCMC1	Ultra Clean After Work Moisturising Cream - 1L	Ea



Glove Clip Keeper

- Twin locking jaws
- Breakaway connecting cord
- Attaches to belts/belt loops



CODE	COLOURS	UOM
MGGCK	Black, Yellow, Orange	Ea

Safety Knives



By VISIONSafe

Fish 200 Safety Knife

- Cuts strapping, string, tape etc.
- Replaceable blades
- Versatile ergonomic design



CODE	COLOUR	UOM
YK002	Green	Ea

Penguin 900 Safety Knife

- Cuts tape, bubble wrap etc.
- Integrated tape cutter
- Ergonomic design with knuckle protection



CODE	COLOUR	UOM
YK004	Orange	Ea

ReAkta Safety Knife

- Easy to replace 60mm blade
- Automatic blade retraction when the knife is shaken, jerked or dropped
- Heavy duty with aluminium blade carrier



CODE	COLOUR	UOM
YK006	Black	Ea

