

PRODUCTS & SERVICES



edition 9.1



Owned & Operated





Welcome

to SafetyQuip and Edition 9.1 of the SafetyQuip Products and Services Catalogue.

SafetyQuip is proudly an Australian Owned and Operated Franchise Business with locations around Australia. With over 28 years experience in the Safety and OHS Industry, our Franchise Partners, our customer focused employees and our dedicated



Proudly Australian <u>Own</u>ed & Operated

National Support Team share the same vision "To ensure that you and your employees go home safely everyday".

SafetyQuip began in 1992 with one location on the Sunshine Coast and a mobile SafetyQuip Van. In 2019, three of our Franchisees purchased the business from the retiring founder. We believe in the philosophy, business and the products and services provided to our customers. Today we have grown to proudly service all of Australia.

We are proud to be a trusted supplier to so many clients around Australia and regard it a privilege to play a role in assisting you to maintain a safe yet productive workplace.

Our section lead-in pages are devoted to providing essential background information on each section topic. Take some time to read them as we are sure they will supplement your OH&S knowledge.

SafetyQuip consistently invests in the training of our team members to ensure that we live up to being 'The Safety Professionals'.

SafetyQuip Customer Service Team Members undergo an intensive training program as part of our onboarding process. It assures us and you, that when you purchase from SafetyQuip you get much more than just a product in a box. The quality, service, advice and ongoing support we provide are critical components to our ongoing relationship with you and your business.

Our Safety Centres and Safety Vans – "The Store that Comes to You" are a winning combination that has serviced tens of thousands of our valued clients around Australia.

Finally, to all our valued clients around Australia, we thank you for your loyal support over the years. Without you, our vision would not have become what it is today.



CONTENTS









SafetyQuip Capabilities	2
A Trusted Safety Supplier	3
A Safe Place To Work	4
Head Protection	5
Eye & Face Protection	11
Hearing Protection	19
Respiratory Protection	27
Workwear	39
Protective Clothing	55
Safety Footwear	67
Hand Protection	77
Height Safety	89
Health & Hygiene	101
Site Safety	111
Product Index	141
Risk Index	143
Corporate Citizenship	145
Store Locations	146



SALES AND SUPPLY

Pay no more (and often much less) for a range that includes all the top brands. New product demos, expert advice on tap and research for those special needs make SafetyQuip the one-stop shop for safety equipment and PPE compliance. Instant supply, invoicing and back ordering all right there on the spot – and it's all available now! SafetyQuip is the local face of WHS. Local people who know your workplace and its needs, anchored by a national network with excellent supplier relationships, great IT, centralised tech support and proven business systems.

It's the kind of care and attention you only get when you're dealing with people who own and manage the business.



MOBILE

At whatever interval makes sense, a SafetyQuip Mobile Safety Shop will arrive at your doorstep carrying all your Safety and PPE needs.

All SafetyQuip Mobile Safety Shops are stocked with a broad range of PPE, Footwear and Site Safety Products, this is what makes us different from the rest.

You may choose to receive a scheduled visit and have your Safety needs supplied on the spot or have your special requirements responded to as and when they are needed – such as Workwear Fit outs, Replenishment of PPE Lockers or inspection of Spill Control Kits to name just a few of the ways SafetyQuip can service your business.

There are many ways our Mobile Safety Shops and fully trained Safety Professionals can assist you to stay on top of your Workplace Health and Safety requirements and keep your workplace safe!

SafetyQuip Mobile Safety Shop – The Store that comes to You.



IN STORE / DISTRIBUTION

Should you need to call into our SafetyQuip Safety Shop, our Safety Professionals are here to help.

SafetyQuip trained Customer Service team are able to assist with product choice and selection and provide advice on the use and maintenance of the Safety products you require.

SafetyQuip Safety Shops also act as the service centre for our customers who place orders via phone, website and email. We ensure that your order is processed by Customer Service staff who have experience and knowledge of the products.

Getting your order correct and quickly delivered to you is our top priority.

Efficient over the counter assistance and prompt deliveries are all part of the SafetyQuip service.

ONLINE

SafetyQuip's online ordering option gives you full access to the complete range of personal protective equipment and site safety products.

From simply being able to browse the electronic catalogue right through to ordering the products you need, the SafetyQuip website is there to make life easy.

If you do not currently have an account with SafetyQuip, but are a regular purchaser of our products, you might like to contact your nearest SafetyQuip branch to discuss if opening an online account is the right option for you.

Our website also has some valuable workplace health and safety resources including references guides, videos and technical brochures to assist you further.

<u>A Trusted</u> Safety Supplier

What makes us credible?

SafetyQuip is an established part of the Industrial Safety Market with over 25 years of experience and knowledge, and counting. Our national network interacts with a broad range of industries and enables us to service multi-state customers with consistency and reliability. Customers have come to rely on the dependability and stability that the SafetyQuip business model offers.

SafetyQuip's unique combination of fulfilment options ensures that it has an edge in responsiveness and customer service that is widely valued and hard to beat in a market often devoid of the personal touch.

We understand that as a supplier of Personal Protective Equipment, Workwear and Site Safety Products, our customers depend on the advice, products and support services that we provide to enable them to meet their duty of care when implementing Risk Control Measures involving a PPE solution.



At SafetyQuip we work hard to deliver on our core premise of 'Local Knowledge – Safer Workers'. To ensure our national network executes effectively across all channels, we have in place a range of business support processes and procedures that provide our customers with the assurances that they are dealing with a credible supplier.

Here's a few of the Safety things that we think are important as a **SPECIALIST SAFETY SUPPLIER**:

- Standards are important, that's why at SafetyQuip we only supply products that meet Australian Standards or a relevant International Standard
- Our internal Learning Management System provides in-house Safety Training Modules for all levels of the SafetyQuip Team.
- We heavily focus on integrated Supplier Training with nationally selected Suppliers.
- When it comes to the selection, use and maintenance of Safety products, our customers have our full attention.
- · Our Duty of Care to our customers will always come first

Full Scope Safety Professionals

SafetyQuip offers customers a full scope safety solution that covers workplace needs from head to toe and includes industrial safety & environmental requirements.

Leveraging well established long term supplier relationships, SafetyQuip offers a comprehensive range of leading brands to assist in selecting the best value 'fit-for-purpose' product solutions for all applications.

In conjunction with our nationally selected suppliers additional product support is offered via a range of services including:

- Respirator fit testing
- Hearing fit testing
- · Height Safety equipment inspection
- Spill control replenishment
- Signage surveys
- Workwear & footwear services

Your local SafetyQuip store can discuss any needs you may have and provide the most effective and economical solution.

Our local knowledge and staff training enables our sales people to advise customers on correct product choices so that the intended level of protection is achieved.

Compliance

With thousands of lines available, the backup of a national network and service provided by local people who are trained to assist in solving your workplace safety issues, compliance becomes less of a problem.



In fact, if you are worried

about Compliance – just ask. Anything we can't answer, our National Support Team can. Or we can organise for economical OH&S Support to be provided by certified specialists.

The SafetyQuip catalogue also provides some useful 'Risk Assessment' background information and 'Safety Tips' for each category of PPE. Refer to our 'A Safe Place To Work' page that follows for some important background information.

Why take the risk when SafetyQuip makes compliance easy.



A Safe Place To Work

CODES OF PRACTICE

The National Workplace Health and Safety (WHS) Act and Regulations include Codes of Practice describing workplace duty of care responsibilities. Some Codes of Practice are specific to a particular work risk (refer to **www.safeworkaustralia.gov.au**).

One code is devoted to the management of workplace risk. Any person conducting a business or a business undertaking (PCBU - described in the Safe Work Australia website) is expected to conduct their responsibilities in a format that ensures every worker has a safe place of work. The National Codes of Practice help you make informed decisions in the assessment of hazards and the application and management of control measures.

MANAGEMENT COMMITMENT

The Code of Practice "How to Manage Health and Safety Risks" now requires a manager to consult with employees on workplace health and safety issues in which they are involved. If workers are represented by a Safety Representative then that representative must be included in the consultation process.



IMPORTANT TERMS

Hazard – A hazard is a work practice that has the potential to cause harm. Ask yourself the most unlikely "what if" questions when observing workplace and work practices. Under present legislation, hazards now include workplace bullying and violence, poor workplace design, inadequate systems controls or the lack of or no procedures of operation.

Risk – Is an assessment of the likelihood that a specific hazard will produce harmful consequences. A risk assessment should determine a time frame in which to apply control measures, e.g. an immediate machine shutdown.

Risk Control - Risk control is normally a two-step process:

- Eliminate the risk as far as reasonably practicable. Eliminating the hazard to eliminate the risk is the highest ideal.
- Put in place reasonable and practicable control measures that produce a downgrading of the hazard to a lower risk category.

CONTROL MEASURES

Selecting appropriate risk control measures can be a difficult task for persons in charge of a business or undertaking (PCBU). It is important you maintain a structured approach to help eliminate or minimise risks identified in your workplace. For the most effective way to control risks, aim to implement higher stages from the table below, before considering the lower stages. This table explains how each stage should be implemented:

STAGE	HOW TO IMPLEMENT
Stage 1 - Elimination	Remove the risk of exposure to the hazard completely.
Stage 2 - Substitution	Control the risk by substituting it with a less hazardous or non-hazardous alternative.
Stage 3 - Isolation	Reduce the risk by enclosing or isolating it.
Stage 4 - Engineering	Put engineering controls in place to eliminate or reduce the risk.
Stage 5 - Administration	Implement administrative controls to minimise the risk.
Stage 6 - Personal protective equipment (PPE)	Require your workers to wear PPE (e.g. safety goggles, gloves, iridescent vests and safety boots, while in the vicinity of the risk).

CODES OF PRACTICE AND PPE

WH&S legislation specifies that PPE is only to be selected for worker protection when all higher ranking control measures have been investigated and excluded or PPE is selected as a component of a higher ranked control measure. Under WH&S Regulations a person in charge of a workplace must:

- Select the equipment in accordance with any technical standard published by Safe Work Australia e.g. a relevant Code of Practice.
- The PPE put in place to control a risk is maintained, replaced or tested in order to continue to function as a suitable risk control measure. Furthermore there is an expectation that the quality or performance criteria of that PPE is not altered or downgraded throughout the period of use.
- Ensure that all users of PPE are trained in the use, maintenance, function and performance of each item of PPE specific to each job application.
- Demonstrate ongoing supervision in the correct use of PPE, e.g. toolbox talks, in-house audits, safety committee meeting minutes.

HEAD PROTECTION

APPLICATION

The use of helmets will include the need to protect employees from exposure to falling objects, bumps, electrical contact, sun, heat and fire, low light risk and emergency situations.

RISK ASSESSMENT

The need to wear head protection should be established by conducting a risk assessment. Elimination or control of a hazard should be given first consideration. Key factors influencing a head protection risk assessment:

- The nature and location of the work
- · Potential of falling objects
- · Contact with fixed or protruding objects
- · Contact with electrical hazards
- · Exposure to heat, sun, wind, rain and chemicals
- The impact on hearing protection by head/face protection accessories
- Specialist fire & emergency rescue situations



The head comfort of workers exposed to **high temperatures/ heat** is important. Ventilated, white safety helmets will provide better heat dissipation.

FATE

Hard hat reflective strips are available for **low light** working risks. The tape is available in curved and straight strips and coated in a safe and approved adhesive.

Emergency and Warden safety

helmets must always have an adjustable chin strap fitted. All are required to have the approved identification. The safety helmet colours for Emergency Warden positions are:

- 1. White Chief Warden
- 2. White Deputy Chief Warden
- 3. White Communications Officer
- 4. Yellow Area or Floor Warden
- 5. Red Warden
- 6. Green First Aid Officer White Cross on a Green Square

Accessory options:

- Cap attachable earmuffs
- Face shield or welding shield
- Visor/muff combinations for brushcutting/chainsaw applications
- Wide brim for additional shade in hot climates
- Neck flaps for protection against weather, molten metal splash, hot substances etc.
- Chin straps

HELMET SERVICE LIFE & INSPECTION

Safety helmet shells generally have a working life of **3 years** from the date of issue. Internal headgear should be replaced every 2 years. Safety helmets and components should be inspected weekly for dents, cracks, scratches or other damage that may reduce the degree of safety originally



provided. Helmets showing damage or deterioration to the shell should be immediately disposed of.

SAFETY TIPS

- Employees MUST be trained in the use and limitations of protective helmets.
- Mark the issue date on the label provided in the helmet.
- Do not place non-approved stickers on, or paint or mark the helmet with any kind of ink marker.
- Bump caps have no AS compliance but may comply with international bump cap standards.
- A safety helmet placed on the parcel shelf of a car becomes a missile in a collision.
- Do not use any solvent for helmet cleaning warm soapy water only.
- Match same brand accessories to safety helmets wherever possible.

All workers should be trained in the correct use and maintenance of personal protective equipment.

USEFUL REFERENCES

AS/NZS 1801:1997 Occupational Protective Helmets. **AS/NZS 1800:1998** Occupational Protective Helmets -Selection, care and use.

HARD HATS & VISORS	6
BUMP CAPS	8
SOFT HEADWEAR	9
ACCESSORIES	10

DISCLAIMER: The information detailed above is not provided as a solution to the control of workplace hazards. It is an outline and has not been prepared as any statement of law nor is it intended to replace or substitute for professional and/or legal advice which is strongly recommended.





3M

Vented Hard Hat

- Type 1 general purpose ABS safety helmet
- 6-point terylene head harness for greater stability and comfort
- Top venting for cool, comfortable protection
- Accessory slots for attachment of hearing and face protection
- Also available in polycarbonate high heat (Type 2)
- Optional ratchet headband available
- Certified to AS/NZS 1801:1997





CODE DESCRIPTION COLOURS UOM Blue, Green, White, Yellow, Red, HC570 Vented ABS Fluoro Orange, Fluoro Yellow, Grey, Orange, Watermelon Fa Blue, White, Yellow, Red, Fluoro Vented ABS Ratchet Ea HC570R Yellow, Orange White, Yellow, Fluoro Yellow, HC590 Vented Polycarbonate Ea Fluoro Lime



Reflective Tapes

- For improved visibility for low light/night applications
- Choice of tape format and type (25mm)
 Approved as a safety hard hat accessory
- Some tape options are factory fitted only

CODE	DESCRIPTION	UOM
HCXTA180	Tape Kit - 2 Curved, 1 Straight - Self or Factory Fitted	Ea
HCXTAPE1	2 Side Strips - Silver - Factory Fitted	Ea
HCXTAPE2	3 Strips on Front/Rear - Silver - Factory Fitted	Ea
HCXTAPE4	3 Strips on 4 Sides - White/Yellow/Red - Factory Fitted	Ea



Up to 12 colours for standard size logos Up to 6 colours for extra large logos Minimum order: 20 units One-off setup charge on initial order

Suitable artwork
 to be supplied

C V

Safety Logo Hard Hats

- 6-point terylene harness
- Unvented styleTerry towel sweatband
- 25mm accessory slots
- Certified to AS/NZS
- 1801:1997



CODE	DESCRIPTION	UOM
HC560F04:GR	Logo Hard Hat "First Aid"	Ea
HC560C92:WH	Logo Hard Hat "Chief Warden"	Ea
HC560R27:RD	Logo Hard Hat "Fire Warden"	Ea
HC560W30:YL	Logo Hard Hat "Area Warden"	Ea
HC560V01:WH	Logo Hard Hat "Visitor"	Ea

31

Hard Hat Attachable Visor Holder & Visors

Visor Holder

- Compatible with 3M[™] HC560 and HC570 safety hard hats
- Accepts all visors -
- refer to page 17 for full range • Made from heat resistant nylon,
- suitable for high temperature work areas
- Peaked version available

Visors

- Wide range of visors available to suit most applications
- High impact, heat resistant and chemical resistant visors

VVC848

available - Refer to page 17 for full range.





VVC730

VVM820

HCX500

CODE	DESCRIPTION	RATING	UOM
HCX500	Visor Holder	Molten Metal/Hot Solids (M) & Chemical Splash Proof (C)	Ea
VVC730	1.0mm P/C - 200 x 385mm	High Impact Resistant	Ea
VVC848	1.0mm P/C - 200 x 300mm	High Impact Resistant	Ea
VVM820	Aluminium Mesh - 150 x 385mm	Low Impact Resistant	Ea

HEAD PROTECTION



Logo Printing

- Pad print up to five colours on front, back and sides
- Customise hard hats with your logo, or to identify roles or specific project names
- Vinyl cut print options available no size or position restrictions

SAFE AS.

• Pad & vinyl printing services will not interfere with the chemical or structural integrity of the materials used in the hard hat





CODE	DESCRIPTION	UOM
ECVIP	Viper® Cap Attachable CL5 - SLC80 26dB(A)	Ea
ECPYTS	Python [®] Slimline HI VIS Cap Attachable CL5 - 31dB(A)	Ea



Accessories/spares to suit ProChoice HCV6 and HCV6P hard hats.

Cotton Sweat Band

Replaceable for hygiene & comfort

Elastic Chin Strap

Adjustable strap

Replacement Harness

6-point PushLock harness


CODE DESCRIPTION

HCX061	Elastic Chin Strap	Ea	
HCX062	Cotton Terry Sweat Band	Ea	
HCX060	Replacement PushLock Harness	Ea	

PRO CHOICE SAFETY GEAR

V6 Vented Safety Hard Hat

- Lightweight vented ABS
- plastic shell



- Extended peak for added protection
- Earmuffs and visors are easily attached via moulded accessory slots
- 6-point PushLock for secure fit
- Cotton sweat band



HCX800

to to the

ProChoice safety caps are certified to AS/NZS 1801

CODE	DESCRIPTION	COLOURS	UOM
HCV6	Vented Cap PushLock	Orange, Green, Fluoro Yellow, Blue, White, Red, Black, Yellow	Ea



Hard Hat Attached Visor Holder & Visors

Visor Holder

- Compatible with ProChoice HCV6 and HCV9 hard hats
- Suits all ProChoice visors
- Fitted with QuickLock clips for easy visor replacement
- Can be used with ProChoice Viper® and Python® earmuffs

Visors

ECPYTS

HCX061

HCX062

HCX060 (SAFETY CAP SOLD SEPARATELY)

000000000

UOM

- Anti-fog 2mm polycarbonate (VVC900E excluded)
- 99.9% UV protection
- Certified to AS/NZS 1337.1:2010 for Extra High Impact, Molten Metals and Hot Solids (mesh visor excluded)



VVC900	VVS900 VVW900 VVC900E VVM900 VVC900	OCG		
CODE	DESCRIPTION	UOM		
HCX800	Visor Holder for Visor and/or Muff	Ea		
VVC900	isor Clear P/C - 205mm x 450mm - Anti-fog Ea			
VVS900	/isor Smoke P/C - 205mm x 450mm - Anti-fog Ea			
VVW900	/isor Green Shade - 205mm x 450mm - Anti-fog Ea			
VVC900E	Visor Clear - 205mm x 450mm - Non Anti-fog Ea			
VVM900	Visor Mesh Stainless Steel - 390mm x 197mm Ea			
VVC900CG	Visor Clear P/C Chinguard - 410mm x 260mm - Anti-fog	Ea		





 Low pr design ABS m Built-in Easy lo system Nine p Webbe Also av 	ted Safety Hard offle and lightweigh in impact resistant aterial sweatband cking harness for fast on/off app oints of ventilation d harness cradling railable unvented ed to AS/NZS 1801	blication system	OLD		G2000 Lumberja • Combine face and protectio and gard • Helmet: 0 AS/NZS • Visor: V4 AS/NZS • Earmuff: AS/NZS	s head, hearing n for forestry ening industries G2000 ABS shell - 1801 (Type 1) C stainless steel r 1337.2 (Low Impa H31 cap attached 1270 (SLC80 28d
CODE		COLOURS			 Includes 	rainshield neck p
HCV9	Vented Pushlock	Blue, Green, Orang White, Yellow, Fluoro			CODE	DESCRIPTION
HCV9R	Vented Ratchet	Blue, Green, Orang			HCVMK200	
НСХОЭО	Replacement Pushlo	Fluoro Yellow			VVM4G VVM4B	Low Impact Steel
HCXV9PB		Blue White Groop	, Fluoro Orange, I	Fluoro	VVCV2C VVCV4K	High Impact Polyc
Certifie CODE	ble in vented and u ed to AS/NZS 1801 DESCRIPTION	COLOURS			CODE DES	erylene harness CRIPTION
HHV6FB HH6FB	V6 Vented Hat	White, Green, Red Yellow, White	, Yellow, Orange			Type 1 Hat carbonate Type 2 Hat
 Industi 10mm improv Full AB ratches Universion Airborr low vol 	Me Micro Peak rial Hard Hat micro peak for ed peripheral visio S shell with 6-poin tharness and adju tal attachment slot f the Linesman mode tage installations (S 1801 certified	t HDPE/nylon stable chin strap for visors & earmu I suitable for use i	- HC	V6MP	bushfire/ • Polycarbo chip resis • Lightweig • 6-point n • Includes protector	d Type 3 for / wildfire applicati onate heat and stant material
CODE HC6MP HCV6MP	DESCRIPTION Airborne Linesman L Airborne Vented Mic	Jnvented Micro Peak ro Peak	White Orang	e, Yellow,	CODE HEBHF44 HEBHF44V	DESCRIPTION Polycarbonate Type Polycarbonate Type
Baseb	-		HCBCG:BG	CBSP1:FY	First Bas Bump Ca • Lightweig comforta	aps ght and
• Stylish design or show • 65% co	in standard rt peak otton, 35% polyeste 2 standards compli DESCRIPTION	ant	COLOURS Black/Grey	UOM Ea	Moisture EN 812 s CODE	ntilation wicking fabric sw standards compli DESCRIPTION Classic Reduced P
 Bump (Stylish design or shot 65% cd EN 812 	in standard rt peak otton, 35% polyeste 2 standards compli DESCRIPTION G Baseball Style Ba D Baseball Style Ba	ant one cap			Moisture EN 812 s CODE HCB23CRP	wicking fabric system standards compl DESCRIPTION

Baseball Style Bump Cap Short Peak Fluoro Yellow

Baseball Style Bump Cap Short Peak Navy

Ea

Ea

hell eel mesh mpact) ched -28dB(A) - Class 5) ck protection N berjack Kit - Orange Steel Mesh Visor Matt Finish 130mm x 155mm Polyamide Mesh Visor Matt Finish 130mm x 155mm Polycarbonate Visor Clear AF/AS 308mm x 210mm Polycarbonate Visor Clear AF/AS 455mm x 247mm



- Type 1 or for high
- ss

COLOURS White, Green, Red, Yellow, Orange, Blue, Grey 2 Hat White, Green, Red, Orange

MADEI

- ications
- ۱d
- headgear FR neck
- e tape
- 801:1997

COLOURS

HCB23CRP

Type 3 c/w Chin Strap White, Orange, Yellow Type 3 c/w Chin Strap/Visor White

HEBHF44V



HCBSP1:FY

HCBSP2:NV

HEAD PROTECTION









DEPUTY

CHIEF

WARDEN

SSD845738

EVACUATION

OFFICER

SSD845739

visito

SSD838414

ISITOR

SSD49573

SSD42245

EYE & FACE PROTECTION

APPLICATION

When engineering and administrative controls are unable to remove the potential for eye and/or face injuries, suitable PPE must be worn. This assessment must also apply to passers-by and nearby workers.

RISK ASSESSMENT

When determining a need for eye protection, carry out a risk assessment of the task to ensure that the correct specification for eye protection is chosen. Never assume that the present choice is the right one.

Consider:

- Prescription eyewear for workers with vision weaknesses. Be aware of the risk of reader inserts in standard protective eyewear ie. the capacity to distort walking vision eg. on stairs.
- Low, Medium, High and Extra High (switching work) energy impact risks.
- Chemical, microbiological, hot materials and cryogenic liquids (chin guard attachments are essential for splash risk). LPG re-gassing is a cryogenic liquid eye injury risk.
- Welding operations require careful risk assessment including protection for welder's assistants.
- Laser protection for Classes 3, 3A and 4 must comply with the laser manufacturer's recommendations.
- Provision of emergency eyewash and first aid. Refer to the Health & Hygiene and Site Safety sections of this catalogue.
- Eye Protection Signs conforming to AS 1319:1994 Safety signs for the occupational environment.

AS/NZS 1337.1:2010 lists four impact ratings. These are Low, Medium, High and Extra High. Impact protection situations are listed in that standard. Extra High Impact rating visors must be used for electrical maintenance - refer page 57.

MARKING OF EYE PROTECTORS

In line with the proposed ISO standard, the following lens markings for Eye Protectors may apply:

TYPE OF LENS	LENS MARKING
Outdoor Use Untinted	"O"
Low Impact	"S" - optional
Medium Impact	"I" or "F"
High Impact	"V" or "B"
Extra High Impact	"A"
Splash Proof	"C" or "3"
Molten Metal	"M" or "9"
High Temperature	"H"

SAFETY PRESCRIPTION EYE PROTECTION

Amendments to AS/NZS 1337.6 Prescription Eye Protectors against Low and Medium Impact, state that prescription eye protection must be compliant with a standards testing protocol in order to be worn in the workplace. This standard now requires manufacturers of workplace prescription safety eyewear to be licensed.



SAFETY TIPS

- Spectacle arms can compromise hearing protection when ear muffs are worn.
- Eye protection may be compromised by respiratory protection. Check the two together.
- Grinding and cutting protection must include both a high impact face shield AND medium impact safety spectacles.
- Do not allow workers on site with non-compliant eyewear eg. fashion sunglasses.
- Ensure that a welding cover/chipping lens has a suitable impact rating.

All workers should be trained in the correct use and maintenance of personal protective equipment.

USEFUL REFERENCES

AS/NZS 1336:2014 Eye and face protection guidelines.

AS/NZS 1337.6:2012 Personal eye protection - Prescription eye protectors against low and medium impact.

AS/NZS 1337.1:2010/Amdt 1:2012 Eye and face protection for occupational applications.

AS/NZS 1338.1:2012 Filters for eye protectors.

SPECTACLES	12
GOGGLES	16
FACE SHIELDS	17
WELDING PROTECTION/ACCESSORIES	18

DISCLAIMER: The information detailed above is not provided as a solution to the control of workplace hazards. It is an outline and has not been prepared as any statement of law nor is it intended to replace or substitute for professional and/or legal advice which is strongly recommended.







12

EYE & FACE PROTECTION







PITO CHOICE SAFET				Y	4		ON afe		
 Co-injecte temple tip Anti-fog a 	kible with c lens design ed arms for soft os and ultimate comfo nd anti-scratch lens / protection for outdoo				• Nylor • Comf • Anti-s	arbon Diece I Diside Fortab	ate ens arms e, soft and flexible n/anti-fog lens coat	ing as indicate	
CODE VSC9180 VSC9188	LENS Clear HC/AF Indoor/Outdoor HC/AF	CODE VSS9182 VSA9185	LENS Smoke HC/AF Amber HC/AF		CODE VSC262 VSS262 VSM26	1	LENS Clear HC Smoke HC Blue Mirror HC	CODE VSC261AF VSS261AF VSM261:SL	LENS Clear HC/AF Smoke HC/AF Silver Mirror HC
 Polycarbo Anti-scrat Optional s 	ral / protection nate lightweight fram ch/anti-fog lens coati soft TPR gasket for ex n against dust, mist a	ng ceptional			polyc • Wrap • Frost	weigh arbon -aroui ed arr	t one-piece ate lens nd styling ns and nose bridge ti-scratch lens coat	ing as indicate	
CODE	LENS	CODE	LENS		CODE	08/01	LENS	CODE	LENS
VSC6400 VSS6402	Clear HC/AF Smoke HC/AF	VSA6405 VSB6409	Amber HC/AF Brown HC/AF		VSC212 VSS212		Clear HC Smoke HC	VSC212AF VSS212AF	Clear HC/AF Smoke HC/AF
CODE VSC6300	emple tips ch/anti-fog lens coati LENS Clear HC/AF	ng CODE VSM6309	LENS Brown Silver HC/AF	Flash	• Light • Anti-s CODE VSC296	weigh scratc	bber nose pads t and comfortable n/anti-fog lens coat LENS Clear HC	CODE VSC296AF	LENS Clear HC/AF
 Adjustabl 	Smoke HC/AF POLARI POLARI POLARI POLARI POLARI OPTIC	SED DN			• Soft,	rick piece l nered rubbe scratc		VSS296AF	Smoke HC/AF
CODE VSC8200 VSS8202	LENS Clear HC/AF Smoke HC/AF	CODE VSS8202BK VSP8212	LENS Smoke HC/AF Smoke Polarised	HC/AF	CODE VSS242	2	LENS Smoke HC	CODE VSP242	POLARIŠED OPTION LENS Smoke Polarised HC
unobstrue • Deep frar		C	1		 Rubb Also mirro 	piece l per ins availa pr and	bifocal lens ert temple ends ble in smoke, silver plano options er 101 is not certific	ed to AS/NZS :	1337.1:2010
CODE VSC160	LENS Clear	CODE VSS161	LENS Smoke		CODE VSC101 VSC101		LENS 1.5 Mag Clear H/C 2.0 Mag Clear H/C	CODE VSC101R:2.5 VSC101R:3.0	8
	ROCHOICE safety eye 1337.1:2010 for Me			HC = Ha (Anti-Sc AF = An	ratch)	AS/	VISIONSAFE saf NZS 1337.1:2010		

EYE & FACE PROTECTION

Stylish, lightweight, wrap-around design Stylish, lightweight, wrap-around design • Sontoured nine base lens • Contoured nine base lens • Flexible, vented, TPR padded pillow flex side arms DUST GUARD VSX915DG • Clip-on/off dust guard for improved seal available • Adjustable spectacle strap available • Adjustable spectacle strap available • Anti-static lenses with anti-scratch/ anti-fog coating CODE FRAME ENS CODE FRAME ENS VSC9151 Black/ Clear H/P HC/AF VSB9155 Black/Grey Brown HC/AF	Honeywell Honeywell
VSS9152 Red Smoke H/P HC/AF	VSB1024853 Expresso AF VSP1024858 Black Polarised HC
 Buster Floating lens 100% UV protection Wrap-around sports style Co-moulded temple arms Anti-scratch/anti-fog lens coating as indicated 	 Honeywell A700 Sports style wrap-around design Nine base polycarbonate lens Soft temple tip pads for a secure fit Anti-scratch/anti-fog lens coating as indicated
CODE LENS CODE LENS	CODE LENS CODE LENS
VSC101 Clear HC/AF VSA101 Amber HC/AF VSS101 Smoke HC VSM101 Blue Mirror HC	VSC1015360 Clear AF VSA1015441 Amber HC VSS1015351 Grey AF VSM1015442 Light Brown Mirror AF
Wasp • Wrap-around design • Soft nose pads • Lightweight, anti-static nine base lens • Flexible, co-moulded, padded side arms • Anti-scratch/anti-fog lens coating CODE LENS VSC0131 Clear HC/AF VSS0132 Smoke HC/AF	 Soft temple tips provide a comfortable fit for all day wear 100% dielectric with no metal parts Anti-fog/anti-scratch lens coating CODE LENS VSC1037540 Clear HC/AF VSS1037542 Grey HC/AF VSA1037544 Amber HC/AF VSX1037541 Positive Seal Foam Gasket
2M	Honeywell
Bark Hut • Smooth rubberised frame • Soft fit facial feel • Options include clip-on/off dust guard • Anti-scratch/anti-fog lens coating CODE LENS CODE LENS	Chill Lightweight design Flexible temples Comfort moulded nosepiece Wrap-around nine base Anti-scratch/anti-fog lens coating as indicated
VSS007 Smoke HC/AF VSP007 Smoke Polarised HC/AF VSS007DG Smoke HC/AF Dustguard VSP007 Smoke Polarised HC/AF	CODELENSCODELENSVSC200XVClear HCVSC205XVClear AFVSS201XVGrey HCVSS206XVGrey AF
 Stress Ecko Ultra lightweight design 100% UV protection Wrap-around polycarbonate frame Anti-scratch/anti-fog lens coating as indicated 	 Honeywell XC® Lightweight 36gm Wrap-around styling Extendable arm lengths and temple pivot points Optional RX insert for prescription use Anti-scratch/anti-fog lens coating as indicated
CODELENSCODELENSVSC170Clear HC/AFVSM170Clear Mirror HCVSS170Smoke HC	CODELENSCODELENSVSC1011027Clear AFVSM1011023Light Silver Mirror ASVSS1011025Smoke Grey AFVSM1011022Silver Mirror AS
	HONEYWELL safety eyewear is certified to (NZS 1337 1:2010 for Medium Impact Protection





bollé SAEETY

Blast Goggle

- Low profile PVC frame
- Vent options
- · Polycarbonate lens with anti-scratch/anti-fog lens coating
- Can be worn over spectacles and disposable respirators
- · Close-cell foam seal for dust protection



VGX1669203

CODE	DESCRIPTION	UOM
VGC1669101	Clear/Top Vent Closed AS/AF	Ea
VGC1669201	Clear/Indirect Vents AS/AF	Ea
VGC1669203	Clear/Indirect Vents c/w Mouth Guard AS/AF	Ea
VGX1669204	Mouth Guard	Ea

bollé

Pilot 2 Goggle

- Ventilated frame
- · Fits over prescription
- glasses Platinum[®] anti-scratch/
- anti-fog lens coating

DESCRIPTION CODE VGC1679110 Clear * AS/AF

VGS	1679112	Smoke *PAS/AF	

bollé

Atom Goggle

- · Comfortable, compact and lightweight TPR frame
- · Fits over prescription spectacles
- Platinum[®] anti-scratch/anti-fog lens coating

CODE	LENS/FRAME	UOM
VGC1652801	Clear T AS/AF Indirect Vents Top/Bottom	Ea
VGC1652821	Clear PAS/AF Top Vents Closed	Ea
VGS1652802	Smoke PAS/AF Indirect Vents Top/Bottom	Ea
VGS1652822	Smoke AS/AF Top Vents Closed	Ea



Flex 440 Goggle

- · Fully flexible twin lens frame with side
- vents & soft foam seal
- · Wide fit adjustable headband
- Anti-scratch/anti-fog lens coating

CODE	DESCRIPTION	UOM
VGC440	Clear HC/AF	Ea
VGS440	Smoke HC/AF	Ea

All safety eyewear on this page is certified to AS/NZS 1337.1:2010 for Medium Impact Protection



Vadar Goggle/ Mask Combo

- Wide peripheral vision and face coverage
- Anti-fog lens
- · Multiple vents for increased airflow and minimal lens fogging
- Goggle and face shield can detach

• 99.9% UV protection for outdoor

CODE	DESCRIPTION	UOM
VGC5000	Clear AF	Ea
VGS5002	Smoke AF	Ea



Cyclone Goggle

- Spherical antifog, liquid splash
- protection lens 99.9% UV protection
- Foam bound, wide head strap & indirect vents enhances user comfort



CODE	DESCRIPTION	UOM
VGC6000	Cyclone Clear AF	Ea
VGS6002	Cyclone Smoke AF	Ea
VGC6FR0	Inferno Fire Retardant AF/AS Foam Bound Indirect Vents	Ea



UOM

Ea Ea

GoggleGear[™] 500 Series Goggle

- · Low profile design
- Indirect ventilation
- · Medium impact polycarbonate lens with 3M[™]
- Scotchgard[™] Anti-fog Technology
- Adustable neoprene head strap
- · Prescription lens insert available

CODE	DESCRIPTION	UOM
VGC501	Clear AF	Ea
VGZ500P1	Prescription Lens Insert	Ea

Honeywell

Maxx Pro[™] Goggle

- Compact low
- profile design Splash and impact protection rated
- Anti-fog/anti-scratch lens
- Indirect venting system
- Fabric head strap

CODE	DESCRIPTION	UOM
VGC1011072	Clear HC/AF	Ea
VGS1011072	Smoke HC/AF	Ea

HC = Hard Coat AS = Anti-Scratch

AF = Anti-Fog


All safety eyewear on this page is certified to AS/NZS 1337.1:2010 for Medium Impact Protection

EYE & FACE PROTECTION









Welder's Face Shield

- High Impact gloss browguard • Heat resistant Thermotuff+
- shade 5 visor · Browguard and visor
- sold separately • AS/NZS 1337.1:2010 for Medium Impact
- Protection

CODE	DESCRIPTION	U
VB997	Browguard	Ea
VVW901	Green Shade 5 Visor 200mm x 300mm	Ea



VSXTB401 **Cleaning Tissues Dry Pack**



VSXFR411 Lens Cleaner Spray



VSXP3111408 **Semi-hard Spectacle Case**

CODE	DESCRIPTION	UOM
VSXTB401	Multi-function Cleaning Tissues Dry Pack	Box/200
VSXSB600	Reusable Station c/w 500ml Spray, 2x200 Tissues	Ea
VSXFB411	Anti-reflective, Anti-static Lens Cleaner Spray 250ml	Ea
VSXWB100	Anti-reflective, Anti-static Wipes Dispenser	Box/100
VSXP3111408	Semi-hard Spectacle Case	Ea
VSXCUNIS	Adjustable Spectacle Strap (Rush+/Tryon/Ultim8/ Ness/Ness+)	Ea





VSXPSP **Spectacle Pouch**

CODE	DESCRIPTION	UOM
VSXPSP	Microfabric Spectacle Pouch with Drawstring	Ea
VSXWAF100	Anti-fog Lens Clean Wipes Alcohol Free	Box/100

18

UOM

Ea

Ea



Cleaning Solution Spray	
	UOM
c/w Tissues & Spray Cleaner	Fa

51011380	Disposable Station c/w Tissues & Spray Cleaner	Ea
51011377	Reusable Station c/w Tissues & Spray Cleaner	Ea
W1011332	Lens Cleaning Wipes Alcohol-free Box	Box/100
N16779	Reusable Dry Anti-fog Wipes Alcohol-free Box	Box/100
Г1011379	Lens Cleaning Tissues Dry Pack Box	Box/500
-1011378	Lens Cleaning Fluid - Alcohol-free Spray 500ml	Ea



Cloth Tube Spectacle Strap

CODE	DESCRIPTION	UOM
VSXC500	Knitted Cord - Various colours available	Ea
VSXC550	Cloth Tube Strap - Various colours available	Ea

HEARING PROTECTION

APPLICATION

When higher ranking noise control measures are unable to reduce the exposure to noise **to or below the National Standard** (www.safeworkaustralia.gov.au), employees should be supplied with, and be trained on, the wearing and maintenance of effective personal hearing protectors.

RISK ASSESSMENT

The risk of over-exposure of workers to noise in a workplace must be assessed by conducting a **noise survey**. The purpose of a survey is to identify all work areas and work practices likely to expose workers to noise above the national 8 hour day standard (presently 85dB(A)) and must include work hour calculations if work hours exceed 8. The survey must also explain and record noise dose and identify peak noises.

A noise survey should audit the effectiveness of any existing measures and include recommendations that direct employers to measures that will reduce noise. Employers are required to provide appropriate PPE and train employees in the use and maintenance of personal hearing protectors.

When selecting hearing protectors the following must be considered:

- Weight and clamping force (for earmuffs) refer to our quick reference guide at the end of this section.
- Suitability of protection for use and fit with other PPE such as helmets, spectacles, respirators etc.
- The inherent problems of comfort and supervising compliance.
- The interference of fit when wearing head clothing like hair nets, hoodies and beanies.

CLASSIFICATION TABLE

Hearing protectors are grouped into five classes that range from class 1 to class 5 based upon Australian Standards governed testing (Specified SLC 80, dB) as shown below:

SPECIFIED SLC80 FOR DETERMINATION OF CLASS				
Class	Specified SLC80, dB(A)	Effective Noise Range		
1	10 - 13	90dB(A)		
2	14 - 17	95dB(A)		
3	18 - 21	100dB(A)		
4	22 - 25	105dB(A)		
5	26 or greater	110dB(A)		

SLC80 (Sound Level Conversion) is a single number rating commonly used in Australia and New Zealand to compare the acoustic performance of hearing protectors. The subscript '80' indicates that in well-managed hearing protector programmes, the protection provided is expected to equal or exceed the SLC80 in 80% of protector-wearer noise spectrum combinations.



USEFUL REFERENCES

AS/NZS 1269.0:2005 Part 0 Occupational noise management - Overview and general requirements.

AS/NZS 1269.3:2005 Occupational noise management - hearing protector programme.

SAFETY TIPS

- Over-protection may cause wearers to remove hearing protection to communicate or miss warning sounds.
- Safety spectacle side arms and certain hair styles may affect the air seal of an earmuff.
- Replacement hygiene kits (ear cushions and foam inserts) will help maintain earmuff performance.
- Using earplugs in addition to earmuffs may add up to 3 decibels to the earmuff rating.
- Exposure to noise combined with certain chemicals absorbed into the blood stream will cause an ototoxic effect, accelerating noise induced hearing loss - wear protective gloves.
- Define extensive noise areas with appropriate signage
- All workers should be trained in the correct use and maintenance of personal protective equipment.

EARPLUGS	20
EARMUFFS	22
ELECTRONIC/SPECIALTY MUFFS	25
PERFORMANCE GUIDE	26

DISCLAIMER: The information detailed above is not provided as a solution to the control of workplace hazards. It is an outline and has not been prepared as any statement of law nor is it intended to replace or substitute for professional and/or legal advice which is strongly recommended.



EAR

www.safetyquip.com.au



3 EAR



3M[™] E-A-R[™] earplugs are certified to AS/NZS 1270:2002

HEARING PROTECTION



HOWARD LEIGHT earplugs are certified to AS/NZS 1270:2002





EMPYTS



ECPYTS DESCRIPTION Python Slimline HI VIS Headband CL5 - SLC80 31dB(A) Python Slimline HI VIS Neckband CL4 - 23dB(A) Python Slimline HI VIS Cap Attachable CL5 - 31dB(A) EMZHKPYT Hygiene Kit

Viper[®] Universal Earmuff Range

- · General purpose with three-position headband
- Low clamping force to minimise pressure
- · Solid, lightweight earcup construction

ECVIP

- Cushioned headband for comfort
- Cap attachable option



PRO

FMPYTNB

Ea

Ea

Ea

Ea

UOM

CODE	DESCRIPTION	UOM
EMVIP	Viper Headband CL5 - SLC80 26dB(A)	Ea
ECVIP	Viper Cap Attachable CL5 - SLC80 26dB(A)	Ea
EMZHKVIP	Hygiene Kit	Ea



PROCHOICE earplugs and earmuffs are certified to AS/NZS 1270:2002

HEARING PROTECTION

Honeywell HOWARD

VeriShield[™] 100 Series **Earmuffs**

- Designed to provide optimum comfort over long periods of use
- · Large dimension range to fit a wide range of head sizes
- Wide cup opening ideal for workers with larger ears, or who wear hearing aids
- Steel wire construction with padded headband and precision micro adjustments
- ABS moulded with internal baffle design for lighter weight, patent pending
- · Unique memory foam ear cushions for greater comfort and attenuation
- Air Flow Control technology for optimum attenuation across all frequencies





EM120

EM120FHV

EM120H

CODE	DESCRIPTION	UOM
EM120	VeriShield VS120 Headband CL5 – 30dB(A)	Ea
EM120FHV	VeriShield VS120 Headband/Folding HV CL5 - 31dB(A)	Ea
EM120F	VeriShield VS120 Headband/Folding CL5 - 31dB(A)	Ea
EM120N	VeriShield VS120 Neckband CL5 – 27dB(A)	Ea
EC120H	VeriShield VS120 Cap Attachable CL5 – 28dB(A)	Ea
EMZHK12HK	VeriShield Hygiene Kit for VS120 Series	Ea

Honeywell HOWARD

Mach[™] 1 Earmuff

- Economical design
- Extremely lightweight construction · Comfort for intermittent and long
- term wearers
- Dielectric design




Honeywell LEIGHT

Impact Sport Earmuff

- Built-in directional microphones
- · Amplifies low-level sound safely to 82dB
- · Sleek low profile design
- Up to 350 hours battery life
- Automatic 4-hour shut-off
- AUX input

CODE



	EMS1030334	101210202	
CODE	DESCRIPTION		UOM
EMS1030333	SYNC Electo FM Radio Headband Earmuf CL5 - SLC80 26dB(A)	f	Ea
EMS1030334	SYNC Electo FM Radio Cap Attach Earmur CL4 - SLC80 23dB(A)	ff	Ea

Honeywell L EIGHT

Honeywell

HOWARD

• 10 pre-set channels

radio volume)

to 85dB(A)

Batteries

included

SYNC Electo FM Earmuffs

· Combines passive hearing with sound amplification and

FM radio (separate controls

for sound amplification and

Enhances ambient sound

Svnc® Wireless Earmuff with Bluetooth®

- Bluetooth[®] connectivity
- Answer calls or stream
- information via mobile phone · Robust boom microphone
- Lithium Ion battery 16+ hours
- Includes USB cord and wall charger



EMS1030333

DESCRIPTION CODE EMS1053017 Sync Wireless Headband CL5 - SLC80 31dB(A) Fa

Honeywell L FIGHT

SYNC Digital AM/FM Radio **Stereo Earmuff**

- 10 pre-set channels
- Digital tuning with LCD display
- AUX input to connect to MP3
- Includes 3.5mm cable
- Radio volume does not exceed 82dB(A)
- HI VIS green for extra visibility Batteries included



CODE	DESCRIPTION	
	SYNC AM/FM Radio Headband Earmuff CL5 - SLC80 26dB(A)	Ea

HONEYWELL HOWARD LEIGHT earmuffs are certified to AS/NZS 1270:2002









headbands with 4-point suspension Liquid & foam filled cushions FMH9A ECH9F ЕМН9В

CODE	DESCRIPTION	UOM
EMH9A	Peltor H9A Headband CL4 - SLC80 24dB(A)	Ea
EMH9B	Peltor H9B Neckband CL4 - SLC80 24dB(A)	Ea
ECH9P	Peltor H9P Cap Attach CL4 - SLC80 24dB(A)	Ea
EMZHY5	Hygiene Kit	Ea

3M PELTOR

Premium Earmuff X4 and X5 Series

- · Lightweight, low profile earmuffs designed for protection against low level industrial noise and other
- loud sounds Electrically
- insulated wire headband

WS-CUSH Wireless Communication Accessory

- Bluetooth wireless
- technology
- Noise-cancelling microphone
- 8hrs talk/streaming time EMZWSCUSH CODE DESCRIPTION UOM EMX4A Peltor X4A Headband CL5 - SLC80 31dB(A) Ea FMX5A Peltor X5A Headband CL5 - SLC80 35dB(A) Fa EMX4B Peltor X4B Neckband CL5 - SLC80 27dB(A) Ea EMX5B Peltor X5B Neckband CL5 - SLC80 31dB(A) Fa ECX4P Peltor X4P Cap Attach CL5 - SLC80 27dB(A) Ea Peltor X5P Cap Attach CL5 - SLC80 31dB(A) Ea

Peltor WS-CUSH Accessory

EMX5A



EMH5A:GR

EMX4A

Ea

Peltor Kids Earmuff H510K Neon Green Ea EMH5A:PK Peltor Kids Earmuff H510K Neon Pink Ea

• Small sized earmuff, specifically designed for children · Attenuates harmful noise levels without shutting out other

 Recommended for use by children up to age 7 Neon pink or neon green for high visibility and fun

DESCRIPTION

UOM

CODE

EMH5A:GR

EMH5A:PK

ambient sounds

HEARING PROTECTION

3M PELTOR

Lite-Com[™] Plus Headsets

- · Designed for workers where communication is essential - hands free up to 1km
- 69 two-way radio channels, 121 sub-channels
- Sudden impulse noise at harmful levels are immediately attenuated
- · Built in active-sound function so ambient sounds can be heard
- Separate PTT (push to talk) button for the auxiliary input, where a mobile phone, radio, or other audio source can be connected
- Rechargeable lithium-ion battery (approx. 20hrs use)

DESCRIPTION

CODE EMSH7A4310AZ Peltor Lite-Com Plus Headband CL5 - SLC80 32dB (A) EMSH7B4310AZ Peltor Lite-Com Plus Neckband CL5 - SLC80 30dB (A) EMSH7P3E4310AZ Peltor Lite-Com Plus Cap Attach CL5 - SLC80 27dB (A)

3M PELTOR

WS ProTac[™] XPI BlueTooth **Headset Range**

- Bluetooth 4.2 including MultiPoint
- MMI menu set-up for easier handling in daily operations
- Noise cancelling water resistant speech microphone - improved speech intelligibility and EMS15H7AWS6 IP68 rated - supports VOX

DESCRIPTION

- Support for Bluetooth A2DP, streaming (selectable in Set-up mode)
- Auto power off after 4 hrs of non use to save battery
- Low-battery warning
- New FLX2 accessory jack options

CODE

EMS15H7AWS6 EMS15H7P3EWS6

EMS15H7AWS6FLX2

EMS15H7BWS6FLX2

3M PELTOR



3M PELTOR

ProTac[™] III Level-Dependent Earmuffs

- Digital level-dependent function for ambient listening
- Standard headset for high attentuation - Slim headset for medium attenuation
- Voice guided menu system 3.5mm jack: listen only stereo input to connect to external devices
- · Dual shell design to
- protect electronics Two AA batteries
- included (approx. 100hrs use)

CODE DESCRIPTION

EMS13H220A	Peltor ProTac III Headband Slim CL5 - SLC80 26db(A)
EMS13H220P3E	Peltor ProTac III Cap Attach Slim CL4 - SLC80 24db(A)
EMS13H221A	Peltor ProTac III Headband STD CL5 - SLC80 30db(A)
EMS13H221P3E	Peltor ProTac III Cap Attach STD CL5 - SLC80 30db(A)

High Attenuation Standard Headsets

 Microphone/speaker system with excellent attenuation

3M PELTOR

- Optimised acoustic design for best possible sound quality and comfort
- · Quick positioning, dynamic speech boom microphone with effective noise compensation for clear, reliable communication
- · Beam mounted earphones for minimal resonance and distortion
- Stainless steel headband
- Fluid filled ear cushions
- Standard J11 connection (Nexus TP-120)

EMSMT7H79A

EMSMT7H79P3E

CODE	DESCRIPTION
EMSMT7H79A	Peltor High Attenuation Headband CL5 - SLC80 31dB(A)
EMSMT7H79B	Peltor High Attenuation Neckband CL5 - SLC80 26dB(A)
EMSMT7H79P3E	Peltor High Attenuation Cap Attach CL5 - SLC80 29dB(A)

3M PELTOR ProTac[™] Hunter & Shooter

- **Headsets** • Digital level-dependent
- function for ambient listening
- · Large user-friendly push buttons • Dual shell design to protect
- electronics
- · Stainless steel wire headband
- · Voice guided menu system 3.5mm jack: listen-only stereo
- input to connect to external devices
- Two AA batteries included (approx. 100hrs use)

DESCRIPTION

CODE EMS13H222A Peltor ProTac Hunter Headband CL5 - SLC80 26db(A) EMS13H223A Peltor ProTac Shooter Headband CL5 - SLC80 32db(A)

WorkTunes[™] Pro Headsets · High attenuating hearing protector • FM or AM/FM radio headset with built-in antenna Auto power off after 4hrs non use Voice guided menu system · Digital station search stores up to 5 stations 3.5mm jack: listen-only stereo input to connect EMSHRXS221A to external devices

Two AA batteries included

CODE

EMSHRXS221A

DESCRIPTION Peltor WorkTunes Pro Headband FM CL5 - SLC80 32db(A)

EMSHRXS221P3E Peltor WorkTunes Pro Cap Attach AM/FM CL5 - SLC80 30db(A)

EMSHRXS221P3E

EMS13H223A



EMS13H220P3E



EMSH7A4310AZ

EMSH7P3E4310AZ





HEARING PROTECTION QUICK REFERENCE GUIDE

ТҮРЕ	CODE	DESCRIPTION	BRAND	CLASS	SLC80	WEIGHT (GRAMS)	CLAMPING FORCE (N)	PAGE
FARRING	EPOU	UNCORDED PROBULLET	PRO CHOICE	5	27dB	-		22
EARPLUGS	EPOC	CORDED PROBULLET	PRO CHOICE	5	27dB	-	-	22
	EPYC	CORDED PROBELL	PRO CHOICE	5	27dB	-	-	22
	EPYU	UNCORDED PROBELL	PRO CHOICE	5	27dB	-	-	22
	EPBMDC	CORDED PROBELL DETECTABLE	PRO CHOICE	5	27dB	-	-	22
	EP1300	UNCORDED SKULL SCREWS	3M E•A•R	5	27dB	-	-	20
	EP1301	CORDED SKULL SCREWS	3M E•A•R	5	27dB	-	-	20
	EPMAX1	UNCORDED MAX PLUG	HONEYWELL HOWARD LEIGHT	5	26dB	-	-	21
	EPMAX30	CORDED MAX PLUG	HONEYWELL HOWARD LEIGHT	5	26dB	-	-	21
	EPXTR1	UNCORDED X-TREME TAPERED PLUG	HONEYWELL HOWARD LEIGHT	5	26dB	-	-	21
	EPXTR30	CORDED X-TREME TAPERED PLUG	HONEYWELL HOWARD LEIGHT	5	26dB	-	-	21
	EPAS1	UNCORDED SAIR-SOFT REUSEABLE PLUG	HONEYWELL HOWARD LEIGHT	5	26dB	-	-	21
	EPAS30R	CORDED AIR-SOFT REUSEABLE PLUG	HONEYWELL HOWARD LEIGHT	5	26dB	-	-	21
	EP3121219 EP3121221	UNCORDED TAPERFIT II R PLUG UNCORDED TAPERFIT II PLUS PLUG	3M E•A•R 3M E•A•R	5 5	26dB 26dB	-	-	20 20
	EP3123224	CORDED TAPERFIT II PLUS PLUG	3M E•A•R	5	26dB	-	-	20
	EPLPF1	UNCORDED MAX LITE TAPERED PLUG	HONEYWELL HOWARD LEIGHT	4	25dB	-	-	20
	EPLPF30	CORDED MAX LITE TAPERED PLUG	HONEYWELL HOWARD LEIGHT	4	25dB	-	-	21
	EPLL1	UNCORDED LASER LITE PLUG	HONEYWELL HOWARD LEIGHT	4	25dB	-	-	21
	EPLL30	CORDED LASER LITE PLUG	HONEYWELL HOWARD LEIGHT	4	25dB	-	-	21
	EPLT30	CORDED LASER TRAK DETECTABLE PLUG	HONEYWELL HOWARD LEIGHT	4	25dB	-	-	21
	EP3121256	UNCORDED SUPERFIT REGULAR PLUG	3M E•A•R	4	24dB	-	-	20
	EP3121254	CORDED SUPERFIT REGULAR PLUG	3M E•A•R	4	24dB	-	-	20
	EP3121201	UNCORDED CLASSIC BARREL PLUG	3M E•A•R	4	23dB	-	-	20
	EP3121250	UNCORDED NEON PLUG	3M E•A•R	4	23dB	-	-	20
	EP3111251	CORDED NEON PLUG	3M E•A•R	4	23dB	-	-	20
	EP3114106	CORDED DETECTABLE PLUG	3M E•A•R	4	23dB	-	-	20
BANDED	EP3111101	CORDED CLASSIC BARREL PLUG	3M E•A•R	3	21dB	-	-	20
EARPLUGS	EP3213200	UNCORDED EXPRESS POD PLUG	3M E•A•R	3	19dB	-	-	20
LANI LOUS	EP3212115	CORDED EXPRESS POD PLUG	3M E•A•R	3	19dB	-	-	20
	EP3404001	UNCORDED ULTRAFIT W CASE	3M E•A•R	3	18dB	-	-	20
	EP3404002	CORDED ULTRAFIT W CASE	3M E•A•R	3	18dB	-	-	20
	EP3404004 EPSU	UNCORDED ULTRAFIT UNCORDED PROSIL	3M E•A•R	3	18dB 18dB	-	-	20 22
	EPSC	CORDED PROSIL	PRO CHOICE PRO CHOICE	3	18dB	-	-	22
	EP3222000	SWERVE BANDED COMFORT PODS	3M E•A•R	4	23dB	_		20
	EPQB2	OB2 OUIET BANDED PLUG	HONEYWELL HOWARD LEIGHT	3	21dB	-	-	20
	EP3222000	SWERVE BANDED FLEX28 PODS	3M E•A•R	3	20dB	-	-	20
	EPQB3	QB3 QUIET BANDED PLUG	HONEYWELL HOWARD LEIGHT	3	20dB	-	-	21
	EPQB1	QB1 QUIET BANDED PLUG	HONEYWELL HOWARD LEIGHT	2	16dB	-	-	21
EARMUFFS	EMX5A	X5A HEADBAND MUFF	3M PELTOR	5	35dB	352	11.1	24
EARIVIUFFS	EMH10B	H10 SERIES NECKBAND MUFF	3M PELTOR	5	34dB	282	11.2	24
	EMH10A	H10 SERIES HEADBAND MUFF	3M PELTOR	5	33dB	296	10.3	24
	EMX5B	X5B NECKBAND MUFF	3M PELTOR	5	31dB	200	13	24
	EMX4A	X4A HEADBAND MUFF BLACK	3M PELTOR	5	31dB	183	12	24
	EMH7F	H7F SERIES FOLDING MUFF	3M PELTOR	5	31dB	236	10.6	24
	EMH7FHV	H7F SERIES HI VIS FOLDING MUFF	3M PELTOR	5	31dB	236	10.6	24
	EMPYTS	PYTHON SLIMLINE HEADBAND MUFF	PRO CHOICE	5	31dB	366	12.5	22
	EM120FHV	VERISHIELD VS120 FOLDING MUFF HV	HONEYWELL HOWARD LEIGHT	5	31dB	227	11.3	23
	EM120F EMH7A	VERISHIELD VS120 FOLDING MUFF H7 SERIES HEADBAND MUFF	HONEYWELL HOWARD LEIGHT 3M PELTOR	5 5	31dB 30dB	227 216	11.3 12.9	23 24
	EM120	VERISHIELD VS120 HEADBAND MUFF	HONEYWELL HOWARD LEIGHT	5	30dB	191	12.9	24
	EMH7B	H7 SERIES NECKBAND MUFF	3M PELTOR	5	28dB	202	11.9	23
	EM120N	VERISHIELD VS120 NECKBAND MUFF	HONEYWELL HOWARD LEIGHT	5	27dB	169	12.3	23
	EMX4B	X4B NECKBAND MUFF	3M PELTOR	5	27dB	222	12.2	24
	EMVIP	VIPER HEADBAND MUFF	PRO CHOICE	5	26dB	210	10.8	22
	EM1010421	MACH 1 HEADBAND MUFF	HONEYWELL HOWARD LEIGHT	5	25dB	136	7.2	23
	EMH9B	H9 SERIES NECKBAND MUFF	3M PELTOR	4	24dB	139	12.2	24
	EMH9A	H9 SERIES HEADBAND MUFF	3M PELTOR	4	24dB	150	10.8	24
		PYTHON SLIMLINE NECKBAND MUFF	PRO CHOICE	4	23dB	255	14.4	22
	EMPYTNB							0.1
			3M PELTOP	5	334b	320	9.1	
САР	ECH10P	H10P SERIES CAP ATTACH MUFF	3M PELTOR	5	33dB 31dB	320 301	9.1 13	24 22
CAP ATTACHED	ECH10P ECPYTS	PYTHON SLIMLINE CAP ATTACH	PRO CHOICE	5	31dB	301	13	22
	ECH10P ECPYTS ECX5P	PYTHON SLIMLINE CAP ATTACH X5P CAP ATTACH MUFF BLACK	PRO CHOICE 3M PELTOR	5 5	31dB 31dB	301 353	13 10.5	22 24
ATTACHED	ECH10P ECPYTS	PYTHON SLIMLINE CAP ATTACH	PRO CHOICE	5 5 5	31dB	301	13	22
ATTACHED	ECH10P ECPYTS ECX5P ECH7P	PYTHON SLIMLINE CAP ATTACH X5P CAP ATTACH MUFF BLACK H7P SERIES CAP ATTACH MUFF	PRO CHOICE 3M PELTOR 3M PELTOR	5 5	31dB 31dB 30dB	301 353 240	13 10.5 11.0	22 24 24
ATTACHED	ECH10P ECPYTS ECX5P ECH7P EC120H	PYTHON SLIMLINE CAP ATTACH X5P CAP ATTACH MUFF BLACK H7P SERIES CAP ATTACH MUFF VERISHIELD VS120CAP ATTACH MUFF	PRO CHOICE 3M PELTOR 3M PELTOR HONEYWELL HOWARD LEIGHT	5 5 5 5	31dB 31dB 30dB 28dB	301 353 240 195	13 10.5 11.0 10.5	22 24 24 23

RESPIRATORY PROTECTION

APPLICATION

An employer is required to demonstrate compliance to AS/NZS 1715 or any of the legislated Codes of Practice in terms of risk management. It is also an employer responsibility to ensure other means of hazard control have been investigated prior to introducing respiratory protection initiatives.

RISK ASSESSMENT

The AS/NZS 1715:2009 describes respiratory risk assessment along with a Respiratory Protection Programme and the appointment of a Programme Administrator where respiratory protective equipment (RPE) is required to be worn. Some of the risk assessment requirements are:

• Ensure the workplace is not a confined space. This can only be determined by measurement of the risk atmosphere for safe oxygen levels throughout the working period. Negative pressure respiratory protection cannot supplement oxygen.

SAFETY TIPS

- Facial hair has the potential to compromise the face seal of respirators being clean shaven is best!
- Consider the impacts of other forms of PPE.
- Keep RPE in optimum condition for best performance.
- Store RPE in a clean/dry condition and away from harmful atmospheres.
- Inspect RPE before use and check performance.

All workers should be trained in the correct use and maintenance of personal protective equipment.

USEFUL REFERENCES

AS/NZS 1715:2009 Selection, use and maintenance of respiratory protective equipment.

AS/NZS 1716:2012 Respiratory protective devices.

FILTER CLASSES & IDENTIFICATION			PROTECTION LEVEL (NEGATIVE PRESSURE)*		
TYPE	COLOUR	APPLICATION	HALF FACE	FULL FACE	WHEN TO CHANGE
PARTIC	CLE FILTERS		For leve	els up to:	
P1	White	Mechanically generated particles	10 x WES	N/A	Particulate filters should be changed
P2	White	Mechanically/thermally generated particles	10 x WES	50 x WES	when unacceptable breathing resistance is experienced or in accordance with a
P3	White	Toxic & mechanically/thermally generated particles	10 x WES	100 x WES	locally specified change schedule.
GAS & VAPOUR FILTERS			Whichever le	vel is lower of:	
A1	Brown	Organic gases/vapours with boiling points > 65°C	10 x WES or 1000ppm	50 x WES or 1000ppm	
A2	Brown	Organic gases/vapours with boiling points $> 65^{\circ}C$	10 x WES or 1000ppm	100 x WES or 5000ppm	Charcoal filters should be changed when
AX	Brown	Organic gases/vapours with boiling points $< 65^{\circ}$ C	N/A	50 x WES or 5000ppm	breakthrough/smell/taste is detected or in accordance with a locally specified
B1	Grey	Inorganic gases/vapours	10 x WES or 1000ppm	50 x WES or 1000ppm	change shedule.
E1	Yellow	Acid gases	10 x WES or 1000ppm	50 x WES or 1000ppm	
K1	Green	Ammonia & ammonia derivatives	10 x WES or 300ppm	300ppm	Note: Ammonia has an IDLH value of 300ppm and filtering respirators should not be used above this concentration.

This guide is based on AS/NZ 1715:2009 with specific reference to tables 4.3, 4.4 and 4.5

WES = Workplace Exposure Standard - see Safework Australia website http://hcis.safeworkaustralia.gov.au/ExposureStandards Additional filter types are available for specific chemicals.

Combination filters have the same limitations as for each component .

*Note: protection levels for PAPR and face/head top combinations may vary.

- Evaluate tasks to determine if RPE will compromise vision, communications or other PPE.
- The employer must provide training in the cleaning, safe use and limitations of RPE at the commencement of employment.
- The Programme Administrator must ensure a compliant fit test has been carried out for all users of RPE and maintain suitable records. The AS/NZS 1715:2009 describes both Qualitative and Quantitative fit test methods.

DISPOSABLE RESPIRATORS	
HALF & FULL FACE RESPIRATORS	
PAPR UNITS	
AIRLINE & SCBA	36
GAS DETECTION	

DISCLAIMER: The information detailed above is not provided as a solution to the control of workplace hazards. It is an outline and has not been prepared as any statement of law nor is it intended to replace or substitute for professional and/or legal advice which is strongly recommended.

FILTER CLASSES & IDENTIFICATION





P2 Disposable Respirators

- P2 rating for protection against mechanically and thermally generated particles
- Latex free dual straps for a firm, comfortable fit
- Moulded nose piece for better fit and close seal
- Exhalation ProValve option for extra air flow
- Internal flange for a perfect seal
- Colour coded valves (where fitted) and packaging Also available in Valved
- **Carbon Filter**
- TGA approved



CODE	DESCRIPTION	UOM
RD4036	ProChoice P2 Cup Respirator	Box/20
RD4037	ProChoice P2 Valved Cup Respirator	Box/12
RD4057	ProChoice P2 Valved & Active Carbon Filter Cup Respirator	Box/12



P2 ProMesh Disposable **Respirators**

- P2 rating for protection against mechanically and thermally generated particles
- Flexible mesh for optimum shape retention
- Moulded nose piece for close fit
- Quick lock straps for easy fit and release
- · Exhalation ProValve option for extra air flow
- Also available in Valved Carbon Filter



RD3822



RD3821

CODE	DESCRIPTION	UOM
RD3821	ProMesh P2 Cup Respirator	Box/12
RD3822	ProMesh P2 Valved Cup Respirator	Box/12
RD3823	ProMesh P2 Valved & Active Carbon Filter Cu Respirator	p Box/12

P1 Disposable Respirators

- P1 rating for protection against mechanically generated particles
- Latex free dual straps for a firm, comfortable fit
- · Colour coded nose pieces, valves (where fitted) and packaging
- Exhalation ProValve option for extra air flow



PRO RD4035

CODE	DESCRIPTION	UOM
RD4031	ProChoice P1 Cup Respirator	Box/20
RD4035	ProChoice P1 Valved Cup Respirator	Box/12



F

E

P2 Horizontal Flat Fold Respirators

- P2 rating for protection against mechanically and thermally generated particles
- Exhalation valve for extra comfort
- Dual straps to give firm and comfortable fit
- RD2122 has aluminium-free nose clip to reduce risk of ignition
- RD2132 has mouldable foam nose piece for contoured fit



RD2132

DESCRIPTION CODE

RD2122	ProChoice P2 Horizontal Flat Fold Valved Respirator	Box/12
RD2132	ProChoice P2 Horizontal Flat Fold Valved Respirator	Box/10

FilterSpec[™] **PRO P2** Goggle/Mask Combo

- A goggle and mask in one
- Anti-fog, anti-scratch, medium impact protection lens, certified
- to AS/NZS 1337.1:2010 Mask certified to AS/NZS 1716:2102 Lic 1508, P2 rating plus protection against nuisance-level organic vapours
- · Can be worn over most prescription eyewear

CODE	DESCRIPTION	UOM
VGCFSPG	FilterSpec PRO P2 Goggle/Mask Combo c/w Three Filters	Ea
RDFSPG531	FilterSpec PRO P2 Replacement Mask with Carbon Filter	Box/10

PROCHOICE respirators meet the performance requirements of AS/NZS 1716:2003

RESPIRATORY PROTECTION



VFlex[™] N95 Disposable Respirator

- · Folded v-shaped pleats that expand, giving you a spacious feel and flex with mouth movement
- Side tabs act as handles to aid in positioning of the respirator · Adjustable, embedded metal nose clip helps provide a custom
- and secure seal

CODE DESCRIPTION

UOM RD1804 VFlex™ N95 Particulate Respirator 1804, Standard Size Box/50 RD1804S VFlex™ N95 Particulate Respirator 1804S, Small Size Box/50

RD9913V

RD9913



Acid Gas/Organic Vapour P1 **Disposable Respirators**

- Activated carbon layer helps reduce exposure to nuisance levels* of acid gas or organic vapour and odour
- P1 rated filter protects against dusts, mists and fumes
- 3M[™] Cool Flow[™] exhalation valve option to reduce heat build-up
- Robust shell and cup design
- · Mouldable nose clip for a better seal and fit - reduces eyewear fogging

DESCRIPTION CODE RD9916 Acid Gas Respirator 9916 P1 Valved

RD9913	Organic Vapour Respirator 9913 GP1	Box/15
RD9913V	Organic Vapour Respirator 9913V GP1 Valved	Box/10
RD9916	Acid Gas Respirator 9916 P1 Valved	Box/10

RD9916

Maintenance-Free Reusable Half Face 4000+ Series Respirator

- · Enhanced exhalation valve assembly reduces breathing resistance by over 30%
- · Ready-to-use with integrated filters · Resealable bag provides hygienic
- storage and longer filter life · Low-profile and ergonomic design

CODE DESCRIPTION

RHF4251	Respirator 4251+ A1P2	Ea
RHF4255	Respirator 4255+ A2P2	Ea
RHF4277	Respirator 4277+ A1B1E1P2	Ea
RHF4279	Respirator 4279+ A1B1E1K1P2	Ea



Qualitative Fit Testing Kit

- · Easy to use method for performing qualitative fit testing
- Kit contains a hood and collar assembly, sensitivity solution, test solution, 2 nebulisers & instructions
- Available with: FT-10 Sweet (Saccharin) and FT-30 Bitter (Bitrex) solutions

CODE	DESCRIPTION
R7FT10	FT-10 Qualitative

RZFT10	FT-10 Qualitative Fit Test Apparatus Kit - Sweet (Saccharin)	Ea
RZFT30	FT-30 Qualitative Fit Test Apparatus Kit - Bitter (Bitrex)	Ea



9300+ Aura[™] Series **Disposable Respirators**

- Ingenious 3-panel collapse resistant design provides better fit
- 3M[™] high performance filter media for low breathing resistance and comfortable wear
- 3M[™] Cool Flow[™] valve on RD9312 and RD9322 respirators reduces heat and moisture build-up
- · New embossed top panel reduces fogging of eyewear

RD9312

 Individually packaged for easy storage and dispensing





RD9310

Box/20



Flat Fold Respirator 9310A+ P1



RD9310

UOM

UON

8000 Classic Series **Disposable Respirators**

- Staple-free: features welded straps
- Mould nose clip to the wearer's nose shape to help reduce evewear fogging and for a better seal and fit
- Natural rubber latex free 3M[™] Cool Flow[™] exhalation
- valve option to help remove your hot exhaled air for a cooler and drier wear



RD8822

CODE	DESCRIPTION	UOM
RD8822	Cupped Respirator 8822 P2 Valved	Box/10
RD8210	Cupped Respirator 8210 P2	Box/20
RD8812	Cupped Respirator 8812 P1 Valved	Box/10
RD8710	Cupped Respirator 8710 P1	Box/20

3M respirators meet the performance requirements of AS/NZS 1716:2012

*Nuisance levels are those levels below the Workplace Exposure Standard





Sundström

SR100 Half Face **Respirator & Kits**

- Premium silicone face piece
- Single filter design for simple use and maintenance
- Twin exhalation valves
- · Baffles for dust and mist protection
- V-shaped adjustable elastic head harness
- Can be fitted with SR307 airline attachment
- Additional sizes available in some kits



CODE	DESCRIPTION	SIZE
RHF100	Sundström SR100 Half Face Respirator	S/M, M/L, L/XL
RHFK5482	Sundström Asbestos Kit c/w SR100 Half Face Respirator and P3 Filter	M/L
RHFK6211	Sundström Silica Dust Kit c/w SR100 Half Face Respirator and P3 Filter	M/L
RHFK5465	Sundström Pro Kit c/w SR100 Half Face Respirator and A1B1E1 Filter	M/L
RHFK6339	Sundstrom Premium Kit c/w SR100 Half Face Respirator and A1P3 Filter	M/L



Sundström Storage Box for Half Face Respirators

Sundström Storage Box for SR200 Full Face Respirator

SR100 / SR90-3 / SR90



CODE	DESCRIPTION	SIZE	UOM
RHF900	Sundström SR900 Half Face Respirator	S, M, L	Ea
RHFK6152	Sundström Basic Box c/w SR900 Half Face Respirator and A1 Filter	Μ	Ea
RHFK6153	Sundström Basic Box c/w SR900 Half Face Respirator and ABEK1 Filter	Μ	Ea

RFF200C (FILTER SOLD

SEPARATELY)

Sundström

SR200 Full Face **Respirator & Kit**

- Lightweight 450gms silicone face seal
- Polycarbonate lens Cloth head
- harness

face piece

attachment

sizes

- Twin exhalation valves for minimum exhalation resistance
- Can be fitted with SR307 compressed airline attachment

I	

RFFK5947

CODE	DESCRIPTION	SIZE	UOM
RFF200C	Sundström SR200 Full Face Respirator	One Size	Ea
RFFK5947	Sundström Kit c/w SR200 Full Face Respirator and A1B1E1K1 Filter	One Size	Ea

Sundström

RHZ02820

RFZ05776











CODE	RF510	RF217	RF218	RF315	RF294	RF297	RF299	RF316	RF295	RFP221
ТҮРЕ	P2/P3*	A1	A2	A1B1E1	A2B2E2	A1B1E1K1	A1B1E1K1HgP3	K1	K2	Pre-Filter
APPLICATION	Solid & liquid hazardous particles such as dusts, mists, smoke, fumes, bacteria and viruses.	Gases a vapours from org compou boiling p >65°C.	ganic Inds with	Organic, inorgani acidic ga vapours	c and ases &	Organic, inorganic and acidic gases & vapours including ammonia and specific amines.	Organic, inorganic and acidic gases & vapours including ammonia, specific amines, mercury & particulates.	Ammon certain		Sorts out coarse wet & dry particles, protects the main filter and prolongs its service life.
UOM	Each	Each		Each		Each	Each	Each		Each
COLOUR										

Ea

Ea

* P2 when used with SR100, SR90/3 and SR900 and P3 when used with SR200 Full Face Respirator.

SUNDSTRÖM respirators meet the performance requirements of AS/NZS 1716:2012

RESPIRATORY PROTECTION

3M

6000 Series Half Face Respirator & Kits

- Lightweight elastomeric face piece
- Low profile and well balanced twin filter design
 Cradle head harness and
- Cradie nead namess and easy to fasten neck strap
 Incorporates the 3M[™]
- Bayonet Connection System for filter attachment



RHF6000: FILTERS SOLD SEPARATELY

CODE	DESCRIPTION	SIZE	UOM
RHF6000	3M Half Face Respirator 6000 Series	S, M, L	Ea
RHFK6228	3M Welding Respirator Kit c/w 6000 Series Half Face Respirator and GP2 Filters	Μ	Ea
RHFK6251	3M Spraying Respirator Kit c/w 6000 Series Half Face Respirator and A1P2 Filters	S, M, L	Ea
RHFK6225	3M Dust/Particle Respirator Kit c/w 6000 Series Half Face Respirator and P2 Filters	S, M, L	Ea
RHFK6259	3M Multi-Gas Respirator Kit c/w 6000 Series Half Face Respirator and A1B1E1K1P2 Filters	S, M, L	Ea



6500QL Series Half Face Respirator & Kits

- Comfortable silicone face seal
- Low profile design for compatibilityConvenient Quick Latch mechanism
- for easy donning and doffing • 3M[™] Cool Flow[™] valve helps reduce heat and moisture build-up
- 3M™ bayonet connection for compatibility with all bayonet style 3M™ cartridges



CODE	DESCRIPTION	SIZE	UOM
RHF6500QL	3M Half Face Respirator 6500QL	S, M, L	Ea
RHFK6528	3M Welding Respirator Kit c/w 6500QL Series Half Face Respirator and GP2 Filters	S, M, L	Ea
RHFK6535	3M Construction Respirator Kit c/w 6500QL Series Half Face Respirator and P2/P3 Filters	S, M, L	Ea
RHFK6551	3M Spraying Respirator Kit c/w 6500QL Series Half Face Respirator and A1P2 Filters	S, M, L	Ea

3M

7500 Series Half Face Respirator & Kits

- Soft silicone for comfort and durability
- Low profile, well-balanced twin filter design
- 3M[™] Cool Flow[™] Exhalation valve helps reduce fogging when wearing eye protection
- Ideal for working in hot, humid conditions or during prolonged use



RHFK7551

RHF7500: FILTERS SOLD SEPARATELY

CODE	DESCRIPTION	SIZE	UOM
RHF7500	3M Half Face Respirator 7500 Series	S, M, L	Ea
RHFK7528	3M Welding Respirator Kit c/w 7500 Series Half Face Respirator and GP2 Filters	М	Ea
RHFK7551	3M Spraying Respirator Kit c/w 7500 Series Half Face Respirator and A1P2 Filters	S, M, L	Ea
RHFK7535	3M Asbestos/Dust Respirator Kit c/w 7500 Series Half Face Respirator and P2 Filters	S, M, L	Ea



6000 Series Full Face Respirator & Kits

- Lightweight elastomeric face piece
- Simple and easy to use
 Polycarbonate lens, molten metal and high impact resistant
- Low profile and wellbalanced twin filter design

RFFK6835



CODE	DESCRIPTION	SIZE	UOM
RFF6000	3M Full Face Respirator 6000 Series	S, M, L	Ea
RFFK6835	3M Asbestos/Dust Full Face Respirator Kit c/w RFF6000, P3 Filters, Earplugs, Wipes	S, M, L	Ea
RFFK6851	3M Spraying+/Painting Respirator Kit c/w RFF6000, A1P2 Filters, Earplugs, Wipes	S, M, L	Ea

3M	< RFX501 RETAINER						
Filters for 6000 & 7500 Series Respirators	MP 2125 design of the methods methods and methods SELE ME	ARE 23721 Are Language Areas A	MA 2710 With starts 1000 With With the With With the With With	0			
CODE	RF2125	RF2128	RF2138	RF5925	RF6051	RF6057	RF6059
ТҮРЕ	P2	GP2	GP2/GP3**	P2	A1	A1B1E1	A1B1E1K1
APPLICATION	Certain dusts, mists and fumes such as sanding, grinding, cutting, drilling metal, masonry, wood and concrete.	Welding fumes, ozone, polishing and grinding particles. Also for spraying pesticides or herbicides with vapour pressure <1.3 Pa @ 25°C.	Toxic particulates, nuisance level* acid gas and organic vapours with low vapour pressure.	Dusts and mists, including those containing oil. For use with the 6000 series cartridges. Requires RFX501 retainer (ordered separately).	Organic solvents (boiling point >65°C) eg. toluene and MEK. Also degreasing, mixing, using paint thinner, lacquers and glues.	Organic vapours (boiling point >65°C), inorganic & acid gases.	Multi-gas; Organic vapours (boiling point >65°C), inorganic & acid gases, ammonia, methylamine.
UOM	Pack/2	Pack/2	Pack/2	Box/5Pr	Pack/2	Pack/2	Pack/2
COLOUR							

Not to be used when spraying isocyanate based paints.
 * Nuisance levels are those levels below the Workplace Exposure Standards.
 ** Higher P3 protection factors only achieved with a 3M Full Face Respirator, otherwise P2 protection level when worn on a 3M Half Face Respirator.



LOCAL SAFEF



3M respirators meet the performance requirements of AS/NZS 1716:2012

RESPIRATORY PROTECTION



Aviva40 Half Face Respirator & Ready-Paks

- Soft, flexible TPE
- Hybrid reflex face seal
- Easy to use leak check mechanismSingle filter half mask utilising the
- Pro2000 range of filters • Goggle pinch improved eyewear PPE integration
- Ready-Pak option for clean storage and easy transportation



CODE	DESCRIPTION	SIZE	UOM
RHF800500	3M Aviva40 Half Face Respirator	S, M, L	Ea
RHFK8000643	3M Aviva40 Asbestos/Dust Ready-Pak c/w Aviva40 Half Face Respirator and PF10 P2 Filter	S, M, L	Ea
RHFK8000645	3M Aviva40 Spraying Ready-Pak c/w Aviva40 Half Face Respirator and c/w A2P2 Filter	S, M, L	Ea



FM3 Promask PAPR Full Face Mask & Proflow SC 160 ReadyPak

- Slimline halo-butyl face piece with polycarbonate visor
- Approval rating PAPR P3
- ReadyPak includes:
- FM3 Promask
- Proflow SC 160 PAPR Unit
- Battery and charger,
- EPDM hose
- Two Pro2000 P3 filters - Storage container
- Battery time is typically 6-7 hours
- for a single charge

 FFK5064594

CODE	DESCRIPTION	SIZE	UOM
RPF1268	3M FM3 Promask Full Face (Use with SC 160)	S, M/L	Ea
RPFK5064594	3M Proflow SC 160 FM3 Promask ReadyPak c/w P3 Filters	M/L	Ea



*Note: The particulate rating on the above filters is P2 when worn with half mask respirators as shown.

3M respirators meet the performance requirements of AS/NZS 1716:2012



LOCAL SAFER



Versaflo[™] PAPR Headtops



RPH133

- PETG visor with polypropylene hood
- Integrated harness
- General purpose



RPH333

- Polycarbonate visor with polypropylene hood
- Integrated harness
- General purpose



- PETG visor with
- polypropylene hoodNeck/shoulder
- coverage
- Integrated harness



RPF206 RPF207 (FR FACE SEAL)

- High impact visor
 Dust, spraying, chemicals and cilica store sufficiency
- silica stone cutting/ grinding/polishing



High impact

Versaflo[™] TR-600 PAPR Unit & Filters

- visor & helmet • Dust, spraying
- & chemicals
- Hard hat rated
- High impact visor & helmet with neck/ shoulder protection
- Dust, spraying & chemicals

3M

Versaflo[™] TR-600 PAPR Headtop Kits

 Kits include selected headtop, TR-602E turbo unit, standard battery, charger, tube and P3 filter & filter cover



RPFKTR6M307

CODE	DESCRIPTION	UOM
RPFKTR6M307	Versaflo™ TR-600 Kit c/w M-307FR Helmet	Ea
RPFKTR6M407	Versaflo™ TR-600 Kit c/w M-407FR Helmet	Ea



Versaflo[™] TR-300+ ⁴ PAPR Headtop Kits

 Kits include selected headtop, TR-302E turbo unit, standard battery, charger, tube and P3 filter & filter cover

DESCRIPTION



RPHKTRS333C	Versaflo™ TR-300 Kit c/w S-333 Headcover	Ea
RPHKTRS433C	Versaflo™ TR-300 Kit c/w S-433 Headcover	Ea
RPFKTRM206C	Versaflo™ TR-300 Kit c/w M-206 Faceshield	Ea
RPFKTRM306C	Versaflo™ TR-300 Kit c/w S-306 Helmet	Ea
RPFKTRM406C	Versaflo™ TR-300 Kit c/w M-406 Helmet	Ea



CODE

Jupiter[™] PAPR Headtop Kits

• Kits include selected headtop, Jupiter turbo unit, standard belt, battery, charger, tube and P3 filter & filter cover



RPFK9020381

CODE	DESCRIPTION	UOM
RPFK9020381	Jupiter™ Kit c/w M-206 Faceshield	Ea
RPFK9020393	Jupiter™ Kit c/w M-207 Faceshield FR Face Seal	Ea
RPFK9020382	Jupiter™ Kit c/w M-306 Helmet	Ea
RPHK9020337	Jupiter™ Kit c/w S-133 Headcover	Ea
RPHK9020343	Jupiter™ Kit c/w S-433 Headcover	Ea

CODE	RF6600	RF6580		RF6310	RF682	0	
ТҮРЕ	Pre-Filter*	A1B1E1HgF	°3	A1P3	P3+ Nuisance Odour		
UOM	Each	Each		Each	Each		
COLOUR							
* Specific pr	e-filter holders	required for eac	h filter - a	dditional filte	er options a	vailable	
CODE	DESC	RIPTION				UOM	
RPPKTR61		flo Turbo Starte ry/Charger/P3/			urbo/	Ea	
RPX20							
Versaflo [™] TR-300 PAPR Unit & Filters							
SIVI	versatio	IR-300	PAPR	Unit &	Filters		
SIVI	versatio	- TR-300			Filters	a	
CODE	RF3600		RF380		12.5	E	
			RF380 P3 + N			isance	
CODE	RF3600	RF3712E	RF380 P3 + N	D2E Nuisance	RF3822 P3 + Nu	isance	

CODE	DESCRIPTION	UOM
RPPKTR315A	Versaflo Turbo Starter Kit c/w TR-302E Turbo/ Battery/Charger/P3/Cover/Tube/Belt	Ea
RPX30	BT-30 Standard Breathing Tube 735mm	Ea

Jupiter™ PAPR Unit & Filters



BT-20 Standard Breathing Tube 735mm

Ea

RPX20

RESPIRATORY PROTECTION

CleanSpace

CleanSpace2[™] Power System

- Includes power unit. filter, charger, harness, neck pads,
- flow test cap and storage bag · Powerful micro-turbine motor delivers positive pressure to mask ensuring
- high level of protection • Battery life typically >6 hrs
- · Ratchet adjustment for close and comfortable fit

CODE DESCRIPTION

RPP0034 CleanSpace2[™] PAPR Power System

CleanSpace

RESPIRATORS

Powered Air Respirator Half Face Mask

- Low profile design ensures maximum visibility and awareness for the wearer
- Clear, hygienic and washable medical grade silicone
- · Neck mounted with no cables or hoses for high mobility
- · Simple clip enables mask to be easily changed between wearers
- · High quality exhalation valve easy to breathe and talk
- Compatible with many forms of head and face protection
- Available in 3 sizes

CleanSpace

CleanSpace[™] EX Power

- System Intrinsically
- safe, certified for use in potentially
- explosive atmospheres
- Includes power unit, filter, charger, harness, neck pads, flow test cap and storage bag
- · Powerful micro-turbine motor delivers positive pressure to mask and P3 TM3 protection levels
- Battery life approx. 8hrs
- · Ratchet adjustment for close and comfortable fit

CODE DESCRIPTION

RPP0060 CleanSpace[™] EX PAPR Power System

comfortable fit CODE RPP0070 CleanSpace™ ULTRA PAPR Power System

CleanSpace RESPIRATORS

Powered Air Respirator Full Face Mask

- Soft, hygenic, non allergenic medical grade silicone face mask
- 5 point head harness with neck mounting no cables or hoses for high mobility
- Simple clip enables mask to be easily changed between wearers
- Easily removed orinasal inner mask
- Available in two sizes: S and M/L





		PAPR POWER UNIT			
CODE	DESCRIPTION	SIZES	CODE	DESCRIPTION	
PH0033	CleanSpace [™] Half Mask	S, M, L	RPF1014	CleanSpace [™] Full Face Mask	

MASK SHOWN WITH



CODE	RF0035	RF0036	RF0037	RF0076	RF0091	RF0057	RPX0038
ТҮРЕ	Р3	Particulate Pre-Filter	P3	A1B1E1K1P3	A1B1E1P3	Pre-Filter	Filter Adaptor
APPLICATION	Solid and liquid particulates including dusts, mists, fumes, fibres, bacteria and viruses.	Flame retardant pre-filter, extends the life of the CleanSpace2™ particulate filters.	Solid and liquid particulates including dusts, mists, fumes, fibres, bacteria and viruses.	Organic/ inorganic & acid gases/vapours, ammonia & ammonia derivatives, solid/ liquid particles.	Organic gases & vapours, inorganic gases, vapours & acid gases, solid/ liquid particles.	Designed to remove course particles and enhance the life of the Particulate P3 Filter.	Adaptor - for CleanSpace2™ PAPR Unit Gas & P3 High Capacity Filters.
UOM	Pack/3	Pack/10	Each	Each	Each	Pack/20	Each
COLOUR							

CleanSpace™ respirators meet the performance requirements of AS/NZS 1716:2012









System

Rating

IP66 for

and storage bag

high level of protection

• Battery life approx. 8hrs

use in decontamination showers

Includes power unit, filter, charger,

harness, neck pads, flow test cap

• Powerful micro-turbine motor delivers

positive pressure to mask ensuring

· Ratchet adjustment for close and

DESCRIPTION









- Additional spray gun hose assembly
- Clear acetate visor
- Includes waist belt with airflow regulator
- AS/NZS 1716:2003

CODE	DESCRIPTION	UOM
RAH0201	Honeywell Airvisor MV Refinishers Kit	Ea
RAX1504	Acetate Visor	Ea
RAX1507	Peel Off Visors	Pk/10

Honeywell

Airvisor MV Industrial Kit Supplied Air Respirator

- Disposable fabric face skirt cassette
- Clear polycarbonate visor
- Includes waist belt with airflow regulator
- AS/NZS 1716:2003

CODE	DESCRIPTION	UOM
RAH0203	Honeywell Airvisor MV Industrial Kit	Ea
RAX1503	Polycarbonate Visor	Ea

- Complete respiratory protective system ideal for applying two-pack paint
- Supplied with airvisor, 7.5m auxiliary air hose for spray tool, waist belt regulator and Clearflow II wallmount filter
- 2 person combination filter set including airline fittings
- Kit is packed in a reusable plastic storage container
- Optional airline hose lengths: 3.5m, 7.5m, 15m, 30m

CODE	DESCRIPTION	UOM
RAHK100SPW	Honeywell Spray Painters Kit	Ea
RAX1404	Carbon Cartridge for Waistbelt Regulator	Ea
RAXAH150C	Airline Hose 15m	Ea

RESPIRATORY PROTECTION



Promask Combi Airline Mask

- · Constant flow compressed airline system
- Halo-butyl face piece
- Polycarbonate visor
- · Includes airline hose with self-closing hose connector
- Can be used with Pro2000 filters
- Requires RAX2017250 regulator

Scott[™] Airline Regulator

- · Waist-mounted control valve for use with a medium pressure compressed airline system
- Adjustable airflow to the respirator
- For use with 3M Promask Combi



AIRLINE REGULATOR

CODE DESCRIPTION SIZE UOM RAF12781 Promask Combi Airline Mask c/w Hose M/L Ea RAF5012674 Promask Combi Airline Mask c/w Hose S Ea RAX062580 Control Valve c/w Belt Fa

3M

PVC Airline Hose

- Durable, black PVC airline hose
- · CEJN double action airline fittings
- Certified to AS/NZS 1716:2012

		/
CODE	DESCRIPTION	UOM
RAXAH10C	10m PVC Airline Hose c/w Fittings	Ea
RAXAH20C	20m PVC Airline Hose c/w Fittings	Ea
RAXAH30C	30m PVC Airline Hose c/w Fittings	Ea



Flite COV Airline Breathing Apparatus

- · Bandolier harness with padded shoulder strap
- Optional 10 or 15 minute air supply
- Requires 3M Promask full face mask
- Switchover to emergency cylinder air supply is immediately activated when primary air supply is interupted
- Warning whistle informs user when cylinder air in use

CODE	DESCRIPTION	UOM
RAB2030177	Flite COV Bandolier	Ea
RAF013190	Promask PP LQF Full Face Mask	Ea
RAC2031535	Flite 200 BAR 10min. Steel Cylinder c/w Hose & Pouch	Ea
RAC2031537	Flite 200 BAR 15min. Steel Cylinder c/w Hose & Pouch	Ea

CODE

ELSA Escape Breathing Set

- Rechargeable 15 min cylinder breathing set
- Adjustable shoulder strap
- Automatic activation upon opening the carry bag - delivers constant flow of air
- Integrated warning whistle on low air condition
- · Cubic hood design allows wearing by users with beards

DESCRIPTION RSK2009419

ELSA Escape Unit c/w 15min. Cylinder

- Liquid aerosols & solid particles			
CODE	DESCRIPTION		U0
RABA21BOPT	Airline Filter Regulator - 2 Person		Ea

Versaflo M-206 Faceshield & Belt Regulator Airline

Versaflo V-500E Airline Regulator c/w Breathing Tube

Versaflo M-406 Faceshield c/w Shroud & Belt

DESCRIPTION

Spray Painters Kit

Regulator Airline Kit



Sigma 2 Type 2 SCBA Compliance Set

- · Designed for marine, industrial, confined space entry, rescue or industrial firefighting
- Compact first breath activated demand valve with bypass approx. 45min. duration
- Ergonomically designed lightweight backplate and Type 2 harness
- Kelvlar[®] blend flame retardant webbing with Kevlar[®] cylinder band
- Certified to AS/NZS 1716:2012 and EN137:2006 Type 2 MED

CODE	DESCRIPTION	UOM
RSKCOMP6T2	Sigma 2 Type 2 SCBA Compliance Set	Ea
RSB2023034	Sigma 2 Type 2 SCBA Backplate/Harness/ Pneumatics	Ea
RAF013190	Promask PP LQF Full Face Mask	Ea
RSC1118245T	Carbon Fibre 6.8L 300 BAR Cylinder	Ea



LION

Ea

UOM

Ea

Fa

Ea



CODE

3M

RAF9020384

RAF9020386

RAX9020217

Airline Filter

· Designed to be installed directly at point of use Two types of filtration: - Oil vapours RABA21BOPT





Honeywell

GasAlertMicroClip XL/X3 Series Detectors & Kits

- Honeywell BW[™] MicroClip X3 for extended reliability with 3-year warranty
- Honeywell BW[™] MicroClip XL for standard operation with 2-year warranty
- Guaranteed to run an entire shift, even at -20°C
- IP68 rating unmatched water protection
- Compact, lightweight and easy to use with one-button operation and no extensive training
- Device management with Honeywell Safety Suite
- Flashing green IntelliFlash[™] light for compliance at a glance
- Reflex[™] Technology ensures sensor
- responsiveness for safety, uptime and worker confidence protection

CODE DESCRIPTION

 RGMMCXLYAU
 MicroClip XL 4-Gas Detector LEL/02/H2S/CO Yellow

 RGMCX3YAU
 MicroClip X3 4-Gas Detector LEL/02/H2S/CO Yellow

 RGMKMCXKLSTD
 MicroClip XL 4-Gas Detector Kit LEL/02/H2S/CO Yellow

 RGMKMCX3STD
 MicroClip X3 4-Gas Detector Kit LEL/02/H2S/CO Yellow

Honeywell

BW™ ICON Four Gas Detector

- Fixed-life, 2-year, 4-gas detector for the gas hazards that workers face most ofter
- Simple icon display for gas levels/device status including 2 bell icons for gas alarms and indicators next to sensor for fast decision making
- Easy to use: one-button operation
- Small, lightweight and wearable
- The latest in low power LEL infared
- technology with no sensor poisoning
- No service required: activate and use for two years
 Bluetooth included for ease of downloading and sending reports via the Safety Suite App
- 2 months of battery runtime on a 4.5-hour charge (up to 4 months if you turn off the detector at the end of each shift)
- Compatible with IntelliDoX instrument management system and Honeywell Device Configurator App

		CODE	DESCRIPTION
CODE	DESCRIPTION	RGMSOLOHLY	BW Solo H ₂ S Standard Yellow
RGMICONH	BW Icon (O2, LEL IR, H2S, CO) Yellow or Black	RGMSOLOMLY	BW Solo CO Standard Yellow
RGMICONS	BW Icon (O2, LEL, H2S, SO2) Yellow or Black	RGMSOLOSAY	BW Solo NH ₃ Standard Yellow
RGXCOMPC01MC5	5-Way Cradle Charger for BW Icon and BW Flex	RGMSOLOZY	BW Solo HCN Standard Yellow

Honeywell

IntelliDoX Automated Instrument Management System

- Industry-leading fast bump test that eliminates bottlenecks, while avoiding costly purge cycles that waste gas
- Gangable up to five modules, each with its own LCD screen and keypad for independent operation
- Easy to connect via ethernet to a network
- USB port to easily configure dock module settings or retrieve data without network access
- Automated bump test and span calibration operation
- Device management with Honeywell Safety Suite
- Bump testing, calibration, configuration, and record-keeping support for compatible detectors
- User updatable settings
- Requires Enabler Kit

CODE	DESCRIPTION	CODE	DESCRIPTION	
RGZDXULTRA	IntelliDOX Docking Station for BW Ultra	RGZDXSOLO	IntelliDOX Docking	
RGZDXBWC4	IntelliDOX Docking Station for BW Clip4	RGZDASOLO	Station for BW Solo	
RGZDXMCLP	IntelliDOX Docking Station for GasAlertMicroClip	RGZDXENBLAU	Enabler Kit	



r Kit LE	L/O ₂ /H ₂ S/CO Yellow	
en e r		
		1

H₂S CO O₂ LEL

Honeywell BW[™] Ultra Multi-Gas Detector • Tamper-proof operation with one-

- Tamper-proof operation with onebutton operation
 Intuiting LCD isoppo for quick
- Intuitive LCD icons for quick decision making
- Easy service and maintenance
 IntelliFlash[™] and also Reverse
- IntelliFlash[™] for clear compliance
- Scratch-resistant display protector
- Honeywell Connected Worker compatible
 Honeywell TouchConnect[™] Technology for
- activating a featureHoneywell SafetySuite for unit configuration and reporting
- Ergonomically designed for easy use
- Quick bump & calibration with IntelliDoX system

H2S C0 O2 LEL VOC CO2 SO2 NH3 H2 CL2 NO2 HCN NO		H ₂ S	CO	02	LEL	VOC	CO ₂	SO 2	NH ₃	H ₂	CL ₂	NO ₂	HCN	NO	
---	--	------------------	----	----	-----	-----	-----------------	-------------	-----------------	----------------	-----------------	-----------------	-----	----	--

CODE	DESCRIPTION
RGMULTRA100YA	Ultra 4-Gas Detector 0 ₂ /LEL/H ₂ S/CO
RGMULTRA1Q1YA	Ultra 5-Gas Detector 02/LEL/H2S/CO/VOCS
RGMULTRA1B1YA	Ultra 5-Gas Detector 02/LEL/H2S/C0/C02 IR
RGMULTRA1S1YA	Ultra 5-Gas Detector 02/LEL/H2S/C0/S02

Honeywell

BW™ Solo Serviceable Single Gas Detector

- The easiest single-gas detector to service
- Complete with an extensive selection of sensor options
- \bullet The first single-gas detector with the 1-Series sensor for CO, H_2S and O_2
- Compatible with IntelliDoX: save time and centralize data with automated bump testing, calibration and instrument management
- Use IntelliDoX docking stations with Honeywell SafetySuite Device Configurator software

H ₂ S CO O ₂ NH ₃	3 SO2 HCN Cl2 NO NO2 PH3 ETO ClO2 O3 H2		
CODE	DESCRIPTION		
RGMSOLOHLY	BW Solo H ₂ S Standard Yellow		
RGMSOLOMLY	BW Solo CO Standard Yellow		
RGMSOLOSAY	BW Solo NH ₃ Standard Yellow		



APPLICATION

When engineering and administrative control measures are unable to reduce exposure to hazards that may impact the torso of the body, employees should be supplied with, and wear effective workwear. This will include the ability to see a worker in all light conditions.

RISK ASSESSMENT

The process of carrying out a risk assessment should include a site survey that identifies workplace activities, lists the hazards present and assesses the level of risk that needs to be covered through the provision of protective clothing.

Determining the level of protection required should include which parts of the body require protection, the type of protection and with reference to appropriate standards should they exist.

Research should be carried out to identify products that provide the required level of protection and should be supported with appropriate documentation and product labelling. Specific attention should be given to the functionality of garments that are multi-layered or are worn in conjunction with other types of PPE.

Wearer trials are an important part of the evaluation process and obtaining wearer feedback is critical to ensure product suitability. Issues relating to sizing, ease of maintenance and durability are important factors.

HIGH VISIBILITY

AS/NZS 4602.1:2011 specifies garment parameters for high visibility clothing where high risk applications exist. These design requirements are structured around the needs of road and rail traffic workers. However, it is often recommended that workers in industrial workplaces with similar risk factors adopt this standard.

Specific garment design may vary depending on the workplace environment such as weather, type of work being undertaken and comfort considerations.

Garment Classifications:

The garments specified in this Standard are classified as follows:

- (a) Class D A garment designed for daytime use.
 (b) Class N A garment designed for night use using
- retroreflected light.

(c) Class D/N - $\,$ A garment designed for day and night use.

USEFUL REFERENCES

AS/NZS 4501 Set:2008 Occupational protective clothing Set. **AS/NZS 4602.1:2011** High visibility safety garments Part 1: Garments for high risk applications

AS/NZS 4399:1996 Sun protective clothing - Evaluation and classification.

SUN PROTECTION

AS/NZS 4399 sets out requirements for determining the rated ultraviolet protection factor of fabrics used for sun protection garments and other items of personal apparel (such as hats) which are worn in close proximity to the skin. It also specifies appropriate detailed labelling requirements.



Protection ratings:

UPF 15, 20Good ProtectionUPF 25, 30, 35Very Good ProtectionUPF 40, 45, 50Excellent Protection

Note: UPF ratings should not confused with Sun Protection Factor (SPF) ratings which are not applicable to textiles.

SAFETY TIPS

- Ensure protective clothing is maintained with instructions to ensure optimum performance.
- Where possible select HI VIS colours that contrast to the prevailing background in the work area.
- Garments should be critically examined at 3-6 month intervals for damage, excessive fading, or the retroreflective material has ceased to be fit for purpose.
- Procedures covering the handling of contaminated clothing should be established eg. toxic chemicals & dusts.

All workers should be trained in the correct use and maintenance of personal protective equipment.

SHIRTS	40
TROUSERS	42
SPECIALTY RANGES	43
WOMEN'S WORKWEAR	47
OUTDOOR	48
POLAR FLEECE	53
POLO SHIRTS	54

DISCLAIMER: The information detailed above is not provided as a solution to the control of workplace hazards. It is an outline and has not been prepared as any statement of law nor is it intended to replace or substitute for professional and/or legal advice which is strongly recommended.














Drill, Denim Work Trousers	 Criginal Cotton Drill Work Trouser 100% cotton preshrunk drill - 310gsm Single front pleats Mobile phone pocket YKK® zipper As/NZS 4602.1: Content to the sector of the sect				 Criginal Cotton Drill Cargo Trouser 100% cotton preshrunk drill - 310gsm Adjustable side tabs on waistband 8 pocket cargo design YKK® zipper AS/NZS 4602.1: 2011 taped option: 3M™ 8910 reflective tape Class N 				
	CODE WBT6007	DESCR. Untaped	COLOURS Navy, Khaki, Green	SIZES 77 - 112R,	CODE WBTC600		ESCR.	COLOURS Navy, Khaki,	SIZES 77 - 112R,
	WBT6007	Taped	Navy, Orange	87 - 132S, 74 - 94L	WBTC600		aped	Green, Black Navy	87 - 132S, 74 - 94L
 Dough Rider Denim Jean 100% cotton stone- wash denim - 465gsm Classic 5 pocket styling Double stitched seams YKK® zipper AS/NZS 4602.1: 2011 taped option: 3M™ 8910 reflective tape Class N 		C · · · · · · · ·	Apped Biomotion otton Drill Trouser 100% cotton pre- shrunk drill - 310gsr 3M™ biomotion taper around upper and lower leg Standard or cargo pocket options YKK® zipper S/NZS 602.1: 2011 aped option: 3M™ 8910 reflective tape Class N			Stretcl Cargo • 97% elast 280g • Stret tape confi • Mode straig • Stret • Curve • Multi pock • Bisle bacte to pre	Biomot th Cotto Trouser cotton, tane cot gsm tch reflee with bic iguration ern fit, s ght leg tch mid- red waist i-functio kets ey Fresch erial trea revent oc	n Drill r 3% ton drill - ctive pomotion n lim rise fit tband nal ne® atment dour	
CODEDESCR.COL.WBT6050UntapedDenim		V	CODEDESCR.VBT6003TOriginal		7 - 112R,	CODE WBTC6			112R, 87 - 132S,
 WBT6050T Taped Denim WBT6050T Taped Denim Permanent Press Trouser 65% polyester/ 35% viscose gaberdine - 235gsm Dupont™ Stain ReGuard finish Single pleat front Easy fit adjustable waist 5 pocket styling YKK® zipper 	92 - 1325, 74			ent Colours St	2 - 132S	Cool Li Work 1 • 1009 press 190g • Eyele betw • Douk • Utility right • Carg guss side • YKK	ightwei Trouser % cottor hrunk d gsm et ventila veen leg ble layer cy pocke c hand si go pocke set on le set on le	ght rill – ation s red knee t on ide tt with ft hand	94L
	IZES		VB16999 Untaped G	Green, Black 8	7 - 112R, 7 - 132S, 1 - 941	CODE WBT68			112R, 87 - 132S,
WBT6123 Navy, Black 7	7 - 112R, 87 - 13	525 V	NBT6999T Taped N	lavy 72	1 - 94L			74 -	94L



43







44



Bisley

X Airflow[™] Ripstop Taped **HI VIS Shirt**

- 100% cotton Ripstop -150gsm
- X Airflow ventilation at multiple heat stress areas -100% cotton open mesh 125gsm
- Modern fit sizing 3M[™] 8910P perforated
- reflective tape Two button adjustable sleeve cuff
- AS/NZS 4602.1:2011 Class D/N

WBS6415T

Bisley

X Airflow[™] **Ripstop Taped HI VIS Shirt**

- 100% cotton Ripstop -150gsm Modern
- fit sizing X Airflow
- ventilation at multiple heat stress

WBS6416T Orange

X Airflow[™] Ripstop

Vented Work Short

Ripstop - 240gsm

• 100% cotton

125gsm

at back

waist fit

Bisley

- areas 100% cotton open mesh 125gsm 3M[™] 8910P perforated reflective tape
- Two button adjustable sleeve cuff
- AS/NZS 4602.1:2011 Class D/N



S - 6XL



 X Airflow ventilation at multiple heat stress areas - 100% cotton open mesh 125gsm

COLOURS WBS1414 | Black, Charcoal, Khaki, Navy | S - 6XL

Bisley

X Airflow[™] Ripstop Vented Work Trouser

Orange/Navy, Yellow/Navy, Yellow/Charcoal, Lime/Charcoal

- 100% cotton twill
- Ripstop 240gsm Back yoke and gusset ventilation -
- 100% cotton mesh
- Modern lower waist fit
- Curved waistband to prevent gaping at back
- Double layered knee patches with options to insert knee pads (not included)
- Taped option includes 3M[™] 8910P (perforated) -AS/NZS 4602.1:2011 Class N

CODE	DESCR.	COLOURS	SIZES
WBT6474	Untaped	Black, Navy, Charcoal	77 - 112R, 87 - 132S
WBT6474T	Taped	Navy	07 - 1325



Bisley

X Airflow[™] Ripstop

• 100%

cotton

Ripstop -

150gsm

Modern



heat stress areas -

- 100% cotton open mesh 125gsm
- · Contoured shape two piece sleeve
- Two button adjustable sleeve cuff
- AS/NZS 4602.1:2011 Class D

CODE WBS6415 Orange/Navy, Yellow/Navy S - 6XL

Bisley

S - 6XL

X Airflow™ **Ripstop Long Sleeve Shirt**

- 100% cotton Ripstop · 150gsm
- Modern fit sizing Roll-up sleeve tab
- Two chest and sleeve
- patch pockets with touch tape closure
- X Airflow ventilation at multiple heat stress areas - 100% cotton open mesh 125gsm
- Two button adjustable sleeve cuff

CODE WBS6414 Black, Charcoal, Khaki, Navy S - 6XL

Bisley

X Airflow[™] Ripstop **Engineered Cargo** Work Trouser

- 100% cotton twill Ripstop - 240gsm
- Modern engineered fit with lower waist and contoured leg
- Curved waistband to prevent gaping at back
- Double layer contoured knee · Hem boot cuff
- Taped option

includes 3M™ 8910P (perforated) -AS/NZS 4602.1:2011 Class N

CODE	DESCR.	COLOURS	SIZES
WBTC6475	Untaped	Black, Khaki Navy, Charcoal	77 - 112R, 87 - 132S
WBTC6475T	Taped	Navy	01 - 1323



CODE	COLOURS	SIZES
WBD1474	Khaki, Charcoal, Black, Navy	77 - 132





92 - 132S



72 - 132

WBDC1422

White





LOCAL SAFER KNOWLEDGE WORKERS

Win Wat proc Jack	er-	 Combina 5 wear of Jacket: 100% po with PU c Waterprobreathab Fully sea Mesh line Vest: Zip out repadded b detachab 100% po Heavy du 	lyester Oxford coating - 300D of and le fabric m sealed ed	d front opening		4-in Jac • W po 0: cc 1! • Po m lir • Do • Zi ve • 1: • X	p-out re est 30gsm p back HI	S est of	/est tape	
		CODE	DESCRIPTION	COLOURS	SIZES	COI	DE	DESCRIPTION	COLOURS	SIZES
	The second	WBJ6975 CRT6965T	5-in-1 Jacket/Vest Rain Trouser	Yellow/Navy, Orange/Navy	XS - 6XL XS - 6XL		IJ331 IV214X	Jacket/Vest Vest	Orange Orange	S - 5XL S - 5XL
HI VIS Ja • Waterp Oxford 150D • Polyest • Two-wa • Detach • Zip-out • 130gm • H back	roof polyester PU coated - eer mesh lined ja y zip closure able hood reversible vest polar fleece lin HI VIS tape S 4602.1:2011 DESCRIPTION	ned vest Class D/N CoLours Vellow/Navo	A Orange/Navy XS-5		• Wat poly PU c • Poly line • Sea • Two • Con • Zip- • Vest • H ba • AS/	HI VIS Ja erproof ester Oxfo coated - 3 ester mes d jacket m sealed -way zip cl cealed ho out revers : 280gsm ack HI VIS NZS 4602 NZS 1906	ord 00D sh osure od ible ves polar fle tape 2.1:2011	eece 1 Class D/N		
WMJ881	4-in-1 Jacket/Ve	Yellow/Gre			CODE	DES	CRIPTIO	N COLOURS		SIZES
WMV214 CRT200	Vest D/N Cargo Trous	Yellow, Ora		XL, 7XL, 9XL /XL, 2XL/3XL, 4XL	/5XL WMJ5		1 Jacket/	/Vest Yellow/Navy Yellow, Orar	y, Orange/Nav	vy S - 5XL S - 5XL
Platinum FR/Anti- HI VIS Ja • 98% po Oxford, carbon • Waterp breatha PU coa 300D • Concea • 100% o • Flame EN116 EN114 • Flame tape - 3 • Separa • AS/NZ	Static ocket 2% proof able,	X40 and ck HI VIS R ailable Class D/N	FLAME FLAME TARDANT	rproof hable ster Oxford arbon me outer - 250g cotton flame e retardant/An 0 14116 Index N1149-5 d seams, packa e resistant H b potion tape patt	: 3 / 12H/40 away hood ack HI VIS tape	FLAME RETARDANT	Flex Heav Dobt • 100 dol me lan 255 • Ful sea pro • Wa rat • Du pol • Mu • Sha for	& Move™ /y Duty /y Duty /y Duty /y Jacket 0% polyester /by with TPU embrane ninated - 5gsm Ily seam aled water- pof garment aterproof ing: Up to 15,00 al layer fabric with /yester wadding /lti-functional wat aped built in hoo protection c/w at sticated sleeve	ith internal for warmth Iterproof zip od with colla adjustable o	o pockets ar stand cord
CODE WMJ5140 WMV5150) FR Jacket Y	ellow/Navy,	SIZES WMJ774 S - 5XL CRT780 S - 5XL CRT780	FR Jacket	Yellow, Orange Orange Yellow	S - 3XL S - 2XL S - 4XL	COD		RS	SIZES XS - 6XL

General Winter Waterproof Jackets



Bisley

Taped HI VIS Two Tone Puffer Jackets & Vests

- 100% polyester Mini Ripstop TPU coated - 150D
- Two layer showerproof fabric
- Polyester lining with quilted wadding
- Adjustable quilt lined hood • H or X pattern tape options with biomotion taping on
- sleeves
- Waterproof zippers
- HI VIS puffer vest options
- AS/NZS 4602.1:2011 Class D/N



CODE	DESCRIPTION	COLOURS	SIZES
WBJ6929HT	Jacket H-Back	Yellow/Navy, Orange/Navy	XS - 6XL
WBJ6379XT	Jacket X-Back	Orange	XS - 6XL
WBV0329HT	Vest H-Back	Yellow	XS - 6XL
WBV0379XT	Vest X-Back	Orange	XS - 6XL

Bisley

HI VIS Ripstop Bonded Fleece Jacket

- 100% polyester bonded Ripstop TPU and polyester polar fleece Two layer
- showerproof fabric
- 3M reflective heat sealed segmented taped hoop pattern
- Biomotion taping on sleeves
- Built-in adjustable hood
- Two waist pockets with zip closure
- AS/NZS 4602.1:2011 Class D/N

WBJ6934T Yellow/Navy, Orange/Navy XS - 6XL



204 HI VIS Lined Flying Jacket

- Polyester Oxford PU coated 300D
- Waterproof tape seam construction
- Polyester lined and guilted
- Two-way zip & pack away hood
- AS/NZS 4602.1:2011 Class D/N

COLOURS WMJ204 Yellow/Navy, Orange/Navy S - 5XL



- Waterproof taped
- seams and stain resistant finish
- · Biomotion taped sleeves with inner cuffs
- Two-way zip closure and 4 pockets
- AS/NZS 4602.1:2011 Class D/N

CODE	DESCR.	COL.	SIZES	
WMJ460H	H Back Jacket	Yellow	XS - 6XL	
WWJ460H	H Dack Jackel	Orange	S - 5XL	
WMJ460X	X Back Jacket	Orange	S - 5XL	



304 HI VIS Lined Bomber Jacket

- Polyester Oxford PU coated 150D
- Waterproof tape seam construction
- Polyester lined and guilted
- Two-way zip & pack away hood
- AS/NZS 4602.1:2011 Class D

CODE COLOURS

VMJ304	Yellow/Navy, Orange/Navy	S - 5XL



Two Tone Fleece Lined Jacket • 100%

- polyester Oxford -300D
 - Waterproof fabric with taped seams
 - Polyester fleece lining
 - · Pack away detachable hood
 - H pattern tape
 - Two-way zip with press stud flap
 - AS/NZS 4602.1:2011 Class D/N

CODE COLOURS WMJ208 Yellow/Navy, Orange/Navy S - 5XL

Brahma Logic 20/20 HI VIS Taped Jacket Polvester 300D Ripstop PU coated High collar

- design with micro fleece
- Waterproof
- seam sealed construction · Polyester lined and guilted
- Two-way zip closure and full length storm flap
- AS/NZS 4602.1:2011 Class D/N
- AS/NZS 1906.4:2010

Yellow/Navy, Orange/Navy S - 5XL WMJ3280



504 Taped HI VIS Lined Bomber Jacket

- Polyester Oxford PU coated 150D
- Waterproof tape seam construction
- · Polyester lined and guilted
- Two-way zip & pack away hood
- AS/NZS 4602.1:2011 Class D/N

CODE	COLOURS	SIZES
WMJ504	Yellow/Navy, Orange/Navy	S - 5XL



- Polyester
- lined and padded







50



51







· Zip-out sleeves for multi use

· Four pockets for storage

WM 18074

· Card holder for ID card display

• AS/NZS 4602.1:2011 Class D/N

· Hoop pattern and shoulder reflective tape

Yellow/Navy, Orange/Navy S - 5XL

- Draw cord and toggle waist
- Water resistant fabric up to 8000mm, with breathable membrane
- Sleeve cuff adjusters

CODE	COLOURS	SIZES
WMJ3060	Black	S - 5XL

- mechanical stretch twill with bonded fleece and TPU
- Showerproof fabric with breathable
- Hoop pattern and over the shoulder reflective tape
- · Zippered waist pockets
- · Elasticated drawcord at hem
- AS/NZS 4602.1:2011 Class D/N
- COLOURS WBV0348T Yellow/Navy, Orange/Navy XS - 6XL





- polyester/4% spandex with bonded fleece and TPU lamination - 310gsm
- · Eyelet ventilation under arms
- Bonded internal fleece face
- · Elasticated drawcord at hem
- · Sleeve cuff adjusters

CODE	COLOURS		SIZES
WBJ6060	Black, Navy, (Charcoal	XS - 6XL
TPU lami 310gsm • Showerp with brea membrai • Bonded i fleece fac • Full zip fr chin guar stopper	ester/ dex with leece and nation - roof fabric thable ne nternal ce ont with		

COLOURS

XS - 6XI

Black

WBV0360







Local **Safer** Knowledge Workers

<section-header></section-header>					Tesh Pole polyeste mesh - 13 y wicking enhance and aids removal nable fab w moistu dry and ortable we ast two-to pocket ZS 4602.	r B4gsm s s ric re away earing ne panels 1:2011		
	CODE	DESCR.	COLOURS	SIZES S - 5XL,	CODE	DESCR.	COLOURS	SIZES
	WP110	Untaped	Yellow/Navy, Orange/Nav	7XL, 9XL	WP113	Untaped	Yellow/Navy, Orange/Navy	S - 5XL, 7XL, 9XL
	WP510	Taped	Yellow/Green Yellow/Navy, Orange/	S - 5XL S - 5XL	WP513	Taped	Yellow/Green Yellow/Navy, Orange/Navy,	S - 5XL S - 5XL
	WPSIU	Tapeu	Navy, Yellow/Green	S-SAL	WP513	Taped	Yellow/Green	5 - 5XL
 HI VIS Mesh Polos - Short Sleeve 100% polyester mesh - 130gsm Exceptional elasticity, soft and breathable mesh fabric Contrast coloured rib collar and cuff with double HI VIS piping Hoop pattern tape opti Contrast underarm ext Spliced front, full HI VIS AS/NZS 4602.1:2011 D/N with perforated ta 	ended gu S back Class D c pe	or	SIZES	HI VIS Mesh Long Sleeve • 100% poly 130gsm • Exceptiona soft and b mesh fabr • Contrast o collar and double HI • Hoop patt • Contrast o • Spliced fro • AS/NZS 4 D/N with p	e vester mes al elasticit reathable coloured ri cuff with VIS piping ern tape o underarm o ont, full HI 602.1:202	y, b ption extended VIS back L1 Class tape		SIZES
CODEDESCRIPTIONWBP1219UntapedWBP1219TTaped	Yellow	/Navy, Oran /Navy, Oran	ge/Navy XS - 6XL	WBP6219 WBP6219T	Untaped Taped		Yellow/Navy, Orange/Navy Yellow/Navy, Orange/Navy	XS - 6XL XS - 6XL
WORKIT	-	1	WORKIT			Ŵ	/ORKIT	2
HI VIS Cotton Back Mesh Polo - Long Sleeve • Rib sleeve cuff • Left chest pocket • S0% polyester/ 20% cotton back knit - 180gsm • Underarm mesh vent • AS/NZS 4602.1:2011 Class D/N								
CODE DESCR. COI	ow/Navy, nge/Navy	SIZES XS - 6XL	CODE DESCR WP5004T Taped		SIZES	CO	DE DESCR. COLO	

CODE	DESCR.	COLOURS	SIZES	
WP5004	Untaped	Yellow/Navy, Orange/Navy	XS - 6XL	
54				

PROTECTIVE CLOTHING

APPLICATION

When engineering and administrative control measures are unable to reduce exposure to hazards that may impact any part of the body, employees should be supplied with, trained in the use of, and wear effective workwear and protective clothing.

RISK ASSESSMENT

The process of carrying out a risk assessment should include a site survey that identifies workplace activities, lists the hazards present and assesses the level of risk that needs to be covered through the provision of protective clothing.

Determining the level of protection required should include which parts of the body require protection, the type of protection and with reference to appropriate standards should they exist.

Research should be carried out to identify products that provide the required level of protection and should be supported with appropriate documentation and product labelling. Specific attention should be given to the functionality of garments that are multi-layered or are worn in conjunction with other types of PPE.

Wearer trials are an important part of the evaluation process and obtaining wearer feedback is critical to ensure product suitability. Issues relating to sizing, ease of maintenance and durability are important factors.

CHEMICAL & PARTICULATE PROTECTIVE CLOTHING

AS/NZS 4501.2 (EN ISO 13688) outlines general design considerations and specifies pictogram markings as per ISO 7000. Protective Clothing standards of relevance are:

SYMBOL	EN TYPE	TYPE DESCRIPTION
	Type 1 EN 943-1 EN 943-2	Gas Tight Protective Clothing Protective clothing against liquid & gaseous chemicals, aerosols and solid particulates.
	Type 2 EN 943-1	Non Gas Tight Protective Clothing Suits which retain positive pressure to prevent ingress of dusts, liquids & vapours.
	Type 3 EN 14605/(EN ISO17491-3)	Liquid Jet Protective Clothing Suits which can protect against strong and directional jets of liquid chemicals.
	Type 4 EN 14605/(EN ISO17491-4)	Liquid Spray Protective Clothing Suits which offer protection against saturation of liquid chemicals.
	Type 5 EN ISO 13982-1	Particle Protective Clothing Suits which provide protection to the full body against airborne and solid particulates.
	Type 6 EN 13034/(EN IS017491-4)	Limited Liquid Splash Protective Clothing Suits which offer limited protection against a light spray of liquid chemicals.

SAFETY TIPS

- Include hands and feet in all protective clothing considerations.
- Ensure chemical protective clothing is matched to the specific chemicals in use.
- Ensure workers are aware of the capabilities and limitations of selected protective clothing.
- Critical protective clothing should be regularly checked for serviceability.
- Procedures covering the handling of contaminated clothing should be established eg. toxic chemicals & dusts.

All workers should be trained in the correct use and maintenance of personal protective apparel.

FLAME RETARDANT WORKWEAR

NFPA 70E 2015 is an international standard for 'Electrical Safety Requirements for Employee Workplaces'. NFPA 70E requires workers to wear flame resistant protective clothing wherever there is a possible exposure to electric arc flash.

Personal Protective Equipment (PPE) Ratings:

PPE Category	y PPE (ATV Rating) Table 130.7 (C) (16)			
1	1 Arc-Rated Clothing, Minimum ATPV of 4 cal/cm ²			
2	2 Arc-Rated Clothing, Minimum ATPV of 8 cal/cm ²			
3	Arc-Rated Clothing Selected so that the system Arc Rating Meets the Required Minimum ATPV of 25 cal/cm ^{2}			
4	Arc-Rated Clothing Selected so that the system Arc Rating Meets the Required Minimum ATPV of 40 cal/cm ²			

USEFUL REFERENCES

AS/NZS 4501 Set:2008 Occupational Protective Clothing Set. **AS/NZS 4836:2011** Safe working on or near low-voltage electrical installations and equipment, and the US NFPA 70E Standard.

FLAME RESISTANT CLOTHING	
VESTS	58
FORESTRY	59
DISPOSABLE CLOTHING	60
FREEZER/COOLING	63
WELDING	64
MISCELLANEOUS	65
BAGS & BACKPACKS	

DISCLAIMER: The information detailed above is not provided as a solution to the control of workplace hazards. It is an outline and has not been prepared as any statement of law nor is it intended to replace or substitute for professional and/or legal advice which is strongly recommended.





Bisley TenCate Tecasafe® Inherently Flame Resistant Clothing



Bisley

TenCate Tecasafe® Plus 700 HI VIS FR Vented Shirt

- Tecasafe® Plus 700 FR Modacrylic, Lyocell, Aramid - 238gsm
- Sto-nor 9801 FR reflective tape
 Action back panel
- ventilation with two openings and underarm ventilation - TenCate FR Mesh - 152gsm
- HI VIS D/N AS/NZS 4602.1:2011
- ATPV 8 9 cal/cm², PPE2





TenCate Tecasafe® Plus 580 HI VIS Lightweight FR Vented Shirt

- Tecasafe® Plus 580 FR Modacrylic, Lyocell, Aramid - 197gsm
- Sto-nor 9801 FR reflective tape
 Action back page
- Action back panel ventilation with two openings and underarm ventilation -
- TenCate FR Mesh 152gsm
- HI VIS D/N AS/NZS 4602. 1:2011
- ATPV 6 7 cal/cm², PPE1

CODE	DESCRIPTION	COLOURS	SIZES
WBS8081T	Mens	Orange	XS - 6XL
WBS8082T	Mens Two Tone	Yellow/Navy,	XS - 6XL
WBSI 8082T	Womens Two Tone	Orange/Navy	8 - 24

CODE	DESCRIPTION	COLOURS	SIZES
WBS8097T	Mens	Orange	S - 6XL
WBS8098T	Mens Two Tone	Yellow/Navy,	S - 6XL
WBSL8098T	Womens Two Tone	Orange/Navy	8 - 24

Bisley

TenCate Tecasafe® HI VIS FR Engineered Coveralls

- Tecasafe® Plus 700 regular weight or Tecasafe® Plus 580 lightweight options
 Sto-nor 9801 FR
- reflective tape
- Action back panel ventilation with two openings and underarm ventilation -TenCate FR Mesh - 152gsm
- 10 multifunctional pockets
 Concealed press snap front closure
- HI VIS D/N AS/NZS 4602.1:2011

4602.1:2011

CODE	DESCRIPTION	COLOURS	SIZES
WBO8185T	Lightweight Non Vented ATPV 6 - 7 cal/cm ² , PPE1	Orange	
WBO8186T	Lightweight Vented ATPV 6 - 7 cal/cm ² , PPE1	Orange/Navy	77 - 11 92 - 13
WBO8086T	Regular Weight Vented ATPV 8 - 9 cal/cm ² , PPE2	Yellow/Navy, Orange/Navy	52 - 13

WB08185T



Bisley HI VIS FR Wet

Weather Jacket

- Three layer fabric
 Outer: 98% polyester/2% anti static
- and static carbon yarn
 Mid: PU coating
- Inner: 60% Modacrylic, 40% cotton
- FR treated cotton lining
- Sto-nor 9801 FR reflective tape
- Seam sealed
- Detachable hood
- AS/NZS 4602.1:2011 Class D/N
- ATPV 32 cal/cm², PPE3

77 - 117R, 92 - 132S CODE COLOURS SIZES WBJ8110T Yellow/Navy, Orange/Navy XS - 6XL

Bisley

TenCate Tecasafe® Plus 580 Taped Lightweight FR Trousers

- Tecasafe® Plus 580 Al FR Modacrylic, Lyocell, Aramid -197gsm
- Cargo & standard style options
 Sto-nor 9801 FR
- Back hip patch
- pocket with flapSeven reinforced
- belt loops
- AS/NZS 4602.1:2011 Class D/N • ATPV 6 - 7 cal/cm², PPE1

CODE	DESCR.	COL.	SIZES
WBT8190T	Standard	Navy	77 - 112R,
WBTC8189T	Cargo	Navy	87 - 132S

Bisley

- TenCate Tecasafe® Plus 700 Taped FR Trousers • Tecasafe® Plus 700 Al FR Modacrylic,
 - Lyocell, Aramid -238gsm
 - Taped & untaped style options
 - Back hip patch pocket with flap
 - Seven reinforced
 belt loops
- Taped option
 includes Sto-nor
 - 9801 FR reflective tape
 - and AS/NZS 4602.1:2011 Class D/N • ATPV 11 cal/cm², PPE2

CODE	DESCR.	COL.	SIZES
WBT8090	Untaped	Navy	77 - 112R,
WBT8090T	Taped	Navy	87 - 132S



TenCate Tecasafe® Plus 700 Taped FR Vented Cargo Trouser

- Tecasafe[®] Plus 700 Al FR Modacrylic, Lyocell, Aramid -238gsm
- Taped & untaped style options
- Back yoke ventilation -TenCate FR Mesh - 152gsm
- LHS cargo pocket with flap and ruler pocket
- RHS mobile phone pocket
- Taped option includes Sto-nor 9801 FR reflective tape -AS/NZS 4602.1:2011 Class D/N
- ATPV 11 cal/cm², PPE2

CODE	DESCRIPTION	COLOURS	SIZES
WBTC8092	Mens Untaped	Navy	77 - 112R,
WBTC8092T	Mens Taped	Navy	87 - 132S
WBTCL8092T	Womens Taped	Navy	6 - 24





PROTECTIVE CLOTHING



Elvex ArcFit Visor c/w Chin Guard

57





SIZES

S - 4XL

S - 4XL

IRST

10.58 (0.18

TAFF

TATIS CALENDAR

国新市市 開展下

CURIT

13.000

Distant I

RDEN

TO BE

States and a second second

SIZES

S - 5XI

S - 5XL

COLOURS

Orange,

Yellow

AID



CV0345PK Pink Vest - Non Approved

PROTECTIVE CLOTHING

CLOGGER

Zero Light and Cool Chainsaw Chaps

- Arrestex HP advanced chainsaw protection material
- · Full protection from waist to the ankle clip fastening
- Lightweight, breathable, hightenacity outer covering with soft poly cotton lining
- HI VIS panels • 50mm wide belt
- with quick release buckle
- Certified to AS/NZS 4453. 3:1997

CODE SIZES

S fits inseam 76-81 cm (30-32 inch) CI C771C M fits inseam 81-86 cm (32-34 inch) L fits inseam 86-91 cm (34-36 inch)

LOGGE

Arcmax Arc Rated Fire Resistant Chaps

- Arrestex FR fire resistant chainsaw protection material
- ENA NENS 09-2014 for arc protection
- Nomex®/fire resistant viscose ripstop outer fabric
- FR reflective tape and lining
- 50mm wide belt with guick release buckle
- · Certified to AS/NZS 4453.3: 1997
- ATPV 8.2 cal/cm²

SIZES

CODE

S fits inseam 76-81 cm (30-32 inch) CIC61F M fits inseam 81-86 cm (32-34 inch) L fits inseam 86-91 cm (34-36 inch)

LOGGE

Chainsaw Arm Protector

- · Protects arm from
- the elbow to the wrist Flastic cuff
- · Hook and loop tab to hold sleeve secure
- Made with Arrestex HP advanced chainsaw protection fabric
- Heavy duty polycotton drill outer
- Certified to AS/NZS 4453.3:1997

SIZES CODE





DefenderPRO Chainsaw Trousers

- Arrestex HP advanced chainsaw protection material
- Durable 4-way stretch nylon/ lycra outer with mesh lining
- 2 large pockets
- · Elasticised waist
- Fixed or zip vents
- HI VIS segmented reflective tape - meets AS/NZS 4602. 1:2011
- Certified to AS/NZS 4453.
- 3:1997

CODE DESCRIPTION CLT21DPF DefenderPRO Fixed Vents 2XS - 3XL

CLOGGER

Defender C8 Clipped Style Chainsaw Chaps

- Arrestex chainsaw protection material
- Split front design with 50mm belt and guick release buckle - 4 clip fastening
- Front chainsaw protection from the hip to ankle
- 600D oxford weave outer with soft polycotton lining
- 50mm wide belt with quick release buckle
- Certified to AS/NZS 4453.3:1997

SIZES

UOM

S fits inseam 76-81 cm (30-32 inch)

M fits inseam 81-86 cm (32-34 inch)

L fits inseam 86-91 cm (34-36 inch)

CODE

Chainsaw Gloves

• EN388:2003 2232

GCRGA1 S - XL

with HI VIS nylon back

SIZES

· Constructed from cowhide leather

Designed to protect the back of the

for chainsaw protection to Class 0 (16m/s) level

left hand from chainsaw cuts

CODE

CI C81C





Chainsaw Trousers


- Arrestex HP advanced chainsaw protection material
- Very lightweight at only 1kg
- High tenacity 4-way stretch nylon/lycra outer - uses Nilit® Breeze yarn
- · Hi VIS panels front and rear plus cooling vents
- 4 hip and thigh pockets
- Certified to AS/NZS 4453.3:1997

CODE	DESCR.	COLOURS	SIZES
CLT71Z	Men's	Orange,	XS - 2XL
CLT71ZW	Women's	Grey/Green	2XS - 2XL

CLOGGER

Line Trimmer Chaps

- · Protects the lower legs from flying debris and stones
- Suitable for use with line trimmers, brush cutters, lawnmowers and other landscaping
- power tools · Hard wearing polyester outer
- Soft polycotton lining · Fastens with 4 hook-
- and-loop elastic straps
- One size fits all





CLCL21M

UOM

Pair



· Reinforced palm area & elasticised cuff · CE marked to comply with EN381-7:1999

59



2XS - 3XL





SAFER WORKERS



COLOURS CODE CDF450 White

60

SIZES

One size fits all

CODE	DESCRIPTION
RD1804	VFlex Particulate Respirator 1804, P2 Standard Si
RD1804S	VFlex Particulate Respirator 1804S, P2 Small Size

UOM

Ea



Size

Box/50

PROTECTIVE CLOTHING





SAFER WORKERS

White

One Size

Fa



M - 3XL Fa

PROTECTIVE CLOTHING



Freezer Jacket & **Pants**

- Polyester 300D Oxford weave, PU coated waterproof - 190g
- Polyester lined and padded Taped seams

Jacket

- · Elasticated back waist
- Fur lined collar
- Concealed
- detachable hood Inner knitted cuffs
- AS/NZS 4602.1 Class D/N

Trouser

- Drawcord
- adjustable waist • Full length zipped sides with touch tape flap closure
- · 2 pockets, concealed touch tape fastening

CODE	DESCRIPTION	COLOURS	SIZES
CFJ8044	Huski Freezer Jacket	Yellow/Green	S - 5XL
CFT8047	Huski Freezer Trouser	Yellow/Green	S - 5XL

THORZT

Evaporative Cooling Slip-Over Vest

- When wet, stays cool while you're active
- · Simple slip over vest, velcro side fastening for comfort
- · Comfortable, quilted polyester outer with unique polymer cooling fabric inner
- · Hand washable doesn't effect cooling

DESCRIPTION

- · Lightweight and durable
- One size fts all

CODE



SIZES

UOM



Beanies & Glove

Beanies

- · Polar fleece or acrylic knit options
- Insulatex lined options USB rechargeable LED
- head light option

Freezer Glove

- · Crinkle latex palm dip for excellent grip
- Warm 10 gauge acrylic liner • EN388 - 1141
- EN511 X1X

CODE	DESCRIPTION	COLOURS	SIZES
CB602	Fleece Beanie	Orange, Yellow, Green, Navy	S/M, L/XL, 2XL/3XL
CB010	Insulatex Fleece Beanie	Black, Navy, Yellow	One Size
CB029	LED Knit Beanie	Black, Navy, Orange, Yellow	One Size
CB013	Insulatex Knit Beanie	Black, Navy, Orange	One Size
		Yellow/Black	S - 2XL
GTC140	Thermal Grip Glove	Orange/Black	M - 2XL

THORZT

Cooling Apparel

- Promotes
- thermoregulation Reduces heat stress
- risks
- Submerge in water to activate
- Use over and over again
- · Cap, Towel and Scarf are machine washable

	Sowel
	1
нмоосст	CCTCSB



CODE	DESCRIPTION	COLOURS	SIZES	UOM
HMOOCCT	Thorzt Cooling Cap	Black, Royal Blue	One Size	Ea
CCTCSB	Thorzt Cooling Towel	Blue	75 x 32cm	Ea
HMOOCT	Thorzt Cooling Tie	Black, Royal Blue	One Size	Ea
HMOOCST	Thorzt Cooling Scarf	Khaki, Orange, Yellow, Royal Blue	One Size	Ea



COLOURS



Phase Change Cooling Vest

- Vest incorporates flexible ice blanket inserts
- Supplied with a set of 4 inserts
- · Effective cooling time up to 3 hour
- Taped or untaped

 Insulated 'Sof-Pac' storage and transport containers for inserts available

		the
	Y	
s		-
1		CV725
F	CVX7	75

CODE	DESCRIPTION	COLOUR	SIZES	UOM
CV725	HI VIS Vest Cotton c/w Inserts	Yellow, Orange	M, L, XL	Ea
CV700	Vest Cotton c/w Inserts	Blue	M, L, XL	Ea
CVX775	Replacement Inserts	-	-	Set/4







LOCAL KNOWLEDGE

ELLIOTTS

Golden Chief® Premium Welding Jacket

- · Lightweight premium pig split leather
- Inside pocket & sleeve pen pockets
- · Press stud closure
- Side adjusters for snug fit Adjustable cuffs
- Corduroy lined collar
- Bolero & Apron style option
- · Riveted wear areas & aramid
- thread



CODE	DESCRIPTION	SIZES
CWJGC30	Golden Chief Jacket 730mm Length	S - 4XL
CWBAGC	Golden Chief Bolero & Apron	S - 4XL
CWSPGC	Golden Chief Welder's Spats	One Size

ELLIOTTS 3

Wakatac® Proban® Welding Jacket c/w Leather Sleeves

- Front and back protection
- Chrome leather sleeves
- Longer length at the back for extra protection
- Velcro® front & side closure
- Lightweight and cool

CODE

CWJW30LS

CWHW30

CWJW30LSOB

ELLIOTTS 🚍

Welding Jacket

• Press stud closure

Trouser options available

Stand-up collar

· Quarter back jacket option

DESCRIPTION

Blue Max® Chrome Leather

Chrome leather for heavy duty

protection from dross & spatter

Wakatac Proban Hood



CODE DESCRIPTION

CWJPVJ	Drill Welder's Jacket	L - 3XL
YWBLL1818	Leather Welder's Blanket	1.8 x 1.8m

ELLIOTTS \Xi ArcSafe[®] Welding **Screens**

- Absorbs dangerous ultraviolet light
- Surrounds welding areas with safety - prevents accidental welding flash
- Welded seams with eyelets at 200mm on four sides
- Range of colours/sizes available
- Certified to Australian Standard AS 3957/NZ 5852:2006



FRAME NOT INCLUDED -SCREEN ONLY

CODE	DESCRIPTION	SIZES
CWJ128	Chrome Leather Jacket	S - 4XL
CWT10	Big Red Leather Seatless Trouser	M - 2XL
CWT2	Big Red Leather Trouser	M - 2XL

Pyromate[®] Red Welder's Jacket

• High quality red cow split leather

SAFER Workers

- Resistant to heat, cuts & abrasion
- Staggered double studs to
- ensure a secure fit Aramid stitched
- Moderate heat protection





CODE	DESCRIPTION	SIZES
CWJ810	Red Welder's Jacket	M - 3XL
CWS3	Red Welder's Sleeves	One Size
CWSP05	Welder's Spats	L - XL



Pyromate® Welder's Jacket

- Pyrovatex[®] treated cotton drill for enhanced breathability
- · Aramid stitched with chrome leather sleeves
- VELCRO[®] brand fastenings
- · Collared neck
- Lightweight and cool



IVI - 2XL
M - 2XL

CODE	DESCRIPTION	COLOURS	UOM
YWSA1813	Welding Screen 1.8m x 1.3m	Red, Green	Ea
YWSA1818	Welding Screen 1.8m x 1.8m	Red, Green	Ea

PROTECTIVE CLOTHING







🚰 ट्वरा३९९

HI VIS Gear Bags

Kokoda Bag - 90L

- HI VIS duffle bag made of heavy duty tarpaulin
- · End haul handles
- · Heavy duty 2" webbing
- Removable padded shoulder straps convert bag to back pa
- 3 internal mesh pockets

Bunker Bag - 60L

- · Heavy duty HI VIS gear bag with reflective tape
- Large main storage pocket with oversized dual zipper
- opening for easy access Twin full height end zip pocket
- Detachable webbing

Century Bag - 42L

- HI VIS polyester/PVC
- industrial style barrel bag Twin zip opening
- Reflective X pattern tape on both end panels

ack	MBG5807 KOKODA
ets	MBG5782 BUNKER
	MBG5800 CENTURY

CODE	DESCRIPTION	COLOURS	UOM
MBG5807	Kokoda Tarpaulin Bag 90L - 70x40x40cm	Orange	Ea
MBG5782	Bunker Gear bag 60L - 60x30x35cm	Orange	Ea
MBG5800	Century Barrel Bag 42L - 60x30x30cm	Orange	Ea



Gear Bags

B907 Multi-Pocket Trolley Bag

- In-line wheel system
- · Robust base panel
- Telescopic handle
- · Padded double straps
- Multiple zip compartments
- · ID card holder
- Polyester/PVC coated

B909 Travel Trolley Bag

- · In-line wheel system
- · ID card holder
- Telescopic handle
- Polyester 600D fabric



🚰 carisee

HI VIS Back Packs

- Pilbara Back Pack 34L Heavy duty HI VIS back pack c/w
- reflective X pattern tape Reflective Air Flow
- padded harness system Twin main zippered
- storage compartments Fold-over safety flap with reflective tape

SwitchBack Back Pack - 32L

- Heavy duty HI VIS back pack c/w reflective tape
- · Padded harness system with sternum strap
- Twin compartment design
- Hydration ready just add 2L or 3L reservoir

Mineral King Back Pack - 32L

- Heavy duty HI VIS back pack c/w tape
- · 'Bio Form' harness system
- Utility hip belt & sternum strap
- · Specialty pockets and compartments

MBP6476 MINERAL KING

MBP11802

PILBARA

CODE	DESCRIPTION	COLOURS	UOM
MBP11802	Pilbara Back Pack 34L - 44x33x24cm	Orange, Yellow	Ea
MBP5780	SwitchBack Back Pack 32L - 50x32x22cm	Orange	Ea
MBP6476	Mineral King Back Pack 32L - 50x32x20cm	Orange	Ea

MBP904

MBP5780 SWITCHBACK



HI VIS Rucksacks

- Polyester 600D fabric · Premium reflective tape for
- increased visibility
- added support
- · Padded back panel for wearer comfort
- Phone pocket
- · Quick release buckle option

MBP905

CODE	DESCRIPTION	COURS	UOM
MBP904	B904 Quick Release Rucksack 25L - 28x21x43cm	Orange	Ea
MBP905	B905 Rucksack 25L - 28x21x43cm	Orange, Yellow	Ea

CODE	DESCRIPTION	COLOURS	UOM
MBG907	B907 Trolley Bag 100L - 60x40x42cm	Black/Red	Ea
MBG909	B909 Trolley Bag 100L - 76x37x36cm	Black	Ea

Safety Kit Bag

- Duffel-style kit bag
- ID window
- Robust carry handles and shoulder strap

DE	DESCRIPTION	COLOURS	UOM
GSKB	Duffel Kit Bag - 61x31x31cm	Black	Ea

CSLA5

Sleeves

35cm length



UOM

Pair

CO

	DESCRIPTION	SIZES
SLE35	Arax® Cut Resistant Sleeve	One Size



Arax[®] Cut 5 Protective

· Protects forearms from cuts

Arax[®] Knit Technology





FOOTWEAR

APPLICATION

AS/NZS 2210.1:2010 recommends that safety footwear should be worn to reduce foot injuries caused by contact with moving or falling objects, sharp materials that may penetrate through the sole or uppers, friction, contact with chemicals, heat, molten metals, slipping and electrical hazards.

RISK ASSESSMENT

A risk assessment identifying all possible foot hazards is essential before implementing a footwear protection programme. It is important to note that safety footwear can only provide a limited degree of protection against hazards in the workplace.



FOOTWEAR SELECTION ELEMENTS

SOLE		
Rubber	Heat resistant to 300°C	
TPU	Heat resistant to 130°C - 140°C	
PU	Heat resistant to 130°C - 140°C	
PVC	Waterproof, oil/fat/acid resistant	
TOE CAPS		
Steel	200 Joules/1500 Newtons	
Composite	200 Joules/1500 Newtons	
ELECTRICAL RESISTANCE		
Anti-static	Allows static electricity to earth	
Conductive	Allows mains & static electricity to earth	
Insulating	Protects against high voltage	
OTHER		
Metatarsal Guard	Protects the metatarsal bones of the foot	
Steel Midsole	Penetration resistant layer imbedded into the sole	

Typical hazards may include:

- Slipping due to surface type & condition and wet or dry state (including type of liquid)
- Dropped or falling objects causing crushing or cutting injuries
- Moving plant and equipment causing crushing injuries
- Sharp objects with the potential to puncture or penetrate
- Exposure to extremes of temperature including welding and hot metal operations
- Chemical spills and other hazardous or toxic substances
- · Unsafe electrical equipment
- Static electricity discharge can cause harm to workers and equipment
- Uneven terrain
- High levels of physical activity and duration of shifts causing foot soreness/discomfort

SAFETY TIPS

- Correct fitting is essential to comfort and good foot health.
- If orthotics, arch supports and other inserts are necessary ensure fitting considers these requirements.
- Fitting is best conducted whilst standing and later in the day to allow for working conditions.
- Keep footwear clean and well maintained to ensure effectiveness.
- Good quality socks assist with comfort and overall foot hygiene if replaced daily.

All workers should be trained in the correct use and maintenance of personal protective equipment.

USEFUL REFERENCES


AS/NZS 2210.1:2010 Safety, protective and occupational footwear - Guide to selection, care and use.

LEATHER FOOTWEAR
PVC FOOTWEAR75
ACCESSORIES

DISCLAIMER: The information detailed above is not provided as a solution to the control of workplace hazards. It is an outline and has not been prepared as any statement of law nor is it intended to replace or substitute for professional and/or legal advice which is strongly recommended.



LOCAL SAFER





AT's

- AT's 45 Series
- Water resistant leather
- 'NATUREform' wide profile high impact non-metallic composite toe cap
- Dual density PU/TPU sole, heat resistant to 130°C
- Shock absorbing polyurethane midsole
- Fully lined with padded comfort collar and tongue (lace up styles)



CODE	STYLE	COLOUR	SIZES
FO45632	Lace-up Mid Cut Boot 150mm	Wheat	5-14, 6½-10½
FO45627	Elastic Sided Boot	Brown	5-14, 61/2-101/2
FO45632Z	Zip Sided Mid Cut Boot 150mm	Wheat	5-14, 6½ -10½
FO45637	Lace-up Mid Cut Boot 150mm	Brown	5-14, 61/2-101/2
FO45645	Lace-up Mid Cut Boot 150mm	Black	5-14, 61/2-101/2
FO45645Z	Zip Sided Lace-up Mid Cut Boot 150mm	Black	5-14, 61/2-101/2



FO45645Z

68

OLIVER safety footwear conforms to AS/NZS 2210.3

SAFETY FOOTWEAR



CODE	STYLE	COLOUR	SIZES	CODE	STYLE	COLOUR	SIZES
FO34626	Elastic Sided Leather Boot	Claret	4-13, 61/2-101/2	FO34632	Lace-up Nubuck Leather Boot	Wheat	4-13, 61/
FO34610	Slip-on Nubuck Leather Shoe	Black	4-13, 61/2-101/2	FO34634	Lace-up Leather Boot	Black	4-13, 61/2
FO34613	Suede Lace-up Safety Jogger	Black	4-13, 61/2-101/2	FO34652	Lace-up Derby Leather Shoe	Black	4-13, 61/2
FO34615	Slip-on Nubuck Leather Shoe	Wheat	4-13, 61/2-101/2	FO34660	Zip Sided Ankle Boot	Black	4-13, 61/2
FO34620	Elastic Sided Leather Boot	Black	4-13, 61/2-101/2	FO34662	Zip Sided Ankle Boot	Wheat	4-13, 61/2
FO34623	Suede Lace-up Ankle Jogger	Black	4-13, 61/2-101/2	FO34674	High Leg 190mm Zip Side Boot	Beige	4-13, 61/2
FO34624	Elastic Sided Suede Boot	Beige	4-13, 61/2-101/2	FO34692	Pull-on Rigger Boot	Brown	4-13, 61/2





44 Series Dual Density Footwear

- Dual density PU/TPU sole, heat resistant to 130°C
- Padded collar and tongue
- Heel protection guard

FO44535

FO44500

FO44515

• High impact non-metallic composite toe cap



OLIVER safety footwear conforms to AS/NZS 2210.3





FO49432Z





49 Series Women's Dual Density Footwear

- Specifically designed last to support the shape of a female foot
- Dual density PU/Rubber sole with lightweight shock absorbing PU midsole
- · Water resistant leather upper
- Oliver SOFTstride® insole support
- Anti-static sole
- Heat resistant outsole to 300°C
- NATUREform® wide profile steel safety toe cap
- Oliver COOLstep® lining to absorb moisture and odour
- COMFORTcushion® Impact Absorption System with PORON®

CODE	STYLE	COLOUR	SIZES (METRIC)
FO49432Z	Lace-up Boot Zip Side	Wheat	35-42
FO49445Z	Lace-up Boot Zip Side	Black	35-42
FO49414	Jogger Lace-up	Grey/Blue	35-42
FO49430	Slip-on Shoe	Black	35-42



38 Series Footwear

- Lightweight dual density polyurethane sole
- Premium soft touch waterproof leather
- COMFORTcushion® Impact Absorption System with PORON®
- NATUREform[®] wide profile steel toe cap
- Footbed infused with ecofriendly Odorban[™]
- Oliver SOFTstride[®] insole support
- Excellent slip resistant sole rated SRC
- Anti-static sole
- Heat resistant outsole to 130°C



CODE	STYLE	COLOUR	SIZES
FO38275	Executive Shoe	Black	6-13, 61/2-101/2
FO38250	Executive Pull-on Boot	Black	6-13, 61/2-101/2
FO38265	Executive Zip Side Boot	Black	6-13, 61/2-101/2



INSOL-N Nanolite Footbed

- PORON heel and ball of foot inserts for exceptional comfort
- Shaped PU footbed
- Removeable & washable
- Resistant to odours
- Massages your feet as you walk

CODE		DESCRIPTION
FGX600)	INSOL-N Nanolite Footbed





4 - 14





AT65 Series Mining & Caustic Resistant Footwear

- 100% waterproof premium full grain leather
- New Y-Guard TPU ankle protectors provides impact resistance
- Flush, integrated zip contours
- · Heavy duty Aramid stitching
- on critical wear seams
- Internal PORON[®]2 XRD metatarsal guard
- Q-flex® non metallic penetration protection insole
- Reflective panel above the heel

Rigger's Boot

- 100% waterproof premium full grain leather
- Heavy duty, durable coated leather
- Internal PORON® XRD metatarsal guard
- Q-flex[®] non metallic penetration protection insole
- Pull on loops for easy donning

Lace Up Boot

- 100% waterproof CORDURA® and full grain leather
- High abrasion and chemical resistance
- New and improved SAFETYcell®
- Q-flex[®] non metallic penetration protection insole
- Free running, quick-adjust lacing system

CODE	STYLE	COLOURS	SIZES
FO65791	350mm Laced in Zip Mining Boot	Black	4-14, 6 ½ - 10 ½
FO65493	240mm Pull-on Riggers Boot	Brown	4-14, 6 ½ - 10 ½
FO65490	150mm Lace-up Boot	Brown	4-14, 6 ½ - 10 ½

OLIVER safety footwear conforms to AS/NZS 2210.3







FO65490

SAFETY FOOTWEAR

AUSSIE BORN & BRED

FV261060

FV451050

FV461060

FV315085

FV261050

FV251050

FV461050

FV261020

FV251020

FV461020



ZipSider Safety Boots

- Slip, oil & fat resistant TPU/PU ToughSider sole
- OrthoTec PU footbed with anatomical arch support
- YKK zipper with ZipGuard
- AirZone Comfort System
- Padded tongue and collar
- Coats NylBond stitching
- Temperature regulating lining
- Certified to Type 1 AS/NZS 2210.3: 2009 Class 1 - 200J steel toe cap
- Rubber/PU sole (where indicated) - Heat, oil & acid resistant Vibram XS Work outsole
 - SRC slip resistance
 - Silicone AbrasionGuard
 - Dri-Freeze® lining that dissipates heat
- Moulded PU scuff cap for longevity (where indicated)

CODE	STYLE	SOLE	COL.	SIZES
FV251020	Lace-up/ZipSider High Leg	TPU/PU	Black	5-14, 6½-10½
FV251050	Lace-up/ZipSider High Leg	TPU/PU	Wheat	3-14, 6½-10½
FV261020	Lace-up/ZipSider Ankle	TPU/PU	Black	3-14, 6½-10½
FV261050	Lace-up/ZipSider Ankle	TPU/PU	Wheat	3-14, 6½-10½
FV261060	Lace-up/ZipSider Ankle	TPU/PU	Stone	3-14, 61/2-101/2
FV451050	ZipSider High Leg Lace-up c/w Scuff Cap	TPU/PU	Wheat	5-14, 6½-10½
FV461020	ZipSider Lace-up c/w Scuff Cap	TPU/PU	Black	5-14, 6½-10½
FV461050	ZipSider Lace-up c/w Scuff Cap	TPU/PU	Wheat	5-14, 6½-10½
FV461060	ZipSider Lace-up c/w Scuff Cap	TPU/PU	Stone	5-14, 6½-10½
FV561020	High Ankle ZipSider c/w Scuff Cap	Rubber/PU	Black	5-13, 6½-10½
FV561050	High Ankle ZipSider c/w Scuff Cap	Rubber/PU	Wheat	5-13, 61/2-101/2



FV390080





Safety Shoes

- Slip, oil & fat resistant TPU/PU ToughSider sole
- AirZone Comfort System
- Padded tongue and collar
- Coats NylBond stitching
- OrthoTec PU footbed with anatomical arch support
- Temperature regulating lining
- Certified to Type 1 AS/NZS 2210.3:2009 Class 1 200J steel toe cap

	FV210025
DC	



CODE	STYLE	SOLE	COLOUR	SIZES	С	ODE	STYLE	SOLE	COLOUR	SIZES
FV210025	Lace-up	TPU/PU	Black	3-14, 61/2-101/2	F١	V315060	Slip-on	TPU/PU	Stone	3-13,
FV315085	Slip-on	TPU/PU	Black	3-13, 61/2-101/2	F١	V390080	Lace-up Hiker	TPU/PU	Black	3-13,

MONGREL safety footwear conforms to AS/NZS 2210.3:2009 Class 1







Elastic Sided Safety Boots

- Slip, oil & fat resistant TPU/PU ToughSider sole
- OrthoTec PU footbed
- AirZone Comfort System
- Coats NylBond stitching
- Certified to Type 1 AS/NZS 2210.3: 2009 Class 1 - 200J steel toe cap
- Rubber/PU sole (where indicated)
 Heat, oil & acid resistant Vibram XS
 Work outsole
- SRC slip resistance
- Temperature regulating lining
- Moulded PU scuff cap for longevity (where indicated)



CODE	STYLE	SOLE	COLOUR	SIZES	CODE	CODE STYLE	CODE STYLE SOLE	CODE STYLE SOLE COLOUR
240020	Elastic Sided	TPU/PU	Black	5-14, 6 ¹ / ₂ -10 ¹ / ₂	FV240090	FV240090 Oil Kip Elastic Sided	FV240090 Oil Kip Elastic Sided TPU/PU	FV240090 Oil Kip Elastic Sided TPU/PU Tan
FV240030	Elastic Sided	, TPU/PU	Claret	3-14, 61/2-101/2	FV440050	FV440050 Elastic Sided c/w Scuff Cap	FV440050 Elastic Sided c/w Scuff Cap TPU/PU	FV440050 Elastic Sided c/w Scuff Cap TPU/PU Wheat
FV240040	Elastic Sided	TPU/PU	Wheat	5-14, 61/2-101/2	FV545030	FV545030 Elastic Sided c/w Scuff Cap	FV545030 Elastic Sided c/w Scuff Cap Rubber/PU	FV545030 Elastic Sided c/w Scuff Cap Rubber/PU Claret
FV240060	Elastic Sided	TPU/PU	Stone	5-14, 61/2-101/2				



Lace-Up Safety Boots

- Slip, oil & fat resistant TPU/PU ToughSider sole
- OrthoTec PU footbed
- AirZone Comfort System
- Temperature regulated lining
- Padded tongue and collar
- Coats NylBond stitching
- Certified to Type 1 AS/NZS 2210.3: 2009 Class 1 200J steel toe cap



CODE SOLE COLOUR CODE SOLE TPU/PU FV230080 Suede Hiker Black 5-14, 61/2-101/2 FV260030 Ankle Lace-up TPU/PU 5-14, 61/2-101/2 Claret FV260020 3-14, 61/2-101/2 TPU/PU Ankle Lace-up TPU/PU Black FV260050 Ankle Lace-up Wheat 3-14, 61/2-101/2 A A A BOOTS] BOOTS] BOOTS] **OrthoTec PU Footbed** Suede & Nubuck Replacement Laces Protector Anti-bacterial polyurethane cushion footbed Cotton laces to • Highly effective water A [6232] · Provides arch support suit Mongrel and oil repellent and shock absorption footwear · Promotes longer life for NUBUCE NUBUCE Incorporates AirZone footwear LENGTH comfort system COLOURS FGI V120 120cm Pr Wheat, Black, CODE UOM FGLV140 Stone CODE 140cm Pr 200ml Atomiser FG200 Ea FGX500 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13-14 P FGLV150 150cm Wheat, Stone Pr Spray Bottle

MONGREL safety footwear conforms to AS/NZS 2210.3:2009 Class 1

SAFETY FOOTWEAR



Xfoot Rubber Safety Range

- · Water resistant leathers
- Moulded TPU bump cap for added leather protection
- Dual density PU/Rubber sole excellent slip resistance, heat resistant to 300°C
- Luxury arch PU footbed breathable, anti-bacterial
- · Broad fit steel toe cap

FBI 892

FBL897

FBL982

FBL983

FBL990

FBL992

FBI 997

• XRD® Extreme Impact Protection

Women's Nubuck Zip Sided Boot

Women's Leather Zip Sided Boot

Leather 150mm Zip Sided Boot

Nubuck 150mm Zip Sided Boot

Leather 150mm Zip Sided Boot

Leather Elastic Sided Boot

Chemical Resistant Zip Sided Boot

Wheat

Black

Black

Black

Wheat

Black

Crazy Horse

FBL992

5-11. 61/2-91/2

5-11, 61/2-91/2

5-14, 71/2-101/2

5-14, 71/2-101/2

3-14, 61/2-101/2

5-14, 71/2-101/2

5-14, 71/2-101/2



Blundstone

TPU Safety Range

- Dual density TPU sole for durability and comfort, heat resistant to 140°C
- Broad fit steel toe cap XRD® Extreme Impact
- Protection • PU footbed - breathable and anti-bacterial



Men's Jogger Range

toe cap

to 140°C

Lightweight

Technology

Comfort-XRD®

FBL793

FBL794

FBL795

 Breathable upper material • Airport friendly composite

• Durable rubber outsole with increased grip, heat resistant

STYLE

Lace-up Safety Jogger

Lace-up Safety Jogger

Lace-up Uniform Safety Jogger



AFO

ONTH

PRAN

		1		
COLOUR	SIZES		CODE	STYLE
Crazy Horse	3-14, 71/2-101/2		FBL242	Water Resistant Zip Sided
Fawn	5-13, 71/2-101/2		FBL318	Nubuck Zip Sided Boot

FBL794

FBL795



Black

Wheat

Black

Boot

SIZE 5-13, 71/2-101/2

3-13, 71/2-101/2

3-13, 71/2-101/2

FBI 885

CODE	STYLE	COLOUR	SIZES	
FBL143	Water Resistant Lace-up Boot	Crazy Horse	3-14, 71/2-101/2	
FBL145	Suede Elastic Sided Boot	Fawn	5-13, 71/2-101/2	
FBL172	Elastic Sided Boot	Brown	3-14, 61/2-101/2	
Blund	lstone'			

FBL793

COLOUR

Grev

Black

Black/White

SIZES

5 - 13

5 - 13

5 - 13

	· · · · · · · · · · · · · · · · · · ·
FBL319	Nubuck Zip Sided Boot
Blunc	istone

Women's Shoe Range

- Specific fit f
- Airport frier toe cap
- Durable rub increased g to 140°C

 Lightweight Comfort-XRD® Technology

Silve Kalige	1	121 - 21	3c	
for women ndly composite		T.	17	
bber outsole with grip, heat resistant			-	1
t Line	FBL884			FBL886
YLE	C	OLOUR	SIZES	

CODE	STYLE	COLOUR	SIZES
FBL884	Lace-up Safety Jogger	Black	5-11, 61/2-91/2
FBL885	Nubuck Zip Sided Boot	Sand/Purple	5-11, 61/2-91/2
FBL886	Slip-on Safety Shoe	Black	5-11, 61/2-91/2

BLUNDSTONE safety footwear conforms to AS/NZS 2210.3:2019





B

BATA INDUSTRIALS

Naturals Collection Footwear

- Cushioned dual density polyurethane outsole
- Type 1, 200 joule steel toe cap
- Oil, acid and heat resistant to 130°C
- Defined heel strike for ladder use
- Anti-static, slip resistant sole
- Premium styling featuring a wide, stable footbed
- PU cushioned insoles
- Unique Bata Tunnel System® in the heel











CODE	STYLE	COLOUR	SIZES	CODE	STYLE	COLOUR	SIZES
FB60510	Saturn Lace-up Boot	Black	2-13, 61/2 -101/2	FB80514	Mercury Elastic Sided Boot	Sand	3-13, 61/2 -101
FB60514	Hercules Elastic Sided Boot	Black	2-13, 61/2 -101/2	FB60511	Neptune Lace-up Shoe	Black	2-13, 61/2-101/2
FB80510	Titan Lace-up Boot	Wheat	3-13, 61/2 -101/2	FB88841	Zippy Nubuck Zip/Lace-up Boot	Wheat	2-13, 61/2-101/



BATA INDUSTRIALS

Helix Energy Footwear Range

- High quality leather uppers with triple seam stitching
- D30[®] impact shock protection
- AS/NZS 2210.3 certified
- Dual density PU/Rubber sole heat resistant to 300 °C
- BOA lacing system and rubber soles (selected styles)
- Tri density PU/foam comfort insole
- Type 1 200 joule steel toe cap
 *Longreach CT styles include Type 1
 200 joule composite toe cap









SAFETY FOOTWEAR









Ea

CODE DESCRIPTION FGBB4059 Badger Boot Cleaning Brush

Ea

Pair

Pair

Pair

Pair

HAND PROTECTION

APPLICATION

Many workplace tasks cannot be undertaken safely without some form of hand protection. In general, hand protection must be provided wherever there is residual hand injury risk after other control measures have been put in place.

RISK ASSESSMENT

The need for hand protection should be assessed by conducting an audit of potential workplace hazards.

To ensure that the most appropriate glove is provided for the tasks and the environmental conditions, it is necessary to:

- identify the hazard(s) and the need for hand protection;
- · identify the level of manual dexterity required;
- select suitable material to give the protection required;
- select a suitable style and a good fit;
- determine whether re-useable or disposable gloves are appropriate.

CHEMICAL RISKS

AS/NZS 2161.10.3:2005 and EN374.1:2016 apply to gloves that protect against chemicals and micro-organisms. The pictograms below signify that gloves so marked indicate:







X - LOW CHEMICAL

Level 1 (>10mins) performance against at least 1 chemical

Level 2 (>30mins) performance against at least 3 chemicals

X X X X X X
Level 2 (>30mins)
performance against
at least 6 chemicals

Α	METHANOL	J	N-HEPTANE
В	ACETONE	К	SODIUM HYDROXIDE 40%
С	ACETONITRILE	L	SULPHURIC ACID 96%
D	DICHLOROMETHANE	М	NITRIC ACID 65%
E	CARBON DISULPHIDE	Ν	ACETIC ACID 99%
F	TOLUENE	0	AMMONIA HYDROXIDE 25%
G	DIETHYLAMINE	Р	HYDROGEN PEROXIDE 30%
Н	TETRAHYDROFURANE	S	HYDROFLUORIC ACID 40%
1	ETHYL ACETATE	Т	FORMALDEHYDE 37%

When dealing with glove performance against chemicals it is important to reference supplier glove compatibility charts for suitability and permeation & degradation time frames.

USEFUL REFERENCES AS/NZS 2161 Set: 2008 Occupational Protective Gloves Set.

EN 388

MECHANICAL RISKS

AS/NZS 2161.3/EN388 applies to gloves that protect against physical and mechanical hazards. Glove performance is indicated by the numbers below the pictogram for Abrasion, Cut-Coup, Tear, Puncture, Cut ISO13997 and Impact EN13594:2015.



Impact EN13594:2015: Pass or FailCut IS013997: Min A, Max FPuncture: Min 0, Max 4Tear: Min 0, Max 4

Cut - Coup: Min 0, Max 5 **Abrasion:** Min 0, Max 4

SAFETY TIPS

- · Correct glove fit is essential to comfort and dexterity.
- Do not use gloves worn by others or where there is any uncertainty about prior chemical exposure.
- Consider the use of barrier creams before and after work but never as the primary care.
- Cotton liners may assist in reducing moisture where prolonged use occurs.
- Extended cuff length may provide protection to the lower arm.
- Dispose of contaminated gloves appropriately.

All workers should be trained in the correct use and maintenance of personal protective equipment.

CUT RESISTANT	77
SYNTHETIC/MECHANICS	80
RIGGERS/LEATHER GENERAL PURPOSE.	81
NITRILE DIP	82
LATEX DIP	83
PU, PVC DIP/INDUSTRIAL	84
CHEMICAL, CLEANING	85
DISPOSABLE	86
WELDER'S/COTTON/ELECTRICIAN'S	87
ACCESSORIES	88

DISCLAIMER: The information detailed above is not provided as a solution to the control of workplace hazards. It is an outline and has not been prepared as any statement of law nor is it intended to replace or substitute for professional and/or legal advice which is strongly recommended.



LOCAL SAFER KNOWLEDGE WORKERS

Cut Resistant Gloves	High performance industrial			
	 yarn with a proprietary Arax[®] Knit Technology Superior cut resistance is in the way the proprietary Arax fabric is woven Tight knit for greater protect Anti-static and breathable fabric Tested to EN388:2016 - CUT ISO13997 'real world' cut te 	 ARAX[®] Platinum - Nitrile Cut Level F Durable black nitrile sand finish coated p High level of cut resistance without sacrificing comfort o 	alm	
		GCRAPNPUD	7 - 11	Pair
ARAX [®] Gold Cut - Nitrile	ARAX [®] Wet Grip - Nitrile	ARAX [®] Gold PU Dip -	ARAX [®] Heavy Duty -	ARAX [®] Touch - PU Cut
Cut Level D • Gold ARAX [®] knit liner • Black nitrile sand dip • Contact heat resistant to 100 °C • EN388 4X43D	Cut Level D • Black nitrile sand palm dip for superior grip in wet/greasy conditions • Contact heat resistant to 100°C • EN388 4X42D	Cut Level D • HI VIS polyurethane palm dip • Lightweight Arax [®] liner • Excellent dexterity - Bare Hand Technology (BHT) • EN388 4X43D	 Nitrile Cut Level D Reinforced chrome leather palm Black nitrile foam palm dip Contact heat resistant to 100 °C EN388 4X44D 	Level C • Water-based black polyurethane palm dip for superior sensitivity and dexterity • Contact heat resistant to 100°C • EN388 4X42C
CODESIZESUOMGCRAFYN7 - 11Pair	CODESIZESUOMGCRAND7 - 11Pair	CODE SIZES UOM	CODESIZESUOMGCRAFND7 - 11Pair	CODESIZESUOMGCRAPUD7 - 11Pair
		GCRAFYPU 7-11 Pair		
ARAX [®] Liner - Cut Level D • Uncoated liner glove • Contact heat resistant to 100°C • EN388 4X4XD	 ARAX[®] One[®] Anti Vibe - Cut Level D TPR padding protects fingers and knuckles Anti-vibration foam padded palm Black nitrile sand palm dip for superior grip in wet/greasy conditions EN388 4X43D 	 ARAX[®] Wet Grip Extendor Nitrile Cut Level D Black nitrile sand palm dip for superior grip in wet/greasy conditions Extended cuff protects forearm Contact heat resistant to 100°C EN388 4X42D 	ARAX [®] Lite - Nitrile Cut Level C • Lite ARAX [®] knit liner • Super thin 18 gauge machine knit • Black nitrile sand dip • EN388 4X13C	 ARAX[®] Dry Grip - Latex Cut Level C Black latex crinkle palm dip Superior grip on smooth dry surfaces Contact heat resistant to 100°C EN388 4X42C
CODESIZESUOMGCRAL7 - 11Pair	CODESIZESUOMGCRONE7 - 11Pair	CODESIZESUOMGCRANEC7 - 11Pair	CODESIZESUOMGCRAGND7 - 11Pair	CODESIZESUOMGCRALD7 - 11Pair

HAND PROTECTION

ELLIOTTS 🔁

G-Flex Dynamax[®] C5

K-Guard[®] TPR

protection

exoskeleton top

of hand impact

• Dynamax[®] C5 13 gauge seamless liner

T-Touch coating over

· Excellent dexterity,

EN388 4543 C

a blue nitrile 3/4 coating

sensitivity and tactility

UOM

Roustabout Impact Cut 5

Cut Resistant Gloves

Perfect Cutting® Spectra NBR Cut 3

- Nitrile palm dip coating for secure grip on smooth and rough surfaces Outstanding
- abrasion resistance • Superior fit, dexterity
- and durability
- · Seamless knit with open back for ventilation

7 - 11

• EN388 4343

CODE GCR2318766

Needle & **Puncture** Resistant Gloves



CP Neon Wrap

- Suitable for hypodermic needles, broken glass, sharp metal edges, or other sharps
- · CP material on palms, fingers and fingertips
- · String knit PU coated excellent durability and grip when handling wet and oily surfaces
- Back of hand breathability • ASTM F3 2878-10
- Hypodermic needle puncture 25 gauge >0.75 lbf

CODE	LENGTH	SIZES	UON
GCRCPR330	330mm	S - XL	Pair
GCRCPR430	430mm	S - XL	Pair

Honeywell **Spectra**

· Super-fibre engineered for its lightweight strength, superior cut resistance and abrasion resistance

- · Enhanced dexterity and durability
- · Natural cooling and moisturerepelling properties Made from a knit of Spectra
- polyamide, composite fibre & elasthane

SpectraKnight[®] PU Cut 5

- · Polyurethane palm dip coating provides outstanding abrasion resistance
- Ventilated back for breathability
- · Spectra touch gives an added sensation of cool comfort
- 13 gauge knitting technique • EN388 4543

UOM

Protection in high injury applications like recycling, waste handling and bottling.

Pair



EN388 4342

COD GCR2318765

7 - 11



UOM

Alpha Glove

- Hypodermic needleand cut-resistant palm and fingertips
- Slash-resistant knit on back of hand
- Outstanding dexterity with short break-in time
- High-stretch knit backing for snug fit
- Grip pads to assist in searches
- ASTM F3 2878-10 Hypodermic needle puncture 25 gauge <1.25lbf

JOM

GCRTUS008 XS - 2XL Pair



construction

and fingertips

weather

comfort

>1.0 lbf

Needle resistant palm

• Breathable mesh knit -

ideal for use in warm

· Excellent dexterity and

• ASTM F3 2878-10

Hypodermic needle

puncture 25 gauge

GCRTUS009 XS - 2XL Pair

Delta Glove

- Hypodermic needle and cut resistant palm and fingertips
- Slash-resistant knit on inside back of hand
- Outstanding dexterity with short break-in time
- 100% leather shell gives glove snug fit
- with tactile sensitivity • ASTM F3 2878-10 Hypodermic needle puncture 25 gauge <1.25 lbf

UOM CODE GCRTUS010 S - XL Pair



CODE GCR3416 8 - 11 Pair **G-Flex Dynamax® C5** AirTouch Nitrile Cut 5

- Lightweight AIRTouch nitrile palm dip coating • Dynamax® C5 15 gauge seamless blue liner Abrasion and tear resistance with back
 - of hand ventilation Excellent dexterity,
 - sensitivity & tactility • EN388 4543 C

UOM Pair

79





Synthetic Leather

www.safetyquip.com.au



Gecko grip palm

Neoprene knuckle

Easy-on finger loop

S - 2XL

Pair

• EN388 3131

Magnet inserted back

Cut off fingers

of hand

panel

GLSPFM

leather palm Reinforced foam padded palm Neoprene knuckle bar · Mesh backing for breathability • Extended neoprene cuff • EN388 3121 CODE GLSPT S - 3XL Pair



ProFit® PROTec HI VIS

• Durable synthetic leather palm

coating provides dexterity

protection to assist with

· Full back of hand

impact injuries

• EN388 4221XP

crutch

· Reinforced thumb

Velcro wrist closure

GRNONNFY 7 - 11 Pair

- Reinforced foam padded palm
- Neoprene knuckle bar
- HI VIS mesh backing for breathability
- Extended neoprene cuff • EN388 3121

CODE	SIZES	UOM	
GLSPTY	S - 2XL	Pair	

GAVPV 80

fit

foam padded palm

· Easy pull on tab

power tools

• EN388 4121

Padded knuckle panel

Velcro[®] strap for snug

M - 2XL

UOM

Pair

Ideal grip for hand/

Gecko grip palm

Reinforced foam

Padded knuckles

• EN388 3131

GI SPF

SBR foam insert for

padded inner palm

Breathable mesh back

S - 2XL

Pair

vibration attenuation

HAND PROTECTION

Synthetic Leather Gloves



ELLIOTTS Mec-Flex Mechanics

Mec-Flex® Oiler LX

- Full 360° Dynamax Cut level 5 protection on the palm, back of hand and all finger walls
- K-Guard® TPR back of hand exoskeleton
- Soft, durable goat leather on the palm
- Neoprene cuff
- Kevlar[®] stitched palm
- HI VIS stretch spandex on the back of the hand
- EN388 2542DP

SIZES CODE LION GLS6230 M - 2XL Pair



Mec-Flex[®] Rigger GT

- Rigger style with goat skin palm
- K-Guard[®] TPR back of hand exoskeleton
- · Rubberised reinforced palm
- Black soft neoprene cuff with TPR pull tab and Velcro® closure
- EN388 3133

CODE LION GLS6310 M - 2XL Pair











Riggamate® Cut Resistant

- · High quality cow grain leather
- Knitted Kevlar® palm
- Wing thumb
- Stitch free palm
- EN388 3522

SIZES	UOM	CODE	SIZES	UOM
S - 2XL	Pair	GCR301	M - 2XL	Pair

General **Purpose** Leather Gloves





Yellow & Grey Heavy duty one piece

- palm Yellow safety cuff & knuckle bar
- Cotton back with elastic • EN388 3232
- GLC727 One Size Pair



Grey All Chrome

- 'A' Grade quality heavy duty
- All chrome cow split leather • 5cm leather cuff
- EN388 3232

GLC722 One Size Pair



Candy Stripe

GLC747

- Lightweight cow split leather palm
- · Cotton back
- Elastic on back of wrist Safety cuff & knuckle

bar

One Size Pair G



Green & Grey

· Heavy duty with safety cuff • Reinforced palm/thumb/

fingers

· Cotton back with knuckle bar

• EN388 3232

ODE	SIZES	UOM
LC714	One Size	Pair







General	DD		Manga	Nitrile	<u>.</u>			
	PRO CHOICE SAFET	C CEAN						
Purpose	0				MaxiPro [™] V	Vet/Dry		
Nitrile	QL				PU Foam			
Dipped	QER				Palm dipp nitrile/wa			
Gloves	20.00			TERO/Second	based PU			
	GN				foam coat • Seamless	0	PROjense	
		Ľ,			gauge, ny	lon fused	18-	
100.00	Har	0			lycra shel • Back of h			
N NO	Z					r additional		
	ONE - Mult	i Purnose	DexiPro [™] Wet∕	/Drv	protection	n grip without		
	• Foam nit	-	Nitrile coating	-				
	• HI VIS	a alassa liman	Lycra infused	l lint free nyl		•		
		s glove liner led knuckles/	knit liner • Extra long 20)mm cuff	touch scre • EN388 41		GRNNPN	
Da	fingers		 Anti-static 		CODE	DESCRIPTION	SIZES	UOM
	• EN388 4		• EN388 3221		GRNNPN	MaxiPro Palm Dip		Pair
3 9	CODE GRNONN	SIZES UOM 7 - 11 Pair	GRNBNNL		GRNNPNHB Pair GRNNPNFB	MaxiPro 270 3/4 MaxiPro 360 Full		Pair Pair
Touch Screen Sand Dig Winter Lined • Full 360° nitrile dip • Sandy nitrile dip with touchscreen capabilities • Warm acrylic liner • EN388 3121 CODE SIZES	Repelle • Ultra t • Full ha knit lin • Water • Wet/c • EN38	nt chin nitrile foam and dip on nylo ner /oil repellent Iry grip	n • Full back of h protection • Reinforced th • Velcro wrist o • EN388 4221	ile foam exterity nand umb crutch closure	DexiFrost Winter • Nylon/lycra with brushed acrylic • Nitrile dot palm • Wet/dry grip • Breathable foar technology • EN388 4131	n • Nitr Iiner • Bre ligh • Ant n • ENS	Arip Nitrile F rile foam palu athable and tweight nylou i-static 388 4131	n dip
GRNNSDWL 7-12 Pair	GRNNFV		r GRNONNFY 7 erGuard/	- 11 Pair Superl	GRNBNNLF 7-11	Pair GRN5	5643 7 - 11	Pair
Purpose Nitrile Dipped Gloves		ed ier	SuperGuard Blue • Heavyweight abra resistant nitrile • ¾ dipped • Cotton liner • Knit wrist cuff	asion • L d • A • C	PerLite Blue Full Di ightweight fully ipped nitrile borasion resistant ootton liner		ner t	nitrile
	• FN388 4		• FN388 4121		N388 4111			

- Canvas cuff • EN388 4121

• EN388 4121

GRN5635 9 - 10 Pair

CODE

SIZES UOM

• EN388 4111

CODESIZESUOMGRNBRFBB9 - 10Pair

CODE COL. SIZES UOM

GRN5460 Orange 7 - 10 Pair

GRNBRB Blue 7-10 Pair

CODESIZESUOMGRN56309-11Pair

82

HAND PROTECTION



83



LOCAL SAFER



One Size

Pair

GPV145

45cm

HAND PROTECTION



Pair

Pair



LOCAL SAFER OWLEDGE WORKERS



HAND PROTECTION



- Multiple size & length options
- AS 2225:1994 approved

OVERGLOVE GLC2012897

-

GR.

Honeywell

AS PERA

GRL09162 GRL09163 GLC20128

GRL

	VOLTAGE	(MM)	OILLO	Com
.091607	650	360	8 - 11	Pair
.091612	1,000	360	8 - 11	Pair
.091613	1,000	410	8 - 11	Pair
.091622	3,300	360	8 - 11	Pair
.091632	4,000	360	9 - 11	Pair
2012897	1,000	310	8 - 11	Pair











- Dispenses quickly & cleanly
- · Manages high usage

Glove Dispenser

- Single: 95(H) x 295(W) x 100mm(D)
- Triple: 490(H) x 275(W) x 100mm(D)

CODE	DESCRIPTION	UOM
GDZ41056	Single Box Dispenser	Ea
GDZ41057	Triple Box Dispenser	Ea

Ea

Glove Guar

Glove Guard Clip

- D
- At
- р

CODE

MGG1

- 'S
- M

COLOURS

Various

ore entand entp	TTTTTTTTT
ouble jaw configuration ttaches to belt loop,	
ocket,etc.	
Safety Breakaway' feature	
letal detectable version a	vailable

CRIPTION				
gle Box Dispenser				
le Box Dispenser				
By VISIONSafe				



Barrier Creams

Water Repellent Barrier Cream

- Protects hands against chemicals, detergents, acids, alkalis
- Relieves and moisturises

Solvent Resistant Barrier Cream

- Protects hands against
- solvents, steel, dust, oils
- · Relieves and moisturises

After Work Moisturising Cream

- · Assists in repair of
- damaged skin
- Relieves and moisturises
- Contains lanolin





CODE	DESCRIPTION	UOM
JHBCWR125	Ultra Clean Water Repellent Barrier Cream - 125ml	Ea
JHBCWR500	Ultra Clean Water Repellent Barrier Cream - 500ml	Ea
JHBCWR1	Ultra Clean Water Repellent Barrier Cream - 1L	Ea
JHBCSR125	Ultra Clean Solvent Resistant Barrier Cream - 125ml	Ea
JHBCSR500	Ultra Clean Solvent Resistant Barrier Cream - 500ml	Ea
JHBCSR1	Ultra Clean Solvent Resistant Barrier Cream - 1L	Ea
JHBCMC125	Ultra Clean After Work Moisturising Cream - 125ml	Ea
JHBCMC500	Ultra Clean After Work Moisturising Cream - 500ml	Ea
JHBCMC1	Ultra Clean After Work Moisturising Cream - 1L	Ea



Glove Clip Keeper

- Twin locking jaws
- · Breakaway connecting cord
- Attaches to belts/belt loops

CODE	COLOURS	UOM
MGGCK	Black, Yellow, Orange	Ea



HEIGH

APPLICATION

The Australian workforce experiences a fatal fall from height at least once per week. Half of those fatalities are from heights under 2 metres; some even from as little as 600mm. Safework Australia specifies that height risk assessment is essential for ANY HEIGHT. Height Safety Awareness training is compulsory for all workers who inspect their own harnesses and safety equipment prior to any work at height.

RISK ASSESSMENT

Safework Australia (www. safeworkaustralia.gov.au) has Codes of Practice referencing working at height; included are Managing the Risk of Falls in the Workplace, Preventing Falls in Housing Construction and a Code of Practice for Confined Space. In the event that working at height hazards cannot be eliminated with controls other than personal protective equipment, then the



selection of specific fall prevention equipment, provision of rescue and retrieval equipment, and training to specific competencies must become part of the overall risk management process. Height Safety Training to a specified competency is now an integral part of any work at height undertaking - refer AS/NZS 1891.4:2009. Equipment inspections to manufacturer's requirements must be conducted by competent persons. A record of training and equipment inspection is the primary responsibility of the person conducting a business or undertaking. WHS Regulations detail the management of risk of a fall by a person from one level to another, including requirements to:

- 1. ensure, so far as is reasonably practicable, that any work involving the risk of a fall is carried out on the ground or on a solid construction
- 2. provide safe means of access to and exit from the workplace
- **3.** minimise the risk of falls so far as is reasonably practicable by providing a fall prevention device, work positioning system or a fall arrest system.

Do Not Work Alone - A worker making their own connections can make a mistake and must never make their own D-ring connection with the harness already on - a fellow worker should check all connections relating to a harness.

Connector Compatibility - Mixing height safety components from a variety of manufacturers is not recommended, as components that may appear to be compatible may in practice not be. When selecting systems the user should look to ensure that the hook and "D" are compatible wherever possible. Proper connector compatibility ensures that pressure can't be put on the gate of the connector by the ring you are connecting into i.e. anchor point or rear D.

Rescue - Rescue must always be integral with any fall protection programme.

Suspension Intolerance - This is thought to occur as a result of low blood pressure caused by blood pooling in the lower extremities as an after-effect of a full body harness fall.

SAFETY TIPS

- Consider the workspace below the height work i.e. the need for isolation, barriers and signs.
- · Consider interaction with other trades and activities.
- · Equipment should be inspected by the user before and after each use.
- Maintain equipment in accordance with the manufacturers' guidelines and AS/NZS 1891.4.
- · Ensure the correct size harness is worn.

All workers should be trained in the correct use and maintenance of personal protective equipment.

USEFUL REFERENCES

AS/NZS 1891.4:2009 Industrial fall arrest systems and devices - Selection, use and maintenance.

AS/NZS 1891.1:2007/Amdt 2:2008 Industrial fall arrest systems and devices - Harnesses & ancillary equipment.

AS/NZS 1891.2:2001 Industrial fall arrest systems and devices - Horizontal lifeline and rail systems.

AS/NZS 1891.3:1997 Industrial fall arrest systems and devices - Fall arrest devices.

AS/NZS 2865-2009 Confined spaces.

HEIGHT SAFETY KITS	
'3M PROTECTA' HEIGHT EQUIPMENT	
'3M DBI-SALA' HEIGHT EQUIPMENT	94
'3M P50' HEIGHT EQUIPMENT	
'LINQ' HEIGHT EQUIPMENT	.97, 100
TOOL DROP PREVENTION	

DISCLAIMER: The information detailed above is not provided as a solution to the control of workplace hazards. It is an outline and has not been prepared as any statement of law nor is it intended to replace or substitute for professional and/or legal advice which is strongly recommended.





Terminology

1. Work Positioning

A Work Positioning System is one that is designed to hold and sustain the worker at a location and limit the free fall to max. 600mm.

2. Restraint Technique

Control on a worker's movement by use of a fall-arrest system using an adjustable connection to an anchorage preventing movement to a position where free or limited free fall might be possible. Restrained Fall describes the same connections but where the worker maintains a restraint technique over varying distances from the anchorage.

3. Fall Arrest or Free Fall Arrest (FFA)

A system that is designed to stop the free fall of a worker and limit maximum arresting forces on the body to 6kN or less. A fall where the arrest forces begin to take loading in excess of 600mm. The maximum free fall distance is 2m. Limited Free Fall is where anchorage placement or lanyard length limits free fall to less than 600mm.

4. Rescue

A Rescue System designed to raise or lower a worker to safety in the event of an emergency. No free fall or risk to the rescuer should be possible.

5. Suspension

Designed to suspend and support the worker whilst raising or lowering and not allowing free fall.

6. Working Slack

The lifeline distance from a harness attachment point to the anchorage point. Use an adjustable lanyard to limit working slack.

7. Weight Limitation

The weight of a worker including tools. 3M[™] lanyards have been designed, tested and certified for a combined worker weight with tools to between 50kg and 160kg. Weight combinations above 160kg must use a rated Self Retracting Lanyard (SRL).

Note: There is no such thing as a safe fall distance.

Anchorage devices must be engineer approved and fitted by a trained specialist.


3M[™] SAFETY TRAINING

Real World Training with the world's leading height safety company

- \cdot World-class training with the industry's best instructors
- Nationally recognised courses approved by ASQA
 Experienced training instructors
- Experienced training instructors with backgrounds that include rescue, fire and safety capabilities
- Anytime, anywhere. We will train your workers on-site or they can attend our fully equipped training facilities

Our Range Of Training Courses Include: Have more specific needs? 3M Safety training offers over

30 different height safety training courses, contact us for more information.



DD+ C

Height S

Operator (Work Sa

At Heigh

Height S Supervis

Height S Manager

Height S

Equipme Inspecto

RD

As per AS/NZS 1891.4, DD can be estimated at 700mm. 250mm must be added for D-Ring slide.

afety r afely its)	This course takes the participant through the theory of working at heights and also includes practical exercises and an introduction to peer rescue.	
afety or	Designed to provide candidates with the necessary skills to be competent as a Height Safety Supervisor as per AS/NZS 1891.4.	Ā
afety r	Builds on the previous unit skill level of Height Safety Supervisor to consolidate all that is learned and to further develop these skills to Height Safety Manager level as per AS/NZS 1891.4.	2
afety ent or	Provides candidates with the knowledge and techniques to inspect and oversee the care and maintenance of their organisations fall protection equipment.	



Nearest

Obstruction

DD

HEIGHT SAFETY



CODE	DESCRIPTION	IOU
USR3320030	Self-Rescue 50'	Ea
USR3320031	Self-Rescue 100'	Ea
USR3320037	Self-Rescue Training Unit - 30'	Ea
USR8900299	Self-Rescue Pole	Ea





Fall Protection

PROTECTA

Protecta P100 Riggers Harness

- Front & rear fall arrest rated D-rings
- Confined space retrieval/attachment points
- Easy adjust hardware
- Sub-pelvic strap
- Adjustable chest,
- shoulder & leg straps • Protected labels
- Integral adjustable/ elasticated lanyard options with scaffold or snap hooks
- Harness storage bag

Ideal for rigging, rescue, construction, elevated work platform, confined space, ladder access work and general applications



UBH123



CODE	DESCRIPTION	SIZES
UBH123	P100 Riggers Harness	S - XL
UBH12634	P100 Riggers Harness Adjustable Lanyard/Scaff Hook	M - XL
UBH12636	P100 Riggers Harness Adjustable Lanyard/Snap Hook	S - XL
UBH12734	P100 Riggers Harness Elasticated Lanyard/Scaff Hook	M - L
UBH12736	P100 Riggers Harness Elasticated Lanyard/Snap Hook	M - L



Fall Protection

Protecta P100 All Purpose Harness

- Front, side & rear fall arrest rated D-rings
- Confined space retrieval/ attachment points
- Easy adjust hardware
- Sub-pelvic strap
- Integrated shoulder & lower back/hip pads
 Adjustable chest,
- Adjustable chest, shoulder & leg straps
 Protostod labols
- Protected labels
- Harness storage bag





LOCAL

KNOWI EDGE

Protecta P200 Riggers Harness

- New enhanced features
- Quick-Connect buckles
- Rear fall arrest D-ring
- Adjustable chest strap
- ANSI Z359.11-compliant auto-resetting lanyard keepers for fast and easy parking of snap hooks and carabiners
- Comfort pad option has U-shaped neck with moisture wicking padding designed to help reduce

chafing and sweat buildup



UBH116167



SAFER

WORKERS

CODE	DESCRIPTION	SIZES
UBH116167	P200 Riggers Harness	S - XL
UBH116167P	P200 Riggers Harness c/w Comfort Pads	S - XL
UBH116168	P200 All Purpose Harness c/w Comfort Pads	S - XL
UBH116169	P200 Tower Workers Harness c/w D-rings	S - XL



Protecta P100 Scaffolders Harness

- Front & rear fall arrest rated D-rings
- Confined space retrieval/ attachment points
- · Easy adjust hardware
- Sub-pelvic strap
- Padded heavy duty comfort tool belt
- Adjustable chest, shoulder & leg straps
- Protected labels

CODE

Harness storage bag



UOM



UPS725AU 2.5m c/w Adjuster, Snap Hooks and Wear Sleeve Ea

DESCRIPTION

HEIGHT SAFETY









EXOFIT NEX[™] Riggers Harness

- Front & rear Tech-Lite[™] aluminium D-rings
- Suspension trauma straps • Confined space retrieval/
- attachment points Impact indicator

- REPEL[™] technology webbing
- Non-slip hybrid comfort padding
- Duo-Lok[™] quick-connect buckles
- Revolver[™] vertical torso adjusters • Harne



SALA Fall Protectio

DELTA[™] Riggers

- Harness · Large rear fall arrest rated
- stand-up D-ring • Front fall arrest rated D-ring
- Confined space retrieval/ attachment points
- Quick-connect buckles
- Corrosion resistant hardware
- Fully adjustable
- REPEL[™] technology webbing
- Harness storage bag



Harness s	vertical torso adjusters torage bag			• Harness sto	1480 248	
CODE UBH603	DESCRIPTION Riggers Harness	SIZES S, M, L, XL	UOM Ea	CODE UBH803-0018	DESCRIPTION Riggers Harness	SIZES UOM S, M, L, XL Ea
3M	Fall Protection	6 1		3M	Protection	
XOFIT NE	EX [™] Confined			DELTA [™] All	Purpose	
 Front, rear aluminium Padded lo Suspensic Confined s points Impact inc REPEL[™] te Non-slip h Duo-Lok[™] 	r & side Tech-Lite™ n D-rings wer back/hip pad on trauma straps space attachment dicator echnology webbing ybrid comfort padding quick-connect buckles vertical torso adjusters			stand-up D- • Confined sp attachment • Front fall arr • Waist belt w • Quick-conne • Corrosion re • Fully adjusta	ace retrieval/ points rest rated D-ring rith side D-rings ect buckles esistant hardware able nnology webbing	
CODE UBH623	DESCRIPTION Confined Space Harness	S, M, L, XL	UOM Ea	CODE UBH823-0018	DESCRIPTION All Purpose Harness	SIZES UOM S, M, L, XL Ea
 Suspension Helps prevof suspension fall by allo in their ha Harness Spie Typically u or tripod a worker interest 	reader Bar sed with a winch & davit arm issembly to raise and lower a o and out of a confined space	UBHZ	522	DELTA [™] Tov Harness • Large rear fa stand-up D-I • Front fall arr • Confined sp attachment • Quick-conne • Pole/restrai • Corrosion re • Fully adjusta • REPEL [™] tecl	ring rest/belay loops ace retrieval/ points ect buckles nt D-rings esistant hardware able nnology webbing st belt with side D-rings	
CODE UBHZ950140 UBHZ522	DESCRIPTION 03 Suspension Trauma Straps - S Harness Spreader Bar c/w Kar		Ea Ea	CODE UBH853-0018	DESCRIPTION Tower Workers Harness	SIZES UOM S, M, L, XL Ea
connector	se as an anchorage for fall arrest, restraint, work g, suspension or rescue syste	ems 🤇	UAS849	adjusti • Integra 83 • i-Safe™ • Availab	trap nd efficient ment system al wear sleeve enabled ble in a variety of lengths a DESCRIPTION	and hook options

HEIGHT SAFETY







SIZE

Μ

М

UOM

Ea

Fa

UOM

UOM

Ea

Ea

UOM

Ea

Ea



HEIGHT SAFETY



Essential Harness

- High tenacity UV stabilised pebble weave webbing
- Large dorsal D ring
- Extended belay loopsClosed loop webbing
- system on rear dorsal D
 Articulated chest strap and shoulder adjustment points
- Padding under buckles
- Hot Works Welders Harness
- available with Kevlar/Nomex webbing for high resistance to heat

CODE	DESCRIPTION	SIZES	UOM
UBH101	Essential Harness	S, M/L, XL/2XL	Ea
UBH101QR-HW	Essential Hot Works Welders Harness	M/L	Ea



Elite Riggers Harness

- High tenacity UV stabilised pebble weave webbing
- Rear barr D allows easier access
- Extended belay loops
- Closed loop webbing system on rear dorsal D
- Padding under buckles
- Air COOL padded shoulder straps

CODE

UBH301

only

CODE

URATBA

HEIGHT SAFETY

- 1.5m

CODE

UASE2515

SAFETY

- Suspension trauma strap
- Articulated chest strap and shoulder adjustment points
- Confined space rescue loops

T-Bar

applications on metal roofs

UOM

Anchor Strap

Ea

· 25mm anchor strap endless

UON

Ea

Suitable for fall arrest

Padded legs for force disperison

DESCRIPTION

Anchor Tetha


Elite Riggers Harness





Tactician Riggers Harness

- High tenacity UV stabilised pebble weave webbing
- Rear barr D allows easier access
- Extended belay loops
- Closed loop webbing system
 on rear dorsal D
- Articulated chest strap and shoulder adjustment points
- Confined space rescue loops
- Suspension trauma strap
- Padding under buckles







D-Ring Attachment Points

· Can be attached to virtually any

tool using 3M Quick Wrap Tape

Dual D-rings allow for 100% tool

DESCRIPTION

D-Ring 13 x 57mm, 0.9kg Capacity

D-Ring 25 x 89mm, 2.3kg Capacity

tie-off during tool transfers

Creates instant attachment

point allowing tools to be

tethered safely

CODE

UDT1500003

UDT1500007

www.safetyquip.com.au



Tool Cinch Attachments

- Allows users to guickly secure even the most difficult to tether tools/ equipment
- V-ring attachment point
- Stabilisation wings can be used to keep tool cinch attachments in place using 3M Quick Wrap Tape



CODE DESCRIPTION UOM UDT1500013 V-ring Attachment - 1 Stabilisation Wing, 15.9kg Capacity Fa UDT1500015 V-ring Attachment - 2 Stabilisation Wings, 15.9kg Capacity Ea UDT1500017 V-ring Attachment - 2 Stabilisation Wings, 36.3kg Capacity Ea

UDT1500013

Quick Wrap Tape

- Used with 3M D-rings and tool cinch attachments to create instant tethering points on virtually any tool
- Leaves no residue behind
- Inner fibreglass webbing increases the strength of the tape and makes the tape resistant to sharp objects

UDT1500171

UDT1500003

UDT1500174

UDT1500007

UOM

Pk/10

Pk/10

CODE DESCRIPTION		UOM
UDT1500174	Quick Wrap Yellow Heavy Duty, 25.4mm Wide	2.7m Roll
UDT1500171	Quick Wrap Blue Heavy Duty, 25.4mm Wide	5.5m Roll



- Designed to be used with most hand tools up to 4.5kg/15.9kg
- Features elasticated webbing and self-locking karabiners that prevents accidental opens and automatically close



CODE DESCRIPTION

UDT1500047 0.8 - 1.2m Hook2Loop Bungee Tether, 4.5kg Capacity Ea UDT1500049 0.8 - 1.3m Hook2Loop Bungee Tether, 15.9kg Capacity Ea



Coil Tether Tool Lanyards

- Use from holsters, belts, harnesses, tool pouches and wristbands
- Lightweight and ultra compact
- Vinyl coated
- Designed to stay out of the way when not in use
- · Compact hard hat coil tether allows for fast and easy tethering of hard hats

UDT1500159 UDT1500067

UDT1500178

CODE	DESCRIPTION	UOM
UDT1500159	0.1 - 1.6m Hook2Hook Coil Tether, 2.3kg Capacity	Ea
UDT1500067	0.05 - 0.6m Trigger2Trigger Coil Tether, 2.3kg Capacity	Ea
UDT1500178	0.1 - 0.9m Hard Hat Tether, 0.9kg Capacity	Pk/10



UDT1500050 1.8m Hook2Rail Lanyard, Medium Duty, 15.9kg Capacity Ea UDT1500052 1.8m Hook2Rail Lanyard, Heavy Duty, 36.3kg Capacity Fa

Comfort Tool Belt

- · Heavy-duty outer shell and high-density foam core for strength and comfort
- Modular design allows user to customise their own holster and pouch system
- Accommodates a wide selection of optional tool belt holsters, tool lanyards, and tool pouches



CODE	DESCRIPTION	SIZE	UOM
UDT1500110	Tool Belt with Extra Padding	S - M	Ea
UDT1500111	Tool Belt with Extra Padding	L - XL	Ea
UDT1500112	Tool Belt with Extra Padding	2XL - 3XL	Ea

EXAMPLE OF USE Available in a variety of sizes

UDT1500050

UDT1500052

UOM

CODE DESCRIPTION UOM UDT1500019 Pk/25 Shrink Link, 19 x 45mm Shrink Link, 25.4 x 51mm UDT1500020 Pk/25

Tape

Heat Shrink

environments

Protects 3M Quick Wrap

Tape against harsh work

Apply heat using a heat gun

shrink around Quick Wrap

to make heat shrink link

Hook2Loop/Rail Tool

- Features tubular webbing and self-locking karabiners that prevents accidental opens and automatically

HEIGHT SAFETY

UDT1500100

(TAPE MEASURE

NOT INCLUDED)



Tape Measure Holster

- Neoprene sleeve, designed to be used with virtually any tape measure, allowing it to be safely tethered and holstered
- Includes a 3M retractor
- Features Beacon[™] HI VIS reflectors

E	DESCRIPTION	UOM
1500098	Tape Measure Retractor Belt Holster	Ea
1500099	Tape Measure Sleeve	Ea
1500100	Tape Measure Retractor Belt Holster & Sleeve Combo	Fa

EXAMPLE

OF USE

GIVI

Drill Battery Holster

- Unique sleeve design conforms to the size of virtually any drill battery
- · Sleeve is cinched to the drill, allowing the drill to be tethered off with a 3M tool lanyard while being used at height
- · Designed to be used with most drill batteries or other battery powered hand tools

CODE DESCRIPTION UDT1500090 Drill Battery Holster/Sleeve

UDT1500134

Standard Safe Bucket

- · Built-in connection points that tools can be tethered to
- Innovative hook and loop closure system guards against spills and dropped objects during transport, lifting and use
- Puncture resistant base, heavy-duty hoisting/shoulder strap and autolock karabiner
- · Optional hard body insert with pockets available

```
UDT1500141
```

(100	JES NOT INCLUDED)	
CODE	DESCRIPTION	UOM
UDT1500134	Canvas with Hook & Loop Closure, 45.4kg Load Rated	Ea
UDT1500140	Vinyl with Hook & Loop Closure, 113.4kg Load Rated	Ea
UDT1500141	Hard Body Safe Bucket Insert with 4 Inner Pockets	Ea



Pullaway Wrist Band

- · Features an elastic strap that conforms to the users wrist size automatically
- · Easily tether off tools using the sewn on D-ring connection point
- Slim profile pullaway wristbands also available

DESCRIPTION



Ea

UOM

Ea

99

COD UDT1

CODE	DESCRIPTION	UOM
UDT1500088	Adjustable Radio Holster	Ea
UDT1500089	Adjustable Radio Holster, Clip2Loop Coil Tether & Micro D-Ring	Ea

Single Tool Holster with Retractor

31

phone

or harness

Adjustable Radio Holster

· Adjusts to the size of virtually

· Can be used from a belt

any handheld radio or mobile

- Attaches to a belt or harness
- Features Beacon™ HI VIS reflectors and Quick-Mag[™] magnetic tool staging system
- Equipped with D-rings and a 3M retractor · Bottom drain vent for
- work in wet conditions



Small Parts Pouch


- Innovative self-closure system that traps objects inside, making it nearly impossible for them to fall out
- · Easy to retrieve objects since no opening or closing is necessary
- · Compatible with most tool belts

Adjustable Wrist Bands

- · Hook and loop system to adjust to any wrist size
- Built-in cord model allows quick attachment of tools directly to the wristband
- and attached trigger can be used to quickly work with a variety of hand tools







UMRTD509J

UMSR

Specify weight & length

Ea

UMSE

Specify weight & length

Ea

UMRTD5091

2.5T

Ea

HEALTH & HYGIENE

APPLICATION

Health and Hygiene considerations apply to almost every workplace and cover a broad range of potential hazards. Workplaces should have a range of responses to their Health and Hygiene needs including both preventative and emergency response solutions.

RISK ASSESSMENT

The Safe Work Australia Code of Practice 'Managing the Work Environment & Facilities' provides guidelines that address typical issues relating to Health & Hygiene.

First Aid

First Aid kit selection should be based on a risk assessment of the type of work being carried out, the location and the number of workers (trained first aid officers may be necessary). The Safe Work Australia Code of Practice 'First Aid in the Workplace' provides practical guidance.

Hydration

Dehydration in the workplace can lead to safety issues as a result of reduced cognitive abilities, performance and reaction times. Strategies covering pre-shift, during and post-shift hydration should be considered. It is critical to ensure workers understand the various hydration strategies they can implement and are given the necessary tools to minimise dehydration.

Hand Cleaners

Hand washing facilities must be provided to enable workers to maintain good standards of personal hygiene and avoid work related skin complaints. Hand cleaners should be selected in response to the specific work environment and hazards.

The correct approach to hand cleaning is one that considers all aspects including pre work protection, using appropriate cleaners, use of antibacterial sanitisers and after work moisturising creams that help restore skin condition.

Sunscreens

Outdoor workers should have access to sunscreens to be used in conjunction with other sun protection strategies. Protection against solar ultraviolet (UV) exposure is critical given that in Australia two out of three people will develop some form of skin cancer during their lifetime. SPF50+ sunscreens with UVA and UVB broad spectrum coverage provide the best protection.

Defibrillators

Providing an automated external defibrillator can reduce the risk of fatality from cardiac arrest. It is a useful addition for workplaces where there is a risk of electrocution or where there are large numbers of members of the public. Automated external defibrillators are designed to be used by trained or untrained persons.

(Source: Safe Work Australia, First Aid in the Workplace, released July 2012)

Drug & Alcohol Testing

TING

Alcohol and Drug testing programmes may play an active role in the prevention, detection and control of alcohol and illicit drugs use in the workplace.

04 1299

Drug and Alcohol Policies are an essential component of managing workplace risks for many industries, especially for those with the highest risks of catastrophic industrial accidents. Programmes should be supported by clearly communicated policies and training, and adopt a consultative approach.

USEFUL REFERENCES

www.safeworkaustralia.gov.au Code of Practice - First Aid in the Workplace.

AS/NZS 2604.2012 Sunscreen products - Evaluation and classification.

AS 1223-1991 Industrial Hand Cleaners

Safe Work Australia Code of Practice "Managing the Work Environment & Facilities".

SAFETY TIPS

- Ensure First Aid kit contents are not 'out of date' and are restocked as soon as possible.
- When it comes to hydration don't rely on thirst as it is not a reliable indicator.
- The strongest hand cleaner is not always necessary select the mildest possible cleaner possible.
- Sunscreen should be applied at least 15 minutes before sun exposure and reapplied every two hours.

All workers should be trained in the correct use and maintenance of personal protective equipment.

FIRST AID	102
DEFIBRILLATORS/DRUG TESTING	105
HYDRATION	106
HAND CLEANERS	108
SUNSCREENS	109
CLEANING DISPOSABLES	110
CLEANING CHEMICALS	110

DISCLAIMER: The information detailed above is not provided as a solution to the control of workplace hazards. It is an outline and has not been prepared as any statement of law nor is it intended to replace or substitute for professional and/or legal advice which is strongly recommended.





WORKPLACE F	PORTABLE KITS					
WP1 Port	able	Trafalgar			in the	
Soft Case	Polypropylene Hard Case	FIRST AID KIT			Alexandre and a second	
Indoor Mobility Low dust and	Indoor/Outdoor Mobility)			
minimal moisture areas which	Durable and robust, suitable	Soft Case		Hard Cas	e	
require a portable first aid kit.	for large work sites that are prone to dust and wet areas, which require a portable first aid kit.	 Soft, durable case with shoulder still Internal compartments keep content Reflective strip, making visibility east an emergency Case dimensions: 310mm (W) x 220mm (H) x 130mm (D) 	s secure sy in	polypropyl • Carry I • Includ • Case o	it made from robust and du ene plastic nandle for convenience es additional tray for easy s dimensions: 420mm (W) x 2	torage
OfficesBuildings	Trades People Offices	CODE DESCRIPTION	UOM		30mm (D)	UOM
Schools	Buildings	AFK876476 WP1 First Aid Kit Soft Case	Ea	AFK876477	WP1 First Aid Kit Hard Case	Ea
	Schools	AFR876480 Refill Contents Only	Ea	AFR876480	Refill Contents Only	Ea

	Wall Mount
Metal Hard Ca	se ABS Plastic Hard Case
Indoor/Outdoo Fixture Harsh environ- ments that require maximu durability.	Wash down and dust areas.
 Agricultural Sheds Building Sites Construction/ Commercial Sites Mines Warehouses Workshops 	 Offices Manufacturing Plants Schools Laboratories Commercial Kitchens Agricultural Sheds

VEHICLE KITS			
PV1 HV1	Portable		
Soft Case	Soft Case		
Personal Vehicles Suitable for toolbox or glove box storage.	Heavy Vehicles Recommended for low dust and minimal moisture areas which require a portable first aid kit.		
 Fleet Cars Couriers Sales People 	 Heavy Vehicles Trucks DG Transportation Trades People 		

The information above is provided as a general recommendation and should not be used as a substitute for information provided by your local State or Territory Work Health & Safety regulatory authority.





Plastic Case

- ABS plastic construction
 - · Case includes an '0' ring to help resist dust and water
 - Features shelving and compartments for easy storage Case dimensions:
 - 300mm (W) x 390mm (H) x 150mm (D)



Heavy Vehicle

FIRST AID KIT

CODE	DESCRIPTION	UOM	CODE	DESCRIPTION	UOM
AFK876478	Workplace Metal Case First Aid Kit	Ea	AFK876479	Workplace Plastic Case First Aid Kit	Ea
AFR876480	Refill Contents Only	Ea	AFR876480	Refill Contents Only	Ea

Passenger PV1 Vehicle **FIRST AID KIT** · Compact and portable

DESCRIPTION

· Easily fits into the glove

box or boot of the car

Soft durable case with

Case dimensions: 140mm

compartments

(W) x 210mm (H)

x 60mm (D)

CODE

aid

Case dimensions:

240mm (W) x

385mm (H) x

115mm (D)



1 KIT PER VEHICLE

· Ideal for trucks. vehicles transporting dangerous goods and earthmoving

equipment

Includes content



recommended in Safe Work Australia First Aid in the Workplace Code of Practice, plus additional 500ml Eye Wash and First Aid sticker

HV1

- Soft durable case with compartments and shoulder strap
- Case dimensions: 310mm (W) x 220mm (H) x 130mm (D)

UOM CODE DESCRIPTION AFK876474 Passenger Vehicle First Aid Kit Ea AFK876475 Heavy Vehicle First Aid Kit

UOM Ea

HEALTH & HYGIENE



National Workplace **Burns First Aid Kits**

 Contains legislated required set of first aid treatment products plus additional range of hydrogel



- products and dressings
- Large full colour Burns Treatment poster
- Wallmount case dimensions: 400mm(W) x 480mm(H) x 190mm(D)


• Portable	e case dimensions: 500mm(N	/) x 300mm(H) x 300mm (D)
CODE	DECODIDITION	LION

CODE	DESCRIPTION	UOM
AFK873858	Large Wallmount ABS Plastic Case	Ea
AFK873859	Large Portable Soft Case	Ea
AFR873860	Refill Contents Only	Ea



Emergency Burns Station

· Provides a specialised first aid unit for areas where there is potential for burns to occur



- Tough polypropylene wall
- mountable case that is easily snapped off to be portable Dimensions: 250mm(W) x 200mm(H) x 90mm(D)



Snake Bite First Aid Kit

- For prompt treatment of snake bites
- Kit contains all items required to administer the latest snake bite first aid techniques
- Dimensions: 160mm(W) x 120mm(H) x 60mm(D)

CODE	DESCRIPTION	UOM
AFK856925	Snake Bite Kit	Ea



First Aid Signs

- Polypropylene signs (450mm x 600mm) for first aid and location requirements
- Polypropylene directional signs (300mm x 125mm) for first aid and evacuation requirements



SSP841532

FIRST AID

SSP841566



UOM

Ea

FIRST AID SSP832185





SSP840000





CODE	DESCRIPTION	UOM
AFK875494	Large Portable Soft Case	Ea
AFR875495	Refill Contents Only	Ea



Iratalga

First Aid Kit

first aid

treatment

products plus

National Workplace

 Contains legislated required set of

Outdoor and Remote

Emergency Eye Wash Station

- · Provides a specialised first aid unit for areas where there is potential for eye injuries to occur
- Tough polypropylene wall mountable case that is easily snapped off to be portable
- Dimensions: 250mm(W) x 200mm(H) x 90mm(D)

CODE	DESCRIPTION			UOM
AFK856592	Emergency Eye V	Vash Station		Ea
Trafalg Sharps Con		-	-	-1
Stores shar	ps safely	DEPOLA SAFE	DEPOSAL SAFE	

- until disposal can occur
- · Comes with hazard warning on label
- Range of sizes

available

CODE	DESCRIPTION	UOM
AFX853122	Sharps Container - 100ml	Ea
AFX873524	Sharps Container - 200ml	Ea
AFX853125	Sharps Container - 4.5L	Ea
AFX856608	Sharps Container - 1.4L	Ea

Lin

103



MODULAR

1 hat alt works





TB Workplace Guide: Low Risk Workplace with up to 50 staff, High Risk Workplace with up to 25 staff.

T3 First Aid Modular Content Kits

- · Ideal for large workplaces, work & trade vehicles, factories, farms, sporting clubs, restaurants etc.
- Innovative and easy to use modular system
- · Colour coded modules for easy identification
- Available in either a tough toolbox with wall mount bracket or portable soft case
- Comprehensive checklist included Toolbo

first aid works

with up to 10 staff.

Content Kits

Included			
 Toolbox 	CODE	DESCRIPTION	UOM
dimensions	AFKT3MH	T3 Modular Hard Case	Ea
(hardcase):	AFKT3MS	T3 Modular Soft Case	Ea
420 (W) x	AFRMBM	Burn Module	Ea
320 (H) x	AFRMHM	Haemorrhage Module	Ea
150 (D)	AFRMEM	Eye Module	Ea
	AFRMMWM	Minor Wound Module	Ea
	AFRMAM	Additional Stock Module	Ea



DESCRIPTION

T2 Eye Module

T2 Ultimate Modular Hard Case

T2 Ultimate Modular Soft Case

T2 Minor Burn Module

T2 Haemorrhage Module

T2 Minor Wound Module

- · Ideal for medium workplaces,
- work & trade vehicles, etc. Innovative and easy to use modular system
- Available in either a tough toolbox with wall mount bracket or portable soft case
- · Comprehensive maintenance checklist included

CODE

AFKT2UMH

AFKT2UMS

AFRT2MBM

AFRT2MEM

AFRT2MHM

AFRT2MMWM

•	Toolbox
	dimensio

ons (hardcase): 340 (W) x 260 (H) x 150 (D)





FIRST AID





JHGB1000

JHGB5000

JHGB1000C

COPEB0350	DESCRIPTION	UOM
JHGB0060CL	Germ Buster Gel Tottle & Karabiner - 60ml	Ea
JHGB0100	Germ Buster Gel Bottle - 100ml	Ea
JHGB0150	Germ Buster Gel Tube - 150ml	Ea
JHGB0350	Germ Buster Gel Pump - 350ml	Ea
JHGB1000	Germ Buster Gel Pump - 1L	Ea
JHGB5000	Germ Buster Gel Pump - 5L	Ea
JHGB1000C	Germ Buster Dispenser Cartridge - 1L	Ea
JHCZDA1S	Automatic Dispenser With Stop Sign	Ea
ASZWB002	Wall Bracket Suits 1L Pump Pack	Ea

BRADY

First Aid Room Equipment

A first aid room should be established at the workplace if a risk assessment indicates that it would be difficult to administer appropriate first aid unless a first aid room is provided.

UOM

Ea

Ea

Ea

Ea

Fa

Ea



The contents of a first aid room should suit the hazards that are specific to the workplace. Ask us for a first aid room checklist.

HEALTH & HYGIENE



Powerheart® G5 Automatic Defibrillator

- Fully automatic, simple and easy to use no buttons
- Audible/text prompts to guide user through CPR
- Comprehensive automatic self-testing programmes
- Lithium battery 4 year warranty (5 year shelf)
- 90 minutes USB access internal rescue data
- 7 year AED warranty
- Includes 1 pair of defibrillation electrodes & training DVD

CODE	DESCRIPTION	UOM
AEDG5A31A	Powerheart G5 Defibrillator	Ea
AEDZ001A	Premium Carry Case for Powerheart G5	Ea



Precision+ Workplace Breathalyser

- Fuel cell breathalyser
- Accurate 3 decimal place reading
- · Passive and Normal mode testing
- Clear on-screen instructions
- · Simple and easy to use
- Australian Standards AS 3547



10 W

UON

CODE	DESCRIPTION	UOM
AWBPP	Precision+ c/w 100 Mouthpieces	Ea
AWBXPAMP	Mouthpieces	Pk/100

AlcoSense[®]

Stealth Personal Breathalyser

- · Professional fuel cell breathalyser
- Accurate 3 decimal place reading
- Hard carrying case
- · Fast warm up
- Australian Standards AS 3547



CODE	DESCRIPTION	UOM
APBS	Stealth c/w 50 Mouthpieces	Ea
APBXSMP	Mouthpieces	Pk/50

DrugSense[®]

DS08 Saliva Drug Testing Kit

- Detects 7 drugs of abuse + alcohol
- · Fast and easy one-step test
- Tests for the parent THC
- Easy-to-read results within
- 5 minutes
- Non-invasive

n	Ē	
U	L	



DrugSense DS08 Saliva Drug Test Kit Ea



AEDZOO1A CARRY CASE



AlcoSense

(andatech

Prodigy S Workplace Breathalyser

- Fuel cell breathalyser
- Accurate 3 decimal place reading
- · Passive and Normal mode testing
- Clean air test for increased accuracy
- Touch screen data input
- 15 customisable fields
- Internal storage, PC data link capabilities
- Australian Standards AS 3547

CODE	DESCRIPTION	UOM
AWBPS	Prodigy S c/w 100 Mouthpieces	Ea
AWBXPSMP	Mouthpieces	Pk/100

AlcoSense[®]

Soberpoint 3 Lite Wall Mount Breathalyser

- Designed for mass testing
- LCD display
- Accurate 3 decimal place reading
- Unlimited tests calibration every 6 months
- Replaceable sensor
- Dimensions: 33cm (H) x
- 25.5cm (W) x 9cm (D)
- 1 year warranty
- Australian Standards AS 3547

CODE	DESCRIPTION	UOM
AWBS3	Soberpoint 3 Lite c/w LCD	Ea
AWBXSTR1000	Regular Straws	Ctn/1000

DrugSense®

SureStep Urine Drug **Testing Cup**

- Australian Standards
- AS 4308 • Detects 7 or 11 drugs of abuse
- Built-in adulteration strip
- Long shelf life
- · Collection and results in one cup
- · Easy-to-read results within 5 minutes

CODE	DESCRIPTION	UOM
AWDTDSU7	DrugSense SureStep DSU7 Urine Drug Test Cup	Ea
AWDTDSU11	DrugSense SureStep DSU11 Urine Drug Test Cup	Ea



IG TEST

Enne D





SAFER WORKERS LOCAL KNOWI EDGE

THORZT

99% Sugar Free SOLO SHOT **Electrolyte Drink -Mixed Flavours**

- 99% sugar free
- Gluten & caffeine free · Proprietary electrolyte formula
- including magnesium Proprietary blend of B and C
- group vitamins, L-Glutamine and essential Branch Chain Amino Acids (BCAA's)
- Hypotonic
- 5 flavours in a pack
- 3gm sachet makes 600ml when mixed with water

CODE DESCRIPTION

MEDSSF50:MX Mixed Flavour Pack (10 of each flavour)

THORZT

99% Sugar Free SOLO SHOT **Electrolyte Drink - Vend Ready Pack**

- 99% sugar free, gluten & caffeine free
- · Proprietary electrolyte formula including
- magnesium Proprietary blend of B and C group vitamins, L-Glutamine and essential Branch Chain
- Amino Acids (BCAA's)
- Portion control distribution • 5 x 3g/600ml sachets, mixed flavours

CODE DESCRIPTION

MEDVP5 Lemon/Lime, Orange, Wildberry, Tropical, Blue Lemonade, Mixed Pk/5

THORZT

SHOT LOAD Liquid **Concentrate Electrolyte Drink Mix**

- Low in sugar
- Gluten & caffeine free
- Proprietary electrolyte
- formula including magnesium Proprietary blend of B and C group vitamins, L-Glutamine and essential Branch Chain Amino Acids (BCAA's)
- Hypotonic
- 5 flavours
- 600ml bottle makes 10L when mixed with water

CODE	DESCRIPTION	UOM
MEDLC10	Lemon/Lime, Orange, Wildberry, Iced Tea, Pineapple	Ea
MEDLCMX	Mixed Flavour Carton	Ctn/10
MDXI PD	Liquid Pump Dispenser	Fa

THORZT

Drink Bottles

 Plastic - BPA free Stainless steel - food grade 18/8



CODE	DESCRIPTION	COLOURS	UOM
MDXTB800	800ml Plastic Bottle	Silver	Ea
MDXTB750	750ml Stainless Steel Bottle	Black, Blue, Silver	Ea





DESCRIPTION UOM CODE MEDSSF50 Lemon/Lime, Orange, Wildberry, Tropical, Blue Lemonade Pk/50 Tradies Drink Bottle Combo (5 mixed sachets + MEDSFMXBT Ea 800ml drink bottle)

THORZT

THORZT

Electrolyte Drink

includingmagnesium

Amino Acids (BCAA's)

• 5 flavours available

Hypotonic

vitamins, L-Glutamine and essential Branch Chain

• 3gm sachet makes 600ml

when mixed with water

• 99% sugar free • Gluten & caffeine free

ICE SHOT Electrolyte Icy Pole Pack

- · Low in sugar
- Gluten & caffeine free
- · Proprietary electrolyte formula including magnesium
- Proprietary blend of B and C group vitamins. L-Glutamine and essential Branch Chain Amino Acids (BCAA's)
- Hypotonic
- When frozen, simply snap and twist to break in half
- 5 flavour mixed pack

CODE DESCRIPTION

10 x 90ml Tubes (Lemon/Lime, Orange, Wildberry, Tropical, Blue Lemonade - 2 tubes of each flavour) MEDICEMIX Pk/10

THORZT

Drink Cooler Range

- · Robust designs with impact resistant exteriors
- Superior insulation to maintain coolness
- Screw top lids for ease of cleaning/filling with ice
- BPA free



LIOM

MDXTC025 MDXTC05



MDXTC10) MDXTC20	MDXTC	MDXTC55	
CODE	DESCRIPTION	COLOURS	UOM	
MDXTC025	2.5L Cooler	Blue	Ea	
MDXTC05	5L Cooler	Blue, HI VIS Orange	Ea	
MDXTC10	10L Cooler	Blue	Ea	
MDXTC20	20L Cooler	Blue	Ea	
MDXTC55	55L Cooler	Blue	Ea	



UOM

HEALTH & HYGIENE











CODE	DESCRIPTION	UOM
JHCCSB05	Ultra Clean Hands Natural Citrus Scrub Cleaner 500ml*	Ea
JHCCSB1C	Ultra Clean Hands Natural Citrus Scrub Cleaner 1L*	Ea
JHCCSB5	Ultra Clean Hands Natural Citrus Scrub Cleaner 5L*	Ea
JHCCSB15	Ultra Clean Hands Natural Citrus Scrub Cleaner 15L*	Ea



CODE	DESCRIPTION	UOM
JHCPGT05	Ultra Clean Hands Pumice Grit Hand Cleaner 500ml*	Ea
JHCPGT1C	Ultra Clean Hands Pumice Grit Hand Cleaner 1L*	Ea
JHCPGT5	Ultra Clean Hands Pumice Grit Hand Cleaner 5L*	Ea
JHCPGT15	Ultra Clean Hands Pumice Grit Hand Cleaner 15L*	Ea



CODE	DESCRIPTION	UOM
JHCHD05	Ultra Clean Hands Heavy Duty Hand Cleaner 500ml*	Ea
JHCHD1C	Ultra Clean Hands Heavy Duty Hand Cleaner 1L*	Ea
JHCHD5	Ultra Clean Hands Heavy Duty Hand Cleaner 5L*	Ea
JHCHD15	Ultra Clean Hands Heavy Duty Hand Cleaner 15L*	Ea

Washroom Hand Washes	AUSTRALIAN
Antibacterial Foam Wash	Int
 Antibacterial: kills 99.9% of germs 	-
 Low irritant with 	15

- added moisturisers Biodegradable
- 100% plant based surfactants

Hand & Body Wash

- 100% plant based surfactants
- SLS and phosphate free
- Moisturising
- Biodegradable
- Septic and Grey
- Water safe





CODE	DESCRIPTION	UOM
JHCAFW300	Antibacterial Foam Wash - 300ml Pump*	Ea
JHCAFW1	Antibacterial Foam Wash - 1L Cartridge*	Ea
JHCAFW5	Antibacterial Foam Wash - 5L Bottle*	Ea
JHCHBW500P	Hand & Body Wash - 500ml Pump*	Ea
JHCHBW1	Hand & Body Wash - 1L Cartridge*	Ea
JHCHBW5	Hand & Body Wash - 5L Bottle*	Ea



 Suit 1L cartridge style containers

• Drip tray included





JHCZDM1 JHCZDM1 WHITE BLACK

JHCZDA1

CODE	DESCRIPTION	COLOURS	UOM
JHCZDM1	Manual Dispenser	White, Black	Ea
JHCZDA1	Automatic Dispenser	White	Ea

Wall Brackets

- Wall mountable brackets
- White powder coat
- 3 size options

CODE	DESCRIPTION	U0
ASZWB003	Bracket to suit 500ml Pump	Ea
ASZWB002	Bracket to suit 1L Pump	Ea
ASZWB001	Bracket to suit 2.5L Pump	Ea



*Refer to ingredients and warnings at www.safetyquip.com.au

HEALTH & HYGIENE



100

ASSS1-50

Complies w AS/NZS 26	ith		agai carr Viru
			CODE
CODE	DESCRIPTION	UOM	AREGO
ASUP125IR	Sunscreen SPF30 With Insect Repellent - 125ml	Ea	AREG
1001 12011	Flip Top*	Lu	AREG
ASUP1000IR	Sunscreen SPF30 With Insect Repellent - 1L Pump*	Ea	AREG



CODE	DESCRIPTION	UOM
ASUP5010	Ultra Protect SPF50+ Sachet - 10mI*	Ea
ASUP5012	Ultra Protect SPF50+ Sunstick Lip Balm - 12gm*	Ea
ASUP5060	Ultra Protect SPF50+ Clip-on Tottle - 60gm*	Ea
ASUP5100	Ultra Protect SPF50+ Tube - 100gm*	Ea
ASUP5250	Ultra Protect SPF50+ Flip Top Bottle - 250ml*	Ea
ASUP5250S	Ultra Protect SPF50+ Trigger Spray - 250ml*	Ea
ASUP5500	Ultra Protect SPF50+ Pump Pack - 500ml*	Ea
ASUP51000	Ultra Protect SPF50+ Pump Pack - 1L*	Ea
ASUP52500	Ultra Protect SPF50+ Pump Pack - 2.5L*	Ea
ASUP55000	Ultra Protect SPF50+ Pump Pack - 5L*	Ea



Red-Eyed Gotcha! Insect Repellent

- Repels & protects for 6 hours
- · Neutral scent, non greasy Longer lasting protection
- ainst mosquitoes that may ry Malaria, Ross River us & Dengue

CODE	DESCRIPTION	UOM
AREG050	Red-Eyed Gotcha! Clip-on - 50ml	Ea
AREG100RO	Red-Eyed Gotcha! Roll-on - 100ml	Ea
AREG100P	Red-Eyed Gotcha! Pump - 100ml	Ea
AREG150A	Red-Eyed Gotcha! Aerosol - 150ml	Ea

*Refer to ingredients and warnings at www.safetyquip.com.au





LION

Ea

Ea

UON

Ea

Ea

U0

Ea

Ea

UOM

Ea

Fa

Fa

Ea

Ea

ACCESSION NO.





APPLICATION

Workplaces under the heading 'Site Safety' are bound by legislative requirements in the disciplines of traffic management, management of hazardous/flammable storage, fire protection, onsite electricity, gas/flammable fuels and water, machinery safety, height safety and environmental protection. This section has the necessary product range that will assist with the 'safe place of work' and 'safe system of work' obligations of statute law.

RISK ASSESSMENT

The Safe Work Australia Code of Practice 'Managing the Work Environment & Facilities' provides guidelines that address typical issues relating to Site Safety.

Signage

Safety signage is as essential element in any workplace. Signs are identified in categories - Mandatory, Prohibition, Danger, Warning, Emergency, Fire and general site safety signage. The Australian Standard AS 1319 sets out the requirements for the design and use of safety signs.

Traffic & Pedestrian Control

The movement of traffic in and around workplaces including road works warrants particular care due to the high risks involved. The Australian Standard AS 1743-2001 'Road Signs Specifications' provides details of layout, graphics, size and material requirements.

Spill Control & Flammable Storage

Workplaces must be prepared for the management & storage control of hazardous materials with the capacity to reduce the chance of a spill spreading or a fire being caused and/or becoming worse. AS 1940-2004 sets out the requirements and recommendations for the safe storage and handling of flammable liquids.

Lockout/Tagout

A Lockout/Tagout programme includes the use of specific devices and tags to prevent accidental activation of equipment during maintenance, installation or inspection. Each confined space entry should have its own set of written lockout procedures and be appropriately supervised.

Ladders & Platforms

Falling from ladders is the cause of at least half of all falls from height injuries. Do not use ladders in the workplace before first seeking education and advice then ensuring that all ladder users are educated and authorised. AS 1892 sets out the design requirements for portable ladders and sets out the minimum requirements for selection, safe use and care.

Emergency Eye Wash & Shower Equipment

When workers' bodies have the potential to be exposed to materials or chemicals which may cause injuries, access to

appropriate eyewash and shower equipment for emergency treatment should be available. AS 4775-2007 specifies minimum performance and use requirements for eyewash and shower equipment for the emergency treatment.



USEFUL REFERENCES

Safe Work Australia Code of Practice 'Managing the Work Environment & Facilities'.

AS 1319-1994 Safety signs for the occupational environment. **AS 1743-2001** Road sign specifications.

AS 1940-2004 The storage and handling of flammable combustible liquids.


AS 1892.5 Portable ladders - Selection, safe use and care. **AS 4775-2007** Emergency eye wash and shower equipment.

SIGNAGE	12
TRAFFIC & PEDESTRIAN CONTROL 12	14
LIGHTING	L8
MIRRORS	21
SPILL CONTROL	22
FLAMMABLE/CYLINDER STORAGE	25
ELECTRICAL	29
FIRE EXTINGUISHERS	30
EYE/FACE WASH & SHOWERS	32
LOCKOUT/TAGOUT 13	34
LADDERS/PLATFORMS	36
TAPES & FLOOR MARKING	38
MATTING	
AIR HORNS	40

DISCLAIMER: The information detailed above is not provided as a solution to the control of workplace hazards. It is an outline and has not been prepared as any statement of law nor is it intended to replace or substitute for professional and/or legal advice which is strongly recommended.



Local SAFER KNOWLEDGE WORKERS







LOCAL CONTRACTOR LOCAL





HI VIS T-Post Bollards

- · Manufactured from UV stabilised high quality rubber
- · Reflective band on HI VIS orange colour for excellent visibility
- · Removable base for ease of storage and transport
- Available with 6kg or 8kg base



CODE	DESCRIPTION	UOM
TBOLL6	1.0m Orange Reflective Bollard 6kg Base	Ea
TBOLL8	1.0m Orange Reflective Bollard 8kg Base	Ea
TSTEM	T-Top HI VIS Bollard Stem 1.0m Height - No Base	Ea
TBASE6	Bollard Base only - 6kg	Ea
TBASE8	Bollard Base only - 8kg	Ea



Traffic Cone Light

- Fits most traffic cones
- 1 x 1 Watt LED, requires three C batteries
- Four flash patterns
- Available in manual On/Off version or with Day/Night function

CODE DESCRIPTION

TLC2	Traffic Cone Light – Manual On/Off Version	Amber, Red, Blue,	Ea
TLC2N	Traffic Cone Light –Day/Night Version	Green, Clear	Ea

(600mm x 600mm)



Traffic Cone Extension Bar

- Exterior grade ABS plastic
- Rubberised loops both ends • Extendable: closed 135cm, extended 210cm
- HI VIS 15cm yellow reflective bands



SSM841852

COLOURS

UOM





TCONE700R

Orange Barrier Fencing Mesh

700mm Orange Reflective Road Cone

- · High quality polypropylene
- for longer life • 50m x 1m rolls individually bagged, weight
- of 8kg per roll Manufactured in accordance with AS 1742.3:2002



SSM841872

SSM841850

SSM841846

Ea





CODE TBOLLS90

TBOLLS90G

TBOLLS90E

TBOLLS90GE

Fixed Round Bollards

- 1.0m surface mount or
- below ground bollard options Standard Class 1 reflective band
- c/w caps

DESCRIPTION

- · Galvanised and powder coated
- · Supplied with fixings for surface mount

1.0m(H) x 90mm(D) x 5mm(W)

1.0m(H) x 90mm(D) x 5mm(W)

1.0m(H) x 90mm(D) x 3.2mm(W)

1.0m(H) x 90mm(D) x 3.2mm(W)

1.2m(H) x 140mm(D) x 5mm(W)

1.2m(H) x 140mm(D) x 5mm(W)

1.2m(H) x 140mm(D) x 3.5mm(W)

1.2m(H) x 140mm(D) x 3.5mm(W)

· Heavy duty or economy options

DIMENSIONS

Optional chain ring kit



	TBOLLS140	Bollard Surface Mount Heavy Duty
	TBOLLS140G	Bollard Below Ground Heavy Duty
	TBOLLS140E	Bollard Surface Mount Economy
	TBOLLS140GE	Bollard Below Ground Economy
	TBOLLZRK	Bollard Chain Ring Kit

BARRIERGROU

Slo-motion Steel Speed Hump



- heavy duty 6mm steel options
- 1m or 0.5m modules with choice of rubber or steel end caps

Bollard Surface Mount Heavy Duty

Bollard Below Ground Heavy Duty


Bollard Surface Mount Economy

Bollard Below Ground Economy

- Designed to comply with AS/NZS 2890.1:2004
- · Built-in bridge design to accommodate hoses or cables
- · Supplied with all necessary fixings

CODE	DESCRIPTION	COLOUR	UOM
TSHM500S	Speed Hump Standard 3mm - 0.5m Module		Ea
TSHM1000S	Speed Hump Standard 3mm - 1.0m Module	Black/	Ea
TSHM500	Speed Hump Heavy Duty 6mm - 0.5m Module	Yellow	Ea
TSHM1000	Speed Hump Heavy Duty 6mm - 1.0m Module		Ea
TSHR250E	Speed Hump Rubber End Caps - 0.19m	Black	Pr
TSHMECS	Speed Hump Steel End Caps - 0.175m	Yellow	Pr
TSHSKIT	Complete Speed Hump Sign Kit	-	Kit

Slo-Motion Compliance Speed Hump



- density polyethylene
- 250mm body modules with 180mm rubber end caps
- · Built-in bridge cable channel and prismatic reflectors
- Complies with AS/NZS 2890.1:2004
- · Supplied with all necessary fixings

CODE	DESCRIPTION	COLOUR	UOM
TSHP250Y	Speed Hump Compliance 250mm Body	Yellow	Ea
TSHP250B	Speed Hump Compliance 250mm Body	Black	Ea
TSHP250E	Speed Hump Compliance 180mm End Cap	Black	Pr
TSHSKIT	Complete Speed Hump Sign Kit	-	Kit

TWC2

Wheel Chocks

- · Recycled high quality moulded rubber
- Single & double-sided options

CODE DESCRIPTION

		00111
TWC1	Wheel Chock Single Side 255mm(L) x 210mm(H) x 180mm(W)	Ea
TWC2	Wheel Chock Double Side 250mm(L) x 220mm(H) x 180mm(W)	Ea
TWC3	Wheel Chock Heavy Duty 305mm(L) x 260mm(H) x 300mm(W)	Ea

onomy Rubber Speed Hump

· Economical recycled and natural rubber

Ea

Ea

Ea

Ea

Ea

Ea

Ea

Ea

Ea

- Built-in bridge cable
- channel • 250mm body modules
- with 190mm rubber end caps
- Complies with AS/NZS 2890.1:2004
- · Supplied with all necessary fixings

CODE	DESCRIPTION	COLOUR	UOM
TSHR250Y	Speed Hump Compliance 250mm Body	Yellow	Ea
TSHR250B	Speed Hump Compliance 250mm Body	Black	Ea
TSHR250E	Speed Hump Compliance 190mm End Cap	Black	Pr
TSHSKIT	Complete Speed Hump Sign Kit	-	Kit

BARRIERGROU

Parking Wheel Stops

- Heavy duty injection moulded linear low density polyethylene or recycled rubber
- Economical and simple to install
- · Moulded one-piece designs
- Complies with AS/NZS 2890.1:2004
- Fixing kits sold separately

TWS1700

TWS1650

CODE	DESCRIPTION	COLOURS	UOM
TWS1700	LLDPE Wheel Stop 1.7m(L) x 160mm(W) x 100mm(H)*	Yellow, Blue, Grey	Ea
TWS1650	Rubber Wheel Stop 1.65m(L) x 155mm(W) x 95mm(H)	Black/Yellow	Ea

BARRIERGROU

Kerb Ramps

 Portable heavy duty moulded rubber ramp



· Recessed mounting holes for securing ramp in place

CODE	DESCRIPTION	UOM
TKR1030	Kerb Ramp Black 110mm(H) x 430mm(D) x 480mm(W)	Ea
TKR100	Kerb Ramp Body HI VIS 100mm(H) x 320mm(D) x 610mm(W)	Ea
TKR100E	Kerb Ramp End Cap HI VIS 100mm(H) x 310mm(D) x 310mm(W)	Ea







100

BARRIERGROUP	
Slo-Motion	Ec



Pilot 10m Belt Barrier

- Belt extends to 10m
- Four-way connectivity
- · Economical solution
- · Pilot body comes complete with braked belt, locking clip, cone mount adaptor and locking wall receiver
- Wall Mount: Permanently fix to any flat surface, supplied with belt wall receiver
- Magnetic Mount: Temporarily attach to any metal surface, built-in safety bungy, supplied with magnetic wall receiver

Pilot with 10m Belt &

Cone Mount Adaptor

DESCRIPTION

COLOURS Black/Yellow, Red/White, Blue, Black, Red, Yellow 4-Way Receiver 60mm diameter Allows up to four Pilot belts to be terminated simultaneously

CODE

TBSPILOT4WR

TBRWM76

TBRMM76

CODE DESCRIPTION Cone Mount TBSPILOTCMA Attachment



CODE

TBSPILOT

Cone Mount

Attachment

80mm diameter

· Can be screwed

to the cone for

greater security

Retracta-Belt System Wall Mount

- For wall mount applications
- · Belt is quickly deployed or released
- Complete with bracket and receiver clip

Magna Mount

Complete with magnetic receiver clip


- Designed for temporary placement easily relocated
- · Semi-permanent, magnetic fixed placement

CODE	DESCRIPTION	COLOURS	UOM
TBRWM76	Retracta-Belt Wall Mount (1.2kgs) - 7.6m	Red/White, Black/Yellow, Red, Black, Yellow	Ea
TBRMM76	Retracta-Belt Magna Mount (1.5kgs) - 7.6m	Red/White, Black/Yellow	Ea

Portable Plastic Fence Barrier

- · Low cost portable and stackable crowd control barrier
- · Interlocking freestanding panels
- Durable polyethylene in HI VIS orange
- · Black recycled rubber feet

CODE	DESCRIPTION	COLOURS	UOM
TBF2000	Portable Plastic Fence Barrier (13kgs) - 1.0m(H) x 2.0m(W)	Orange, Yellow	Ea



CODE DESCRIPTION

TREMTORY Expanding Mobile Barrier (16kgs) - 1.0m(H) x 4.0m(W)







CODE	DESONN HON	
ST75BYC	Yellow 'Caution'	100m Roll
ST75BRWD	Red/White Diagonal 'Danger'	100m Roll
ST75BRWDNE	Red/White Diagonal 'Danger Do Not Enter'	100m Roll
ST75BYDAH	Yellow 'Danger Asbestos Hazard'	300m Roll
ST75BBW	Blue/White Diagonal	100m Roll
ST75BGW	Green/White Diagonal	100m Roll
ST75BRW	Red/White Diagonal	100m Roll
ST75BYB	Yellow/Black Diagonal	100m Roll

PR0

HI VIS Bunting Flags

- HI VIS orange PVC triangle flags
- Rectangular reflective yellow tabs for day/night use
- 45 flags over 30m length Reuseable high
- strength nylon rope

CODE	DESCRIPTION	UOM
TLINE5	HI VIS Orange Bunting Flags - 30m	Ea
TLINE4	HI VIS Orange Bunting Flags c/w Reflective Tabs - 30m	Ea

LASTIC CHAIN

合調

Barrier Safety Chain

- Manufactured from 8mm UV stabilised plastic
- Provides excellent visibility for both indoor and outdoor hazard areas
- Sold per metre or in roll lengths (25m)

CODE	DESCRIPTION	UOM
TCHAIN8	8mm Link Chain - Yellow	Per Metre or 25m Roll
TCHAIN9	8mm Link Chain - Red/White	Per Metre or 25m Roll

Road Safety Traffic Light

- High intensity double sided light
- UV stabilised high impact polyethylene case
- 18cm high impact polycarbonate lens
- Flashing (65FPM) or steady light mode
- Supplied with two 6V batteries and mounting bracket
- Automatic internal photo cell activation via manual key



CODE	DESCRIPTION	UOM
TRLSLY	Road Safety Traffic Light	Ea
	22	



Foxfire LED Range

- 26 super bright LEDs
- Magnetic back/pullout stand
- Magnifier on each LED
- Front and side illumination
- Modes: constant on, flash, side-to-side
- Other colours available to order
- Dimensions: H50mm x W100mm x L160mm
- Requires four AA batteries

CODE	DESCRIPTION	COLOURS	UOM
TLPSL263	Foxfire LED Signal Light	Red, Amber, Blue, Red/Blue, Red/White	Ea



LED Traffic Batons

- Heavy duty
- TLPB411 operates in torch only mode, baton only mode, or combination torch and baton
- TLPB412 operates in either flash or static mode
- Requires two D batteries

CODE	DESCRIPTION	COLOURS	UOM
TLPB411	LED Traffic Baton & Torch D42mm x L410mm	Red c/w White Torch	Ea
TLPB412	LED Traffic Baton D45mm x L550mm	Red	Ea

Safe

Portable LED Beacon

- Compact and portable 360° LED light
- 24 super bright LEDs

CODE DESCRIPTION

- Magnetic base
- Requires two D batteries (not included)
- Switch activated Day/Night function



COLOURS UOM

Ea

118

DIMENSIONS Portable LED Beacon 121mm(H) x 104mm(D) Amber TI 24

TL17020M



Small LED Vehicle Beacons

- Hardwire or Magnetic Base with power adaptor and 4 metre cord
- · Programmable flash pattern -6 LEDs
- 12-24 VDC operating voltage
- SABS IP66 rated CE certified



CODE	DESCRIPTION	DIMENSIONS	COLOURS	UOM
TL1206	Hardwire LED Beacon - Small	95mm(H) x 129mm(D)	Amber, Red, Green,	Ea
TL1206M	Magnetic Base LED Beacon - Small	110mm(H) x 129mm(D)	Blue, Clear, Magenta	Ea



CODE

TL3124

TL3124M

Vehicle Rotating Beacons

- Hardwire or Magnetic Base with power adaptor and 4 metre cord
- 130 rotations per minute
- 12 VDC operating voltage option (24 VDC available)
- Meets IP65 protection standards

DESCRIPTION

Beacon

Beacon

Hardwire Rotating

Magnetic Base Rotating



TL3124 COLOURS

Amber, Red.

Green, Blue

UOM

Ea

Ea

DIMENSIONS

134mm(H) x

151mm(H) x

161mm(D)

161mm(D)

ACOT500

Titan LED Rotating Beacons

- · Low profile heavy duty beacon · Direct silicone drive for quieter
- operation 12 x 3 watt high powered LEDs
- CE and EMC/EMI certified
- · Polycarbonate UV stabilised lens
- 12 24 VDC



TL3024



VS LED Mini Bar

- 3 Watt amber LEDs with clear lens
- · Lead length: 3.5m
- · Double switched plug
- (On/Off & Flash Pattern Change) 10 selectable flash patterns
- Operating voltage: 12-24 VDC



Rigid Surfaces

Safety Through Hadden

Safety Through Visibility

314



- machinery, scaffolds and ladders
- · Sealed edge prevents delamination
- Strong adhesive provides permanent bond to surfaces
- Meets AS 1906.2 Class 1A standards

CODE	DESCRIPTION	DIMENSIONS	COLOURS	UOM
STV983-13R15	Diamond Grade Vehicle Marking Tape	50mm x 15m	White, Yellow, Red	Roll
STV983-15R15	Diamond Grade Vehicle Marking Tape Fluorescent	50mm x 15m	Fluorescent Yellow/Green	Roll
STV983-13-R3	Diamond Grade Vehicle Marking Tape	50mm x 3m	White, Yellow, Red, Yellow/Red, Red/White, Yellow/Black	Roll
STV983-15-R3	Diamond Grade Vehicle Marking Tape Fluorescent	50mm x 3m	Fluorescent Yellow/Green	Roll

ibility Tape

Safety Through Vis

31

Safety Tarough Visib

- IN





Protecting You





- Multiple flash patterns
- Operates on two AAA batteries
- · Cap attachable kit option

TLP34

BTHI R3W

TORRENT

BTZ002BD

CODE	DESCRIPTION	FLASH PATTERNS	COLOURS	UOM
TLP34C	Mini Personal 65mm(H) x 34mm(W)	2	Clear	Ea
TLP34	Mini Personal 65mm(H) x 34mm(W)	3	Red, Amber	Ea
HCXLITE	Mini Personal Safety Cap Kit	-	Red, Amber	Ea
TLPSL	Personal 72mm(H) x 52mm(W)	3	Red, Amber, Green	Ea
TLPSLBL	Personal 72mm(H) x 52mm(W)	3	Blue	Ea

HCXLITE



Torch Light

- Compact, high powered
- metal torch light • High intensity 5W LED
- 220 lumens
- Includes wrist strap and pouch
- Operates on three AAA batteries (included)
- · Adjustable beam spread high or low beam functions

CODE	DESCRIPTION	UOM
BT52	Torch Light	Ea
-		



Phoenix Rechargeable Headlamp

- Rechargeable headlamp with motion activated high beam
- Water resistant
- Multifunction: High beam, low beam, red
- night light, red and white flashing modes
- Visible up to 80 metres
- 3 Watt LED
- · Also available: battery operated VS Headlamp

CODE	DESCRIPTION	UOM
BTHLR3W	Phoenix Rechargeable Headlamp	Ea
BTHL3W	Battery Operated VS Headlamp	Ea

Heavy Duty LED Flashlight

- Powerful 4 LED array
- 2207 Lumens

- Latest generation

OODL		
BTL9410	9410L LED Lantern	В
🌽 PE	LICAN	8

3765 LED Flashlight

- · Compact, rugged, lightweight design
- 237 Lumens
- Up to 301m beam (High)
- Rechargeable NiMH battery pack
- Also operates on 4 standard AA Alkaline batteries (not included)
- · Battery level indicator
- Car charger available
- 4 LED modes: High, Low, Downcast, Flashing
- Burn time 9h Omins on Low, 3h Omins on High

CODE	DESCRIPTION	COLOURS	UOM
BT3765	3675 Rechargeable LED Flashlight	Black/Yellow	Ea



Indoor Convex Mirrors

- · Durable, scratch resistant acrylic mirrors
- · Ideal for indoor applications where easy viewing of unguarded areas is required
- · Ball and swivel plates are attached directly to the mirror to
- reduce weight and costly installation Supplied with installation instructions and mounting brackets

CODE	DESCRIPTION	UUWI
YM851307	Indoor Wall Mount 300mm	Ea
YM851308	Indoor Wall Mount 660mm	Ea
YM851309	Indoor Wall Mount 760mm	Ea



Outdoor Industrial Mirrors

- Weatherproof and UV resistant mirrors designed for both outdoor and indoor use
- Strong industrial mirror featuring a 160 $^\circ$ wide, 120 $^\circ$ angle that provides a full overhead view
- · Lightweight acrylic mirrors with rubber rim & heavy duty backing
- · Supplied with installation instructions and heavy duty steel mounting brackets

CODE	DESCRIPTION	UOM
YM833068	Outdoor Wall Mount 457mm	Ea
YM833072	Outdoor Wall Mount 610mm	Ea
YM844161	Outdoor Wall Mount 914mm	Ea
YM856109	Outdoor Wall Mount 457mm - Scratch Resistant	Ea
YM856110	Outdoor Wall Mount 660mm - Scratch Resistant	Ea
YM856112	Outdoor Wall Mount 914mm - Scratch Resistant	Ea



Dome Mirrors

- · Acrylic dome mirrors for indoor applications
- Additional sizes available





Economy Indoor Convex Mirrors

- · Lightweight acrylic indoor mirrors
- Available in a range of sizes to suit workplace situations
- Supplied with installation instructions and mounting bolts



CODE	DESCRIPTION	UOM
YM844163	Indoor Economy Wall Mount 305mm	Ea
YM844164	Indoor Economy Wall Mount 457mm	Ea
YM833067	Indoor Economy Wall Mount 609mm	Ea
YM844165	Indoor Economy Wall Mount 760mm	Ea
YM856095	Indoor Economy Wall Mount 914mm	Ea



Heavy Duty Traffic Mirrors

- Engineered for use as a safety, security & surveillance mirror in high traffic areas
- High resolution image for extra safety
- Stainless steel, weatherproof mirror and backing is virtually unbreakable
- · Supplied with instructions and heavy duty steel mounting brackets

TREME

ISION ...

CODE	DESCRIPTION	UOM
YM856096	Stainless Steel Outdoor Wall Mount 457mm	Ea
YM844406	Stainless Steel Outdoor Wall Mount 660mm	Ea
YM844404	Stainless Steel Outdoor Wall Mount 800mm	Ea
YMZ873898	Wall Mount Attachment for Traffic Mirror	Ea



Size of Mirror

(diameter)

300mm

450mm

600mm

760mm

1000mm

CODE	DESCRIPTION	SIZE	UOM	CODE	DESCRIPTION	SIZE	UOM	CODE	DESCRIPTION	SIZE	UOM
YMD844168	Full Dome	457mm	Ea	YMD833064	Half Dome	457 x 300mm	Ea	YMD844166	Quarter Dome	457mm	Ea
YMD844169	Ceiling Mount	609mm	Ea	YMD833065	Wall Mount	660 x 300mm	Ea	YMD856114	Corner Mount	660mm	Ea


VIEWING/INSTALLATION GUIDE

Choosing the Appropriate Mirror

Mirror

To determine the correct mirror size, simply follow these step by step instructions:

Step 1: Estimate the distance from the viewer to the proposed mirror location.



Step 2: Estimate the distance from the proposed mirror location to the area/object to be observed.

Observation Area Distance (metres)

Step 3: Combine the previous distances. (Step 1 and Step 2). The total distance is your guide to the correct mirror size. Use the table shown to choose appropriate mirror size. If in doubt choose the larger size. Note: Viewing Distances are only a guideline and are recommended based on straight viewing. It is recommended to go up a size or two with

multiple intersection or poor lighting areas.

VIEWING DISTANCE GUIDE

Best Distance

Up to 12 metres

Up to 15 metres

Up to 20 metres

Up to 25 metres

Over 25 metres







Soll Kit

luce



SpillSmart

General Purpose Spill Kits

- Suitable for land based spills
- Absorbs water-based non-hazardous liquids: paints, coolants, hydrocarbons – including oils, fuels and grease
- Includes premium SpillSmart bioactive absorbents for rapid & effective clean up

DO NOT USE FOR AGGRESSIVE LIQUIDS & CHEMICALS

- Ideal solution for workshops and general work areas
- All kits supplied with nitrile gloves & instruction sheet

SpillSmart

General Purpose Bin Kits

- 120L or 240L yellow polyethylene bin options
- Heavy duty wheels



CONTENT ITEM	120L BIN YSGK120	240L BIN YSGK240
Floor Sweep	2 x 10kg	3 x 10kg
Socks	3 x 1.2m	4 x 1.2m, 1 x 3m
Pillows	1	2
Poly Pads - Heavyweight	25	40
Waste Bags	7	10
Dustpan	1	1

SpillSmart

General Purpose Bag Kits

- Range of bag sizes to suit both vehicle and fixed applications
 Heavy duty PVC
- construction with carry handles

ag kits	-	
SasKa	End Kr	Sau Kr

CONTENT ITEM	SINGLE USE YSGK15	30L BAG YSGK30	50L BAG YSGK50	80L BAG YSGK80
Floor Sweep	1 x 2.5kg	1 x 5kg	1 x 5kg	1 x 10kg
Socks	1 x 1.2m	1 x 1.2m	1 x 1.2m	2 x 1.2m
Pillows	-	-	1	1
Poly Pads - Heavyweight	2	5	10	15
Waste Bags	-	3	3	3
Dustpan	-	1	1	1

SpillSmart

Oil & Fuel (Hydrocarbon) Spill Kits

Spill Krt

1 & Fuel

CODOS

Spill Kit

11 de Frank

- Suitable for both oil and fuel spills on land and water
- Repels water and only absorbs hydrocarbon
- Includes premium SpillSmart bioactive absorbents for rapid and effective clean up

DO NOT USE FOR AGGRESSIVE LIQUIDS & CHEMICALS

- Ideal solution for workshops and general work areas
- Also ideal for oil and fuel spills on water
- All kits supplied with nitrile gloves & instruction sheet

SpillSmart

Oil & Fuel (Hydrocarbon) Bin Kits

- 120L or 240L red
- polyethylene bin options
- Heavy duty wheels
- Includes nitrile gloves, stickers & instructions

CONTENT ITEM	120L BIN YSHK120	240L BIN YSHK240
Floor Sweep	2 x 10kg	3 x 10kg
Socks	3 x 1.2m, 1 x 3m	3 x 1.2m, 1 x 3m
Pillows	1	1
Poly Pads - Heavyweight	25	40
Waste Bags	7	10

putt K

Oll & Fee

SpillSmart

Oil & Fuel Bag Kits

- Range of bag sizes to suit both water craft and
- marina applications
- Heavy duty PVC construction with carry handles



CONTENT ITEM	SINGLE USE YSHK15	30L BAG YSHK30	50L BAG YSHK50	80L BAG YSHK80
Socks	1 x 1.2m	1 x 1.2m	3 x 1.2m	4 x 1.2m
Pillows	-	-	1	1
Poly Pads - Heavyweight	10	20	25	40
Waste Bags	-	3	3	3

S<u>pillSmart</u>

HAZCHEM Spill Kits

- Suitable for spills of hazardous chemicals and aggressive liquids
- Flexible solutions for workplaces where chemicals are being transported, stored or used in daily processes

DO NOT USE FOR REMOVAL OF OIL FROM WATER

 Includes SpillSmart Hazsorb and HazChem absorbents for rapid and effective clean up

eillSmart.

Soul

Siorb

All kits supplied with nitrile gloves and instruction sheet

SpillSmart HazChem Bin Kits • 120L or 240L blue polyethylene bin options • Heavy duty wheels • Heavy duty wheels • ISOL STATES • Meavy duty wheels • ISOL STATES • Meavy duty wheels • ISOL STATES • Heavy duty wheels • ISOL STATES • Heavy duty wheels • ISOL STATES • Heavy duty wheels • ISOL STATES • HazSorb 2 x 30L Socks 3 x 12m

Socks	3 x 1.2m	4 x 1.2m, 1 x 3m
Pillows	1	1
Poly Pads - Heavyweight	25	40
Waste Bags	7	10
Dust Pan	1	1

SpillSmart

HazChem Bag Kits

- Range of bag sizes to suit both vehicle and fixed applications
 Heavy duty PVC
- construction with carry handles



CONTENT ITEM	SINGLE USE YSCK15	30L BAG YSCK30	50L BAG YSCK50	80L BAG YSCK80
HazSorb	1 x 7.5L	1 x 7.5L	3 x 7.5L	1 x 30L
Socks	1 x 1.2m	1 x 1.2m	1 x 1.2m	2 x 1.2m
Pillows	-	-	1	1
Poly Pads - Heavyweight	2	15	15	20
Waste Bags	-	3	3	3
Dust Pan	-	1	1	1

SpillSmart

Oil & Fuel -Marine Spill Kits

- Designed for marine based applications
- Specifically for use on oil and fuel on water e.g. rivers, marinas and boating
- Includes marine quality booms and heavy duty pads



CONTENT ITEM	120L BIN YSMK120	240L BIN YSMK240
Booms	2 x 3m x 125mm	2 x 3m x 125mm
Socks	2 x 1.2m	5 x 1.2m
Pillows	1	1
Poly Pads - Heavyweight	40	100
Waste Bags	7	10



ALL KITS ALSO AVAILABLE IN AUSSPILL SPILL KIT BIN COLOURS

SpillSmart

Drain Warden

- Designed for use in industrial facilities, construction sites and parking lots
- Contains an oil absorbent pillow that removes oils and greases from water flow as
- it passes through the drain filter
- Collects rubbish and other solids

CODE DESCRIPTION

 YSDF900
 SpillSmart Drain Warden - 900 x 900mm, 450mm Basin
 Ea

 YSDF1200
 SpillSmart Drain Warden - 1200 x 1200mm, 600mm Basin
 Ea

123





S<u>pillSmart</u>

Absorbent Socks, Pads, Pillows & Rolls

GENERAL PURPOSE

CODE	DESCRIPTION	SIZE	UOM
YSGP4843P	SpillSmart Pad Poly - Heavyweight	48cm x 43cm	Bale/100
YSGP4545P	SpillSmart Pillow Poly	45cm x 45cm	Each
YSGR9644P	SpillSmart Roll Poly	96.5cm x 44m	Roll
YSGS7512P	SpillSmart Sock Poly	75mm x 1.2m	Each
YSGS75300	SpillSmart Sock Poly	75mm x 3.0m	Each

OIL & FUEL ONLY

CODE	DESCRIPTION	SIZE	UOM
YSHP4843P	SpillSmart Pad Poly - Heavyweight	48cm x 43cm	Bale/100
YSHP4843PL	SpillSmart Pad Poly - Lightweight	48cm x 43cm	Bale/200
YSHP4545P	SpillSmart Pillow Poly	45cm x 45cm	Each
YSHR7644P	SpillSmart Roll Poly	96.5cm x 44m	Roll
YSHS7512P	SpillSmart Sock Poly	75mm x 1.2m	Each
YSHS7530P	SpillSmart Sock Poly	75mm x 3.0m	Each

HAZCHEM

CODE	DESCRIPTION	SIZE	UOM
YSCP4843P	SpillSmart Pad Poly - Heavyweight	48cm x 43cm	Bale/100
YSCP4545P	SpillSmart Pillow Poly	45cm x 45cm	Each
YSCR9644P	SpillSmart Roll Poly	96.5cm x 44m	Roll
YSCS7512P	SpillSmart Sock Poly	75mm x 1.2m	Each
YSCS7530P	SpillSmart Sock Poly	75mm x 3.0m	Each

SpillSmart

Aluminium Floor Bunding

- Robust permanent bund for liquid containment in high traffic areas
- Non-sparking, non magnetic marine grade ideal for use around flammable liquids and vapours
- Durable, low maintenance and easy to install
- AS 1940-2004 compliant
- · Smooth Transition Technology for ease of use

CODE	DESCRIPTION	UOM
YSAFB	SpillSmart Aluminium Floor Bund - 1200mm(L) x 200mm(W) x 30mm(H)	Ea

SpillSmart



- Provides spill containment in applications where hydrocarbons or
- potentially hazardous chemicals/liquids are stored
- Flexible side walls allow for simple delivery of liquid storage drums
 Made from a strong, chemically resistant and UV-stable polymer
- coated fabric
- Lightweight and easy to clean
- Custom sizes available

CODE	DESCRIPTION	UOM
YSSB2424	SpillSmart Spill Bund - 2.4m x 2.4m	Ea
YSSB6060	SpillSmart Spill Bund - 6.0m x 3.0m	Ea

S<u>pillSmart</u>

Absorbents

All Purpose Absorbent

- Inert mineral based absorbentSafe for use on strong acid & alkaline
- solutions
 Suitable for petroleum, hydrocarbons, oils, solvents, sewage and protein-based fluids

Ansorben

Load Se

Floor Sweep Absorbent

- Manufactured from organic cellulose materials
- Quickly absorbs petroleum, oils, fuels, solvents, cooking oils, sewage and proteinbased fluids
- Not to be used on strong acid & alkaline solutions

HazSorb Absorbent

- Inert, non toxic vermiculite absorbent
- Effective for hazardous chemical spills
- Can be used for body fluid spills and typical hydrocarbon spills on land

Road Spill Absorbent

- Manufactured from organic cellulose
 materials
- Absorbs petroleum, oils, fuels, solvents, cooking oils, sewage and protein-based fluids
- Leaves paved surfaces dry significantly reducing the potential of slips
- Not to be used on strong acid & alkaline solutions

CODE	DESCRIPTION	UOM
YSAAP22	SpillSmart AllPurpose Absorbent - 22L	Ea
YSAFS10	SpillSmart Floor Sweep Absorbent - 10kg	Ea
YSAHZ10	SpillSmart HazSorb Absorbent - 30L	Ea
YSARS12	SpillSmart Road Spill Absorbent - 12kg	Ea

SpillSmart



Collapsible Bund

- SpillSmart lightweight collapsible bunding provides temporary storage of hazardous chemicals and liquids where vehicle access is required
- · Walls easily collapse and re-erect
- Easy to transport, store and clean
- Wide range of standard sizes available

CODE	DESCRIPTION	UOM
YSCB2424	SpillSmart Collapsible Bund - 2.4m x 2.4m	Ea
YSCB3434	SpillSmart Collapsible Bund - 3.4m x 3.4m	Ea

Bunding available in custom sizes Call for pricing



lustrite

Hazmat Spill Control Pallets

- Seamless construction eliminates leaks · Wide forklift pockets
- Self-locating grates
- 100% recycled polyethylene
- · Impervious to most chemicals, acids and corrosives
- EPA Compliant



CODE	DESCRIPTION	UOM
YES28623	Hazmat Spill Pallet - 2 Drum In-line	Ea
YES28627	Hazmat Spill Pallet - 3 Drum In-line	Ea
YES28635	Hazmat Spill Pallet - 4 Drum Square	Ea

(●) JUSTRITE

Hazmat Accumulation Centre



- · Companion ramp facilitates loading
- Low profile seamless construction in 100% recycled polyethylene

2-drum unit with ramp

- 4, 6 & 8 drum modules also available
- 'Sump to Sump Drain Kit' available
- · Requires Joining Clips if used in combination format

CODE	DESCRIPTION	UOM
YES28655	Hazmat Accumulation Centre - 2 Drum	Ea
YES28687	Hazmat Accumulation Centre Ramp	Ea
YES28927	Sump to Sump Drain Kit	Ea

WJUSTRITE

Outdoor Sheds

- Reliable and secure outdoor storage for intermediate bulk containers
- Robust design made from 40%
- recycled polyethylene · Lockable roll-top door for dual access (c/w reach pole)
- Can be used with IBC pallet bund, 4 drum option available

CODE	DESCRIPTION	UOM
YES28675	Ecopolyblend Drum Shed - 2 Drum	Ea
YES28676	Ecopolyblend Drum Shed - 4 Drum	Ea
YES28677	Ecopolyblend IBC Shed	Ea

€ JUSTRITE

Dispensing & Storage Safety Cans

- Heavy duty, high grade coated, lead free steel construction
- · Positive pressure relief venting
- Flash arrester eliminates flashback risk

CODE	DESCRIPTION	UOM
BD7250130	19L Dispensing Can	Ea
BD7150140	19L Shelf Dispensing Can	Ea
BD7120100	7.6L Storage Can	Ea
BD7150100	19L Storage Can	Ea

Example of use with IBC Pallet Bund. BD7150100



lustrite

IBC Pallet Bund

- 40% recycled polyethylene
- EPA compliant for 1000 and 1250 litre IBC's
- Sturdy pillar supports chemical and
- corrosion resistant
- Dimensions: W: 1397mm D: 1397mm
- H: 952mm



CODE	DESCRIPTION	UOM
YES28674	IBC Pallet Bund Indoor 1408L	Ea

● JUSTRITE

Weatherproof Outdoor **Flammable Liquid** Cabinets

- · Yellow powder coated steel construction
- Stainless steel hinges
- · Forklift channels help keep the cabinet dry at ground level
- · Sloping roof to front with weatherproof guttering
- · Compliance with AS 1940 for the storage of flammable and combustible liquids






CODE	DESCRIPTION	UOM
BC25302WP	Outdoor Flammable Storage Cabinet 1230mm(H) x 1100mm(W) x 465mm(D) - 160L	Ea
BC25452WP	Outdoor Flammable Storage Cabinet 1760mm(H) x 1100mm(W) x 465mm(D) - 250L	Ea
BC25602WP	Outdoor Flammable Storage Cabinet 1760mm(H) x 870mm(W) x 870mm(D) - 350L	Ea

₩ JUSTRITE

Manifest Cabinet

- Document storage cabinet • Dimensions: 500mm (H) x 400mm
- (W) x 130mm (D)
- Document storage for HAZMAT, SDS and emergency information



CODE DESCRIPTION

BC25001 Manifest Cabinet UOM

Ea







lustrite

Flammable Liquid Storage Cabinets

- Fire tested, FM Approved, exceeds AS 1940
- Fully welded construction, 1.2mm steel
- Double wall 40mm thermal barrier
- Self-closing and latching doors
- · High gloss powder coated
- Dual vents c/w built- in flash arresters



Fusible	LIIIKS	Door Handle	Certificat	ion
CODE	DESCRIP	TION		UOM
BC25748	100L Flar	nmable Liquid Storage Cabi	net	Ea
BC25302	160L Flar	nmable Liquid Storage Cabi	net	Ea
BC25452	250L Flar	nmable Liquid Storage Cabi	net	Ea

Sure-Grip

FM Approval

Ea

lustrite

Class 6 Toxic Substance Storage Cabinets

- Conforms to AS 4452-1997
- · Exclusive 'spillslope' shelves direct spills to back and bottom of the cabinet



250L Toxic Substance Storage Cabinet

● JUSTRITE

Corrosive Substance Storage Cabinets

- Fire tested, FM Approved, exceeds AS 3780
- · Polyethylene trays for corrosive resistancy
- Fully welded construction, 1.2mm steel
- Double wall 40mm thermal barrier
- · Self-closing and latching doors
- Dual vents c/w built-in



Carriero B



BC25748B	100L Corrosive Substance Storage Cabinet	Ea
BC25302B	160L Corrosive Substance Storage Cabinet	Ea
BC25452B	250L Corrosive Substance Storage Cabinet	Ea

🛞 JUSTRITE'

Pesticide/Herbicide Storage Cabinets

- Conforms to AS 4452-1997
- · 'Suregrip' handle is lockable and allows for fitting of a padlock as extra security
- Shelves are adjustable at 76mm increments
- · Doors are self-closing and feature a 3-point latching system





CODE	DESCRIPTION	UOM
BC25748P	100L Pesticide Storage Cabinet	Ea
BC25302P	160L Pesticide Storage Cabinet	Ea
BC25452P	250L Pesticide Storage Cabinet	Ea

BC25452T



Class 3 Flammable Liquid Storage Cabinets - Single Door

- Flammable liquids include paints, solvents, petrol, thinners, kerosene, turpentine, white spirits, alcohol and ethanol
- Combustible liquids include diesel, linseed oil and pine oil
- Material of construction: double steel walls
- Doors: single, selfclosing, self-latching
- Double door
 configurations also
- available
- Shelves: roller set
 Australian standard: AS 1940



CODEDESCRIPTIONUOMBC5560ASEMetal Flammable Liquid 350L 1 Door/3 ShelfEaBC5555VSMetal Flammable Liquid 205L 1 Door Roller Set ShelfEa

PRAT

Aerosol Storage Cage

- Powder coated steel construction, suitable for outdoors
- Steel roof and floor with welded steel mesh sides within a steel frame
- Magnetic door catches with eye
 lug for padlock
- Flat pack or assembled options includes appropriate safety signs



CODE	DESCRIPTION	CAN CAPACITY	н	W	D
MLGC1AFP	Flat Pack 1 Level	42	360	560	490
MLGC2AFP	Flat Pack 2 Levels	84	660	780	760
MLGC4AFP	Flat Pack 2 Levels	200	990	780	760
MLGC8AFP	Flat Pack 4 Levels	400	1920	780	760
MLGC16AFP	Flat Pack 8 Levels	800	1920	1520	760
MLGC4A	Assembled 2 Levels	200	990	780	760
MLGC8A	Assembled 4 Levels	400	1920	780	760
MLGC16A	Assembled 4 Levels	800	1920	1520	760

PRATT

Gas Cylinder Storage Cage

- Powder coated steel construction, suitable for outdoors
- Steel roof and floor with welded steel mesh sides within a steel frame
- Magnetic door catches with eye lug for padlock
- Cylinder restraining chain
- Flat pack or assembled options includes appropriate safety signs

CODE	DESCRIPTION	CYLINDER CAPACITY	н	w	D
MLGC9VFP	Flat Pack 1 Level	9 (G)	1920	780	760
MLGC18VFP	Flat Pack 2 Levels	18 (G)	1920	1520	760
MLGC9V	Assembled 1 Level	9 (G)	1920	780	760
MLGC18V	Assembled 2 Levels	18 (G)	1920	1520	760

PRAT

Class 8 Corrosive Substance Storage Cabinets - Poly

- Corrosives include chemicals such as acids, alkalis, caustics, sodium hydroxide solution and hypochlorite solution
- Material of construction: polypropylene - check compatibility of chemicals (must be in sealed and closed containers)
- Doors: single and double, self-closing and self-latching
- Australian standard: AS 3780





BC5512PSPH

CODE	DESCRIPTION	UOM
BC5512PSPH	Poly Corrosive 20L 1 Door/1 Shelf	Ea
BC5535PSPH	Poly Corrosive 100L 2 Door/1 Shelf	Ea
BC5516PSPH	Poly Corrosive 40L 1 Door/1 Shelf	Ea
BC5540PSPH	Poly Corrosive 110L 2 Door/2 Shelf	Ea
BC5517PSPH	Poly Corrosive 80L 1 Door/2 Shelf	Ea
BC5530PSPH	Poly Corrosive 160L 2 Door/4 Shelf	Ea
BC5545PSPH	Poly Corrosive 240L 2 Door/6 Shelf	Ea

PRAT

Forklift Cylinder Storage Cage

- Powder coated steel construction, suitable for outdoors
- Steel roof and floor with welded steel mesh sides within a steel frame
- Magnetic door catches with eye lug for padlock
- Cylinder restraining chain
- Flat pack or assembled options includes appropriate safety signs



CODE	DESCRIPTION	CYLINDER CAPACITY	Н	w	D
MLGC4FFP	Flat Pack 1 Level	4	990	780	760
MLGC8FFP	Flat Pack 2 Levels	8	1920	780	760
MLGC16FFP	Flat Pack 4 Levels	16	1920	1520	760
MLGC4F	Assembled 1 Level	4	990	780	760
MLGC8F	Assembled 2 Levels	8	1920	780	760
MLGC16F	Assembled 4 Levels	16	1920	1520	760

PRAT

Forklift & Gas Cylinder Storage Cage

- Powder coated steel construction, suitable for outdoors
- Steel roof and floor with welded steel mesh sides within a steel frame
- Magnetic door catches with eye lug for padlock
- Cylinder restraining chain
 Earklift avlinder storage apprendiments

MLGC9V

- Forklift cylinder storage cages include shelf to provide storage on two levels
- Flat pack or assembled options includes appropriate safety signs

CODE	DESCRIPTION	CYLINDER CAPACITY	н	w	D
MLGC8F9VFP	Flat Pack 3 Levels	8 (F) 9 (G)	1920	1520	760
MLGC8F9V	Assembled 3 Levels	8 (F) 9 (G)	1920	1520	760

MI GC8F9V



🛞 JUSTRITE'

Cylinder Storage Lockers

- Weather resistant all welded aluminium security lockers
- Durable and secure vertical storage for LPG and compressed gas cylinders
- Fully assembled modular options to choose from
- Supplied with flammable gas or oxygen & inert gas signage as required
- Manufactured to comply with AS 4332.2004



ML23006

CODE	DESCRIPTION	UOM
ML23006	Up to 9 G Size Cylinders 760W x 1800H x 815D mm	Ea
ML23007	Up to 18 G Size Cylinders 1510W x 1800H x 815D mm	Ea
ML23009	1 - 4 Cylinders Vertical 760W x 960H x 815D mm	Ea
ML23014	Up to 3 G Size Cylinders 760W x 1800H x 415D mm	Ea

BRADY. Pipe Markers

& Identification

- Self sticking vinyl adhesive markers for easy installation
- Premium indoor/outdoor grade vinyl
- Weather resistant inks
 provide 5-8 year performance
- Colour code compliant with AS 1345-1995



INCLUDING CUSTOMISATION

ТҮРЕ	COLOUR CODE	SIZES
Alkalis / Acids	White On Violet	
Air	White On Light Blue	
Fire Protection	White On Red	
Oils	White On Brown	Marker sizes
Electrical	White On Orange	to suit pipe diameter
Medical Gases	Individual Colours For Specific Gases	
Gases	Black On Sand	
Miscellaneous	White On Black	

BRADY.

HAZCHEM Signage

 Dangerous goods vinyl adhesive diamonds - 250mm





SSV835494

SSV835481 SSV835484 SSV835482



835496 SSV835483 SSV83700



🛞 JUSTRITE

Document Storage Boxes

- Weather resistant keeps documents clean and dry
- High density
- polyethylene constructionHeavy duty duct tape for
- drill-free mounting
- High visibility red colour with designated area for labelling



CODE	DESCRIPTION	INTERNAL DIMENSIONS	UOM
MS23303	Medium Top Opening Box	292 x 222 x 41mm	Ea
MS23304	Medium Front Opening Box	311 x 219 x 25mm	Ea
MS23305	Twist Top Opening Tube	305 x 76mm	Ea
MS23306	Large Front Opening Box	337 x 263 x 57mm	Ea
BOTTLECHOCK"			

Safer Workers

By VISIONSafe

BOTTLECHOCK Cylinder Restraints

- · Purpose designed to keep cylinders secure
- Suits gas cylinders, oxygen tanks, fire extinguishers, oil drums, etc.
- Restricts both horizontal and vertical movement
- Easy fit kit comes ready to install with galvanised steel mounting bracket
- Quick release pins free up space when cylinder is not in use, and allow use in another location
- Sizes: Small (100-145mm), Medium (160-230mm), Large (245-375mm)
- Also available in stainless steel
 Available with red or yellow chock


CODE	DESCRIPTION	COL.	UOM
MCRBG1L	Galvanised Restraint 245-375mm - 1 bottle		Ea
MCRBG1M	Galvanised Restraint 160-230mm - 1 bottle]	Ea
MCRBG1S	Galvanised Restraint 100-145mm - 1 bottle	Red.	Ea
MCRBG2L	Galvanised Restraint 245-375mm - 2 bottles		Ea
MCRBG2M	Galvanised Restraint 160-230mm - 2 bottles		Ea
MCRBG2S	Galvanised Restraint 100-145mm - 2 bottles	Yellow	Ea
MCRBG3M	Galvanised Restraint 160-230mm - 3 bottles]	Ea
MCRBG3S	Galvanised Restraint 100-145mm - 3 bottles		Ea
MCRBG4M	Galvanised Restraint 160-230mm - 4 bottles		Ea
MCRBG4S	Galvanised Restraint 100-145mm - 4 bottles		Ea






SSM833620





128





(i) Safer Workers

Fireworld

ABE Dry Chemical Fire Extinguisher

- Suitable for Class A, B & E fires
- Dry chemical powder
- Effective against fire involving ordinary and flammable combustibles, liquids & A:B(E) POWDER energised electrical equipment



CODE	DESCRIPTION	UOM
BFABE10	Extinguisher Dry Chemical 1.0kg - ABE	Ea
BFABE20	Extinguisher Dry Chemical 2.0kg - ABE	Ea
BFABE45	Extinguisher Dry Chemical 4.5kg - ABE	Ea
BFABE90	Extinguisher Dry Chemical 9.0kg - ABE	Ea
SDEXT:ABE	Fire Extinguisher Indication Sign - 'ABE'	Ea

Fireworld

BE Carbon Diox Fire Extinguishe

- Suitable for Class B & E fires
- · Effective against f flammable combu liquids and energi electrical equipme
- Ideal for use around computers etc.

		1	3		
cide er		20		-	1
5	1			A	
fire involving ustible jised ent					

CODE	DESCRIPTION	UOM
BFCO20	Extinguisher CO2 2.0kg - BE	Ea
BFC035	Extinguisher CO2 3.5Kg - BE	Ea
BFC050	Extinguisher CO2 5.0kg - BE	Ea
SDEXT:CO2	Fire Extinguisher Indication Sign - 'CO2'	Ea

Fireward Fire Extinguisher Selection Table

Firewarld

BE Dry Chemical Fire Extinguisher

- Suitable for Class B, E & F fires
- Dry chemical powder • Effective against fire
- involving flammable combustible liquids and energised B(E) POWDER electrical equipment IL LIGHT AND



[]

CODE	DESCRIPTION	UOM
BFBE10	Extinguisher Dry Chemical 1.0kg - BE	Ea
BFBE23	Extinguisher Dry Chemical 2.3kg - BE	Ea
BFBE45	Extinguisher Dry Chemical 4.5kg - BE	Ea
BFBE90	Extinguisher Dry Chemical 9.0kg - BE	Ea
SDEXT:BE	Fire Extinguisher Indication Sign - 'BE'	Ea

Fireworld

Air/Water and Air/Foam Fire Extinguishers

- Air/Water is suitable for Class A fires only (wood, paper, plastics)
- Air/Foam is suitable for Class A & B fires only (wood, paper, plastics and flammable/ combustible liquids)

CODE	DESCRIPTION	UOM
BFAW90	Extinguisher Air/Water 9.1L - A	Ea
SDEXT:AW	Fire Extinguisher Indication Sign - 'AW'	Ea
BFAF90	Extinguisher Air/Foam 9.1L - AB	Ea
SDEXT:AF	Fire Extinguisher Indication Sign - 'AF'	Ea

		Α	В	C	E	F	
FIRE CLASSES		PAPER, WOOD, PLASTICS	FLAMMABLE LIQUIDS	FLAMMABLE GASES	ENERGISED ELECTRICAL EQUIPMENT	COOKING OILS AND FATS	SPECIAL NOTES
Ĩ	WATER	YES	NO	NO	NO	NO	Dangerous if used on flammable liquid, energised electrical equipment and cooking oils and fats.
Ĩ	FOAM AFFF	YES	YES	NO	NO	LIMITED	Dangerous if used on energised electrical equipment.
F	WET CHEMICAL	YES	NO	NO	NO	YES	Dangerous if used on energised electrical equipment.
F	DRY CHEMICAL AB(E)	YES	YES	YES	YES	NO	Look carefully to determine if it is a B(E) or AB(E) unit as their capabilities are different.
Ē	DRY CHEMICAL B(E)	NO	YES	YES	YES	YES	Look carefully to determine if it is a B(E) or AB(E) unit as their capabilities are different.
	CARBON DIOXIDE	NO	LIMITED	NO	YES	LIMITED	Not suitable for outdoor use.
"LIMITED" indicates that the fire extinguisher is not the first choice for that type of fire, it will have limiting fire extinguishing capability. Class D fires (involving combustible metals): use only special purpose extinguishers and seek expert advice.							

130

Firewarld

Vehicle Fire Extinguisher Brackets

- Heavy duty 'Cannon' style bracket with quick release mechanism
- Quick release mechanismSecure bracket for 4.5kg and
- 9.0kg extinguishers
- Black powder coated



UOM

Ea Fa

CODE	DESCRIPTION
BFZVMB45	Vehicle Mounting Bracket Cannon Style - 4.5kg
BFZVMB90	Vehicle Mounting Bracket Cannon Style - 9.0kg

Firewarld

Fire Hose Reels

- 36m hose reel length
- Simple operation and maintenance
- Meets
 requirements
- of AS 1221 • Heavy duty hose reel cover sold separately





REBLANKE

SDBLA

CODE	DESCRIPTION	UOM
BFZREEL36	Fire Hose Reel - 36m	Ea
BFZREELC	Fire Hose Reel Cover	Ea

RE BLANKET

Firewarld

Fire Blankets

- Woven fibreglass material
- Suitable for smothering small flammable liquid fires, cooking oil and fat fires
- Can be used to shield the user whilst fighting fires

CODE	DESCRIPTION	UOM
BB1010	Fire Blanket 1.0m x 1.0m	Ea
BB1212	Fire Blanket 1.2m x 1.2m	Ea
BB1218	Fire Blanket 1.2m x 1.8m	Ea
BB1818	Fire Blanket 1.8m x 1.8m	Ea
SDBLA	Sign 'FIRE BLANKET' Poly	Ea

BRADY.

Fire Safety Signage

- Suitable for fire safety and location requirements
- Vinyl adhesive directional signs for fire safety and evacuation
- Fire exit and escape sign sizes: 125mm x 300mm
- Fire equipment sign sizes: 600mm x 450mm

CODE	DESCRIPTION	UOM
SSV	Fire Safety Signs - Vinyl Self Adhesive 125mm x 300mm	Ea
SSP	Fire Safety Signs - Poly 600mm x 450mm	Ea
SSM	Fire Safety Signs - Metal 600mm x 450mm	Ea

Firewarld

Mobile Fire Extinguisher Trolley

- Trolley makes it easy to move large capacity fire extinguisher to where it's needed
- Available with extinguisher capacities of 50kg or 100kg, in ABE (Dry Chemical) or AFFF (Foam)
- Overall height 50kg: 1100mm
- Overall height 100kg: 1250mm
- Extinguisher performance range: 3-5 metres



BFMAFFF50

CODE	DESCRIPTION	UOM
BFMABE50	Mobile ABE 50kg 6A 80B E	Ea
BFMAFFF50	Mobile AFFF 50kg 3A 30B	Ea
BFMABE100	Mobile ABE 100kg 6A 80B E	Ea
BFMAFFF100	Mobile AFFF 100kg 3A 30B	Ea

Firewarld

Fire Extinguisher Cabinets

- Red powder coated steel cabinet
 Includes 003 'lock & key' in break
- glass • Secure, highly visible storage for 4 Elve and 0 Olve autientiation
- 4.5kg and 9.0kg extinguishers • Dimensions: 4.5kg - 590mm(H) x 280mm(W) x 210mm(D)
- Dimensions: 9.0kg 760mm(H) x 280mm(W) x 230mm(D)



CODEDESCRIPTIONUOMBFZCAB45Extinguisher Cabinet - 4.5kgEaBFZCAB90Extinguisher Cabinet - 9.0kgEa

🏽 JUSTRITE

Cease-Fire[®] Cigarette Butt Receptacle

- Low maintenance, high density polyethylene construction
- 40mm opening permits easy use and promotes good housekeeping
- 9L galvanised steel liner bucket
- Moulded in tie down notches
- 1200mm high with 420mm base

CODE	DESCR.	COLOURS	UOM
BD26800	Cease-Fire	Grey, Beige, Black, Green, Terracotta	Ea



SSV833462





SSP841060 SSP841094 SSM834067 SSM841095





UOM

UOM

Ea

Ea

EYEWASH

YSE607



 Impellar action distributes floods of water without voids in the shower pattern

 CODE
 DESCRIPTION

 YSE227
 Wall Mounted Deluge Shower

 YSE220
 Ceiling Mounted Deluge Shower

All SPEAKMAN emergency eye wash and shower equipment complies with AS 4775-2007.

UOM

Ea

Ea

CODE

YSE616

YSF607

YSEZ105

DESCRIPTION

Wash Station

Station

Shower & Eye Wash

Shower & Eye/Face

Open - 35°C Closed

Scald Valve 40°C Fully

UOM

Ea

Fa

Ea



YSEP5050

YS74764

YSEPZ5050TC

Portable Eye Wash Unit - 55L

Thermal Cover for YSEP5050

Water Preservative - 250ml

CODE	DESCRIPTION	UOM
YSEP505	Eye Wash Unit, Single Nozzle, Hand Operated	Ea
YSEP575	Eye Wash Unit, Single Nozzle, Hand Operated, No Bowl	Ea
YSEP582FTL	Eye Wash Unit, Single Nozzle, Hand Operated, Flip Top Lid	Ea

Ea

Fa





BRADY.

Safety Plus Padlock Pack

- Pre-packaged set of 3 keyed-alike Safety Plus padlocks
- 6mm shackle



CODE	DESCRIPTION	UOM
SLP853205	Padlock Pack - Red	Pk/3
SLP853206	Padlock Pack - Yellow	Pk/3
SLP853207	Padlock Pack - Blue	Pk/3
SLP853208	Padlock Pack - Green	Pk/3

Compact Lockout Padlocks

- Designed specifically for use in electrical lockout applications
 Small size and sheadle diameters
- Small size and shackle diameter for use on smaller lockout devices
- Non-conductive, spark resistant body

CODE	DESCRIPTION	UOM
SLP872880	Compact Padlock - Red	Ea
SLP872881	Compact Padlock - Yellow	Ea
SLP872875	Compact Padlock - Blue	Ea
SLP872877	Compact Padlock - Green	Ea

Adjustable Gate Valve Lockout

- Durable polypropylene construction
- Fits multiple size gates
- Completely encloses handle to prevent tampering

CODE DESCRIPTION

 SLD64057
 Adjustable Gate Valve Lockout - Red

 SLD850835
 Adjustable Gate Valve Lockout - Yellow

O BRADY.

Labelled Lockout Hasp

- Anodised aluminium alloy
- Combination lockout tag and safety lockout hasp
- Up to five additional locks can be affixed
- Surface accepts pens, pencils and markers

CODE DESCRIPTION

SLH65960	Labelled Lockout Hasp
SLH65960/1	Labelled Lockout Hasp

Group Lock Box

- Simplifies lockout for large plant and equipment
- Accepts up to 13 individual locks
- Heavy steel construction, available in red or blue



CODE	DESCRIPTION	UOM
SLB65699	Group Lock Box - Red	Ea
SLB45190	Group Lock Box - Blue	Ea

BRADY

Safety Plus Padlocks

- Compact and ultra lightweight
- Corrosion and chemical resistant
- Non-conductive body enhances safety in electrical applications
- Available in 8 colours: Blue, Green, Yellow, Red, Purple, White, Black and Orange

EFF

OUT

- Comes with two keys and danger label
- 6mm shackle



CODE	DESCRIPTION	UOM
SLP850816	Safety Plus Padlock - Blue - Keyed Differently	Ea
SLP850818	Safety Plus Padlock - Green - Keyed Differently	Ea
SLP850820	Safety Plus Padlock - Yellow - Keyed Differently	Ea
SLP850821	Safety Plus Padlock - Red - Keyed Differently	Ea

TOP SELLERS

Safety Lockout Hasps

- Vinyl coated high
- tensile steel
- Plated to resist rust
- Accept 6 padlocks up to 9mm shackle diameter



CODE	DESCRIPTION	UOM
SLH65375/1	25mm Diameter Jaws	Ea
SLH65376/1	38mm Diameter Jaws	Ea

- Lockout Tags
 Weather resistant
- polypropylene150mm x 100mm
- DO NOT START

DANCE

CODE	DESCRIPTION	UOM
STG842384	Tag 'CAUTION DO NOT START'	Pk/10
STG842377	Tag 'DANGER DO NOT OPERATE'	Pk/10
STG842386	Tag 'CAUTION OUT OF ORDER'	Pk/10

BRADY.

Wallmount Group Lockout Box

- Efficient method for lockout of machinery with multiple lockout points
- Keeps padlocks clean, organised and ready for use
- · Easy access, highly visible



CODE	DESCRIPTION	UOM
SLB854243	Group Lock Box - 7 Hole	Ea
SLB854244	Group Lock Box - 12 Hole	Ea
SLB854245	Group Lock Box - 26 Hole	Ea



UOM

Fa

Ea

UOM Pk/5 Ea

LOCKED



BRADY

BMP[™] 21-PLUS Label Printer

- · Perfect for organising your office, labelling electrical wires or datacomm cables, or even implementing a lean visual workplace
- Drop-lock-and-print materials
- Automatic label formatting
- · Barcodes, serialisation and 104 symbols for electrical, safety and datacomm
- Print on materials up to 19.05mm wide
- Optional rechargeable Li-lon battery (sold separately)

Use with:

Self-Laminating Vinyl Tape (B-427)

 UI recognised and RoHS compliant · Ideal for marking data and electrical cables

Permasleeve® Wire Marker Sleeve Tape (B-342)

- UI recognised and RoHS compliant
- Full circle, 3-to-1 ratio heat shrink sleeves excellent for insulation purposes

(Other tape options available - please contact your nearest SafetyQuip store for further details)

CODE	DESCRIPTION	UOM
SA139535 E	3MP [™] 21-PLUS Printer	Ea

BRADY

BMP[™] 71 **Label Printer**

- · Create on demand labels for multiple applications from one
- printer The large full colour graphical screen allows you to preview your
- label before printing
- The BMP[™] 71 label maker can print on more than 30 different types of label materials
- Able to customise labels up to 50mm high
- Rechargeable battery and AC power adaptor included • Supplied with hardcase, 1 roll of die cut labels, 1 ribbon cartridge, USB cable, Quickstart Guide and printer driver CD

Use with:

Durasleeve® Wiremarking (B-390)

- · Long lasting and durable marking of wires and cables
- · Consists of two parts: the marker insert (that is printed upon) and the vinyl carrier which the marker is inserted into
- · Available in white or yellow, 15mm or 30mm length

(Other tape options available please contact your nearest SafetyQuip store for further details)

CODE	DESCRIPTION	UOM
SA115158	BMP [™] 71 Printer c/w LabelMark [™] Software	Ea
SA872044	BMP [™] 71 Printer c/w MarkWare [™] Software	Ea

11









Ladderweld Access Platform - Temporary Work Platform

- Super strong 'fully welded' design fabricated from heavy duty aluminium
- Steel bracing under bottom tread and side bracing provides additional protection from impact damage
- Suited to 'high frequency' use, 170kg Industrial Rating
- 'Walk thru' design for stock picking and access to mezzanine floors, vehicle access and warehousing (no need to stock several products)
- Large 125mm wheels improved portability and 'easy glide' action
- Large stable work platform (safe and stable) 590mm x 800mm
 Manually operated braking system with HI VIS powder coated
- Manually operated braking system with Hi vis powder coal activation arm helps minimize unauthorised access
 Two safety gates fitted (a 2-in-1 product allowing for
- Two safety gates fitted (a 2-in-1 product allow walk-thru access)

STEPS	PLATFORM HEIGHT	REACH HEIGHT	ALUMINIUM CODE
3	0.83m	2.8m	YLAAP13591
4	1.10m	3.1m	YLAAP13592
5	1.38m	3.4m	YLAAP13593
6	1.66m	3.7m	YLAAP13594
7	1.93m	3.9m	YLAAP13595
8	2.21m	4.2m	YLAAP13596
10	2.76m	4.8m	YLAAP13597
12	3.31m	5.3m	YLAAP13598
14	3.87m	5.9m	YLAAP13599



Modular Access Systems

Introducing the brand new Modular Access System that will revolutionise safe access to heights when used in conjunction with the Bailey Access Platforms. The modular components allow you to design and build an access platform that is

customised to your needs.

- Modular system allows for unlimited types of configurations
- Fully welded frames and platforms with integrated toe boards
- Hand rails can be easily removed/repositioned to allow clear access to the work space
- Lockable castors allow easy repositioning of the system
- 170kg load rating per bay - Industrial duty safe to use on a work site
- Meets standard AS 1892





1m bridge configuration



2m bridge configuration



Combination variable height 1m & 2m bridge configuration

CODE	DESCRIPTION	SIZE	REACH HEIGHT
YLAAS13789	Modular Access System 1.0m Platform	1.0m	N/A
YLAAS13790	Modular Access System 2.0m Platform	2.0m	N/A
YLAAS13791	Modular Access System 3 Step Upright	0.83m	2.8m
YLAAS13792	Modular Access System 4 Step Upright	1.10m	3.1m
YLAAS13793	Modular Access System 5 Step Upright	1.38m	3.4m
YLAAS13794	Modular Access System 6 Step Upright	1.65m	3.6m



Can be used with or without existing wheel system

	CODE	DESCRIPTION	UOM
L	YLAAP13817	Tilt N Go Castor	Ea





YLAAP13592

BALLEY



- Punchlock[®] tread design increases the torsional rigidity of the overall ladder frame
- Industrial Duty Rated for work sites 170kg Aluminium/150kg Fibreglass where greater strength and safety is required
- Fibreglass Platform range Electro-Safe™ (non-conductive)
- Wide, anti-slip platform (490 x 400mm) for a secure work area
- 900mm handrail height from platform

DIMENSIONS			ALUMINIUM	FIBREGLASS
STEPS	PLATFORM HEIGHT	REACH HEIGHT	CODE	CODE
2	0.58m	2.6m	YLAP13398	YLFP10720
3	0.86m	2.9m	YLAP13399	YLFP10721
4	1.15m	3.1m	YLAP13400	YLFP10722
5	1.43m	3.4m	YLAP13401	YLFP10723
6	1.72m	3.7m	YLAP13402	YLFP10724
7	2.0m	4.0m	YLAP13585	YLFP10725
8	2.23m	4.3m	YLAP13586	YLFP10726
Safet	y Gate		YLZ13647	YLZ13647



- Huge platform area (610 x 457mm) adds comfort and stability
- Multi-function handrail with optional 'DropLok' accessories
- Available in extra strong, heavy duty aluminium or fibreglass, 170kg Industrial Rating
- Large anti-slip feet for maximum stability and convenient carry handle
- · Swivel castors for improved mobility

DIME	NSIONS		ALUMINIUM	FIBREGLASS
STEPS	PLATFORM HEIGHT	REACH HEIGHT	CODE	CODE
3	0.9m	2.87m	YLAP13538	YLFP13530
4	1.2m	3.16m	YLAP13539	YLFP13531
5	1.5m	3.45m	YLAP13540	YLFP13532
6	1.8m	3.74m	YLAP13541	YLFP13533
7	2.03m	4.03m	YLAP13542	YLFP13534
8	2.32m	4.32m	YLAP13543	YLFP13535
10	2.91m	4.91m	YLAP13544	YLFP13536
12	3.49m	5.49m	YLAP13545	YLFP13537
Safet	y Gate		YLZ13648	YLZ13648



- Lightweight and highly portable: up to 25% lighter than competitive products
- Fully functional 'magnetised' section on handrail secures tools
- and fasteners • 150kg Industrial Duty Rating
- Available in extra strong, heavy duty aluminium or fibreglass construction



	DIMENSIO	NS	ALUMINIUM	FIBREGLASS
STEPS	PLATFORM HEIGHT	REACH HEIGHT	CODE	CODE
3	0.9m	2.9m	YLAP13580	YLFP13576
4	1.2m	3.2m	YLAP13581	YLFP13577
5	1.5m	3.5m	YLAP13582	YLFP13578
6	1.8m	3.8m	YLAP13583	YLFP13579
Safety Gate		YLZ13647	YLZ13647	
Casto	or Kit		YLZ13584	YLZ13584

All Bailey products are made to AS 1892.1

BAILEY

Stairway Ladder

- Slim profile for easy storage when not in use
- Wide and deep treads with anti-slip rubber insert for safety and stability
- Racked front frame for stair-like access
- 150kg Industrial Duty Rating
- Available with or without a folding handrail



YLA13747

		-		
CODE WITHOUT HANDRAIL	CODE WITH HANDRAIL	DESCRIPTION	SIZE	REACH HEIGHT
YLA13746	YLA13750	2 Step 150kg Ind.	0.45m	2.45m
YLA13747	YLA13751	3 Step 150kg Ind.	0.67m	2.67m
YLA13748	YLA13752	4 Step 150kg Ind.	0.89m	2.89m
YLA13749	YLA13753	5 Step 150kg Ind.	1.11m	3.11m

BAILEY

- Stepladder
- Punchlock tread design and deep fascia top cap increases the torsional rigidity of the overall ladder frame
 150kg ladustrial
- 150kg Industrial Duty Rating
- Double sided for greater versatility

YLA13386

ALUMINIUM CODE	FIBREGLASS CODE	DESCRIPTION	SIZE	REACH HEIGHT
YLA13385	YLF10483	DS3 150kg Ind.	0.9m	2.3m
YLA13386	YLF10484	DS4 150kg Ind.	1.2m	2.6m
YLA13388	YLF10485	DS6 150kg Ind.	1.8m	3.2m
	YLF10486	DS7 150kg Ind.	2.1m	3.5m
YLA13389	YLF10487	DS8 150kg Ind.	2.4m	3.8m
YLA13390	YLF10488	DS10 150kg Ind.	3.0m	4.4m
	YLF10489	DS12 150kg Ind.	3.6m	5.0m

YLF10484





ToughStripe® Floor Marking Tapes & Die-Cut Shapes

- Made with Brady's B-514 polyester withstands forklift traffic without tearing or lifting
- Low profile design minimises tears and scratches from skids, pallet jacks, etc.
- Ideal for marking aisles, passageways and storage locations
- The tape has a service temperature range of -17°C to 53°C



CODE	DESCRIPTION	UOM
STF872429	Toughstripe® Floor Tape 51mm x 30m - Black	Roll
STF872433	Toughstripe® Floor Tape 51mm x 30m - Blue	Roll
STF872434	Toughstripe [®] Floor Tape 51mm x 30m - Green	Roll
STF872435	Toughstripe® Floor Tape 51mm x 30m - Orange	Roll
STF872432	Toughstripe® Floor Tape 51mm x 30m - Red	Roll
STF872430	Toughstripe® Floor Tape 51mm x 30m - White	Roll
STF872431	Toughstripe [®] Floor Tape 51mm x 30m - Yellow	Roll
STF872438	Toughstripe [®] Floor Tape 51mm x 30m - Black/White	Roll
STF872436	Toughstripe® Floor Tape 51mm x 30m - Black/Yellow	Roll
STF872437	Toughstripe® Floor Tape 51mm x 30m - Red/White	Roll
STF872449	Toughstripe [®] Floor Tape 51mm x 30m - Yellow Dash	Roll



CODE	DESCRIPTION	UOM
STF873235	Toughstripe® Foot Prints (L/R) 254 x 89mm - Green	Pk/10
STF873234	Toughstripe® Foot Prints (L/R) 254 x 89mm - Red	Pk/10
STF873239	Toughstripe [®] Foot Prints (L/R) 254 x 89mm - White	Pk/10
STF873237	Toughstripe® Foot Prints (L/R) 254 x 89mm - Yellow	Pk/10
STF873229	Toughstripe [®] Dot Shapes 89mm - Green	Roll/350
STF873228	Toughstripe [®] Dot Shapes 89mm - Red	Roll/350
STF873233	Toughstripe [®] Dot Shapes 89mm - White	Roll/350
STF873231	Toughstripe [®] Dot Shapes 89mm - Yellow	Roll/350
STF873247	Toughstripe [®] Arrow Shapes 76 x 203mm - Green	Pk/10
STF873246	Toughstripe [®] Arrow Shapes 76 x 203mm - Red	Pk/10
STF873249	Toughstripe [®] Arrow Shapes 76 x 203mm - Yellow	Pk/10



Self-Adhesive Floor Tapes

- Heavy duty hazard tapes for floors and other surfaces
 HI VIS reflective options
- Slip resistant 'sand paper grip' option for wet areas

CODE	DESCRIPTION	UOM
STF3075SA	Self Adhesive Tape Yellow/Black 30m x 75mm	Roll
STF5050R:BY	Self Adhesive Reflective Tape Yellow/Black 50m x 50mm	Roll
STF5050R:RW	Self Adhesive Reflective Tape Red/White 50m x 50mm	Roll
STF1850NS:BY	Self Adhesive Non-slip Tape Yellow/Black 18m x 50mm	Roll

Indoor Warning Tapes

- For identification of hazardous areas or work stations
- Can be used on floors, stairways, hazardous objects etc.
- Durable vinyl adhesive backed tape for industrial conditions
 Also available in a range of other sizes and in outdoor and
 - reflective materials

CODE	DESCRIPTION	UOM
STF55297	Indoor Warning Tape 75mm x 16.4m - Red/White Stripe	Roll
STF55303	Indoor Warning Tape 75mm x 16.4m - Black/Yellow Stripe	Roll
STF76319	Indoor Warning Tape 75mm x 16.4m - Black/Yellow Check	Roll
STF55293	Indoor Warning Tape 75mm x 16.4m - Black/White Stripe	Roll
STF76318	Indoor Warning Tape 75mm x 16.4m - Black/White Check	Roll
STF850653	Indoor Warning Tape 75mm x 16.4m - Green/White Stripe	Roll





*Please note: Age restriction may apply to the sale/purchase of this product



Air Grid Non-Slip **Anti-Fatigue** Mat

Extremely

comfortable -

- provides relief from constant standing
- Leather grain pattern on surface eliminates trips and slips on mat
- · Spilt liquids drain from mat surface along channels and out holes to keep mat surface continually dry
- Suction cups on underside assist in steady floor adhesion
- Yellow border option ensures mat stands out
- · Grease proof will not deteriorate in greasy conditions
- HACCP Certified

CODE	DESCRIPTION	UOM
YMAG23B	Air Grid 600mm x 900mm - Black/Black Edge	Ea
YMAG23Y	Air Grid 600mm x 900mm - Black/Yellow Edge	Ea
YMATAG34B	Air Grid 900mm x 1200mm - Black/Black Edge	Ea
YMATAG34Y	Air Grid 900mm x 1200mm - Black/Yellow Edge	Ea

MALTEK

Rubber **Brush Scraper** Outdoor **Commercial Entrance Mat**

- Heavy duty rubber mat for medium traffic entrances
- Studs on mat surface dislodge dirt and mud from the bottom of shoes
- · Easy to clean: simply hose out
- · Beveled edges for added safety
- Slip resistant backing keeps mat steady on the floor

CODE	DESCRIPTION	UOM
YMATRBB	Brush Scraper 610mm x 810mm - Black	Ea
YMATRBM	Brush Scraper 710mm x 1070mm - Black	Ea
YMATRBL	Brush Scraper 910mm x 1830mm - Black	Ea



Utility Matting **Dry/Wet Area Safety Matting**

- Versatile rubber matting on a roll
- · Soft formula provides relief from constant standing
- Non-slip surface provides traction
- · Easy to cut to length or width and shape
- · Large drainage holes allow the escape of spilt liquids
- Used in bars, kitchens, showers and wash-up areas and
- also in the backs of utes and vans

CODE	DESCRIPTION	UOM
YMATUM900	Utility Matting 900mm Wide	Per Metre
YMATUM1800	Utility Matting 1800mm Wide	Per Metre

MalTE

Comfort **Link Modular Safety Mat**

- Rubber mat tiles, link together to form a desired shape or size
- Non slip surface



- · Soft formula provides relief from constant standing
- · Beveled edges and corners available in yellow
- Available in holed (wet areas), solid (dry areas), grease proof holed or grit top holed options
- Used in manufacturing and production areas, workbenches and workstations etc.

CODE	DESCRIPTION	UOM
YMATTE	Comfort Link General Purpose 900mm x 900mm - Black	Ea
YMATTEG	Comfort Link Grease Proof 900mm x 900mm - Terracotta	Ea
YMATTEE	Comfort Link Edging 900mm x 75mm - Yellow	Ea



- · Honeycomb surface gives excellent traction
- Optional grease proof formula (terracotta colour)
- . Used in bars, kitchens, at workbenches and workstations etc.

CODE	DESCRIPTION	UOM
YMATCLS	Safety Cushion General Purpose 600 x 900mm - Black	Ea
YMATCLG	Safety Cushion Grease Proof 600 x 900mm - Terracotta	Ea
YMATCLN	Safety Cushion General Purpose 900 x 1500mm - Black	Ea
YMATCLR	Safety Cushion Grease Proof 900 x 1500mm - Terracotta	Ea

male i a Ribbed Indoor **Commercial Entrance Mat** • PVC backed polypropylene mat for medium traffic entrances · Coarse, bi-level fibres scrape footwear clean Absorbent surface dries feet effectively

- · Easy to clean: can be hosed, swept or vacuumed out
- · Available in a range of colours

CODE	DESCRIPTION	UOM
YMATRM23	Ribbed Mat 600mm x 900mm	Ea
YMATRM35	Ribbed Mat 900mm x 1500mm	Ea
YMATRM46	Ribbed Mat 1200mm x 1800mm	Ea









140

PRODUCT INDEX

A

Α	
Absorbents 122	2, 123, 124
Access platforms/systems	136
Aerosol storage	127
Air horns	140
Anchorage devices	93, 95, 97
¥	, 94, 96, 97
Anti-slip panels	140
Aprons	61, 65
ARC flash clothing	57
B	
Bags	66
Backpacks	66
Back supports	65
Barrier chain	118
Barrier creams	88
Barrier mesh	115
Barriers	116, 117
	5, 118, 119
Beanies	63
Body cooling apparel	63, 107
Bollards	115, 116
Boot brush	76
Boot cleaning accessories	72, 76
Boot covers	76
Boot dip mat	76
Bowyangs	76
Breathalysers	105
Bump caps	8
Bunting flags	118
C	
Cable clips	129
Cable protectors	129
Caps, disposable	61, 62
Cap light	120
Caps, safety & accessories	6, 7, 8, 10
Cigarette receptacle	131
Cleaners	110
	59
Clothing, chainsaw	
Clothing, cooling	63, 107
Clothing, disposable	60, 61, 62
Clothing, freezer	63
Clothing, welding	64, 65
Cleaners, wipes	110
Cleaners, industrial	110
	, 93, 95, 96
Cooling apparel	63, 107
Corrosive storage	126, 127
Creams, skin	88, 109
Cylinder restraints	128, 131
Cylinder storage	127, 128
D	
Dangerous goods storage	125-128
Deluge systems	132, 133
	,

Defibrillators	105
Disinfectants	104, 110
Disposable clothing	60, 61, 62
Disposable respirators	28, 29
Document storage	125, 128
Drink coolers/bottles	106, 107
Drop tool prevention	98, 99, 100
Drug testing kits	105
E	
Earmuffs	22, 23, 24, 25
Earmuffs, electronic	23, 25
Earplug dispensers	20, 21, 22
Earplugs	20, 21, 22
Electrical, powerboard	129
Electrical, leads	129
Electrican's gloves	87
Electrolyte replacements	106 ,107
Escape & rescue kits	96
Eye and face wash	103, 132, 133
Eyewear accessories	18
Eyewear, safety	12-18
Eyewear, welding	18



Face shields17, 22, 57Fencing, barrier115, 117Fire resistant apparel56, 57Fire blankets131Fire extinguishers130Fire protection equipment130, 131First aid102, 103, 104First aid, signage103Flags118Floor, stands138Floor, stencils138Floor, tapes & marking138Footwear, disposable60, 61Footwear, leather68-75Forklift cage140	F	
Fire resistant apparel56, 57Fire blankets131Fire extinguishers130Fire protection equipment130, 131First aid102, 103, 104First aid, signage103Flags118Flammable storage125, 126, 127, 128Floor, stands138Floor, stencils138Floor, tapes & marking138Footwear, disposable60, 61Footwear, leather68-75Footwear, PVC75	Face shields	17, 22, 57
Fire blankets131Fire extinguishers130Fire protection equipment130, 131First aid102, 103, 104First aid, signage103Flags118Flammable storage125, 126, 127, 128Floor, stands138Floor, stencils138Floor, tapes & marking138Footwear, disposable60, 61Footwear, leather68-75Footwear, PVC75	Fencing, barrier	115, 117
Fire extinguishers130Fire protection equipment130, 131First aid102, 103, 104First aid, signage103Flags118Flammable storage125, 126, 127, 128Floor, stands138Floor, stencils138Floor, stencils138Floor, tapes & marking138Footwear, disposable60, 61Footwear, leather68-75Footwear, PVC75	Fire resistant apparel	56, 57
Fire protection equipment130, 131First aid102, 103, 104First aid, signage103Flags118Flags118Floor, stands138Floor, stencils138Floor, stencils138Floor, tapes & marking138Footwear, disposable60, 61Footwear, leather68-75Footwear, PVC75	Fire blankets	131
First aid102, 103, 104First aid, signage103Flags118Flammable storage125, 126, 127, 128Floor, stands138Floor, stencils138Floor, tapes & marking138Footwear, disposable60, 61Footwear, leather68-75Footwear, PVC75	Fire extinguishers	130
First aid, signage103Flags118Flammable storage125, 126, 127, 128Floor, stands138Floor, stencils138Floor, stencils138Floor, tapes & marking138Footwear, disposable60, 61Footwear, leather68-75Footwear, PVC75	Fire protection equipment	130, 131
Flags118Flags118Flammable storage125, 126, 127, 128Floor, stands138Floor, stencils138Floor, stencils138Floor, tapes & marking138Footwear, disposable60, 61Footwear, leather68-75Footwear, PVC75	First aid	102, 103, 104
Flammable storage125, 126, 127, 128Floor, stands138Floor, stencils138Floor, tapes & marking138Footwear, disposable60, 61Footwear, leather68-75Footwear, PVC75	First aid, signage	103
Floor, stands138Floor, stencils138Floor, tapes & marking138Footwear, disposable60, 61Footwear, leather68-75Footwear, PVC75	Flags	118
Floor, stencils138Floor, tapes & marking138Footwear, disposable60, 61Footwear, leather68-75Footwear, PVC75	Flammable storage 125,	126, 127, 128
Floor, tapes & marking138Footwear, disposable60, 61Footwear, leather68-75Footwear, PVC75	Floor, stands	138
Footwear, disposable60, 61Footwear, leather68-75Footwear, PVC75	Floor, stencils	138
Footwear, leather68-75Footwear, PVC75	Floor, tapes & marking	138
Footwear, PVC 75	Footwear, disposable	60, 61
	Footwear, leather	68-75
Forklift cage 140	Footwear, PVC	75
	Forklift cage	140

Freezer wear	63
G	
Gas cylinder storage	127, 128
Gas detectors	38
Gloves, anti-vibration	78, 80, 81, 82
Gloves, chainsaw	59
Gloves, chemical	85
Glove clips	88
Gloves, cotton/poly	87
Gloves, cut resistant	78, 79
Glove, dispenser	88
Gloves, disposable	85, 86
Gloves, electrician's	87
Gloves, heat protection	
Gloves, latex	83, 85, 86, 87
Gloves, leather	81, 87
Gloves, mechanic's	80, 81
Gloves, nitrile	80, 82, 83, 85, 86
Gloves, PU/PVC	82, 84, 85
Gloves, cold workers	80, 82
Gloves, welding	87
Goggles	16, 18, 28
Gumboots	75
H	
Hats	9, 10
Hand cleaners	108
Hand sanitisers	104
Harness accessories	94
Harnesses	91, 92, 94, 96, 97
HAZCHEM signage	128
Headlamps	120
Headwear, soft	9, 10
Headwear, sun protect	
Helmets, bushfire	8
Hard hats, decals	10
Hard hats	6, 7, 8
Hoist & tripod system	
Hoods	64, 65
Hydration, backpacks	107
Hydration, drinks	106, 107
Insect repellent	109
Insoles	70, 72
J	
Jackets	44, 48, 50-52
Jackets, waterproof/r	esistant 48-53, 56
Jackets, HI VIS	48-53, 56
Jeans	42
Jumpers	46, 53
K	
Karabiners	93
Kerb ramps	116
Knee pads	65
Knives, safety	88

PRODUCT INDEX

L	
Ladders	136, 137
Lanyards	93, 95-98, 100
Lead stands	129
Lifelines	93, 95
L	
Lifting & rigging	100
Lighting & torches	120
Lights, safety cap	120
Lights, traffic	115, 118, 119
Line marking	138
Lockout tagout	134, 135
Logo hard hats	6, 7
Lumberjack cap/visor/m	uff 8
М	
Matting	139
Megaphones	140
Mirrors	121
0	
Overalls	43, 56
Overalls, chemical	60, 61, 62
Overalls, disposable	60, 61, 62
P	
Painter's workwear	46
Pedestrian management	114, 117, 118
Personal lights	120
Pesticide + herbicide sto	rage 126
Pipe markers	128
Pole straps	92, 94, 97
Printers, label	135
Puncture resistant gloves	s 79
R	
Rainwear	50
Ratchet tie downs	100
Rehydration drinks	106, 107
Rescue products, height	91, 93, 95, 96
Respirators, airline	36, 37

Respirators, disposable	28, 29, 60
Respirators, escape	37
Respirators, full face	30, 31, 33
Respirators, half mask	30, 31, 32
Respirators, PAPR 34,	35, 36, 37
Respirators, SCBA	37
Respiratory, airline filters	37
Respiratory, airline hose	37
Rigging blocks/hoists	100
Road traffic signage	114, 115
S	
Sanitary	110
Sharps containers	103
Shirts, workwear 40, 41, 44	-47, 56, 57
Shirts, polo	46, 54
Shoe/boot covers, disposable	60,61
Shorts, workwear	43 - 47
Shower stations	132, 133
Signage 112-115	5, 128, 131
Sleeves, cut resistant	66
Sleeves, disposable	61, 62
Slings	100
Snake bite, first aid kit	103
Snake bite gaiters	65
Socks	76
Spectacle, accessories	18
Spectacle, cleaning	18
Spectacles, safety	12-15, 18
Speed humps	116
Spill bunds	124
Spill control	122-125
Spill kits	122, 123
Steps	140
Storage box - documents	125, 128
Storage cans	125
Sunscreens	109
Swing signs	114

т

<u>T</u>	
Tapes, barricade	118
Tapes, floor	138
Tapes & labelling - hard hats	<u> </u>
Tapes, vehicle	119
Tether bars	97
Tool tethering	98, 99, 100
Torches	120
Traffic cones	115
Traffic cone bar	115
Traffic cone lights	115
Traffic control/signage	114, 115
Traffic lights	118, 119
Traffic wands	118
Tripods & winches	93, 95, 96
Trousers, workwear 42, 4	4-46, 56, 57
V	
Vehicle lights	119
Vehicle tapes	119
Vehicle warning triangles	119
Vehicle whip aerials	119
Vests, HI VIS	58
Visors	6, 7, 17
Visors - arc flash	57
Visor holder	6, 7
W	
Washroom hand cleaners	108
Welding/heat apparel	64, 65
Welding hoods	64, 65
Welding screens	64
Wet weather clothing	48-52, 56
Wheel stops	116
Wipes, cleaning	110
Wipes, PPE	18
Women's workwear	47
Workwear	40-47
Workwear, flame resistant	56, 57



THE SAFETYQUIP RISK INDEX

SafetyQuip has created a risk index for nationally ranged products. These products have been classified with a letter and a number as per the table below. The risk index code and commentary for these products will be highlighted on each invoice.

RISK	USE RISK	SOURCE AVAILABLE INFORMATION	CONSIDERATION OF ALL APPLICATION FACTS NECESSARY	WARNING NOTES MAY APPLY	SEEK ADVICE FOR TOTAL PROTECTION	DO NOT USE WITHOUT TRAINING & KNOWLEDGE
E	MINIMAL	1	1	2	2	3
D	POSSIBLE	1	1	2	3	4
С	MODERATE	1	2	3	4	4
В	HIGH	2	3	4	4	5
А	VERY HIGH	3	4	4	5	5

RISK MANAGEMENT

Control of risk is central to working safely with hazardous substances and workplace applications.

The steps in a risk assessment system are:

- 1. Identify the hazard.
- 2. Analyse how and why the hazard could occur.
- 3. Analyse the consequence of the hazard.
- 4. Consider the likelihood of the hazard and estimate the risk.
- 5. Judge risk acceptability using a matrix or tie line system to calculate a risk score.
- 6. Decide upon and select risk controls.
- 7. Monitor the risk controls put in place.





DISCLAIMER: The information detailed above is not provided as a solution to the control of workplace hazards. It is an outline and has not been prepared as any statement of law nor is it intended to replace or substitute for professional and/or legal advice which is strongly recommended.



CORPORATE CITIZENSHIP

Support for the Community



SafetyQuip has been a proud supporter of the Australian Men's Shed Association (AMSA) since 2011 when \$5000 was donated to AMSA for the development of an operations manual for local Men's Sheds. In the same year SafetyQuip also supported AMSA by serving as a sponsor and trade exhibitor at the 4th National Men's Shed Conference in Brisbane.

Men's Sheds are community-based, non-profit, non-commercial organizations that are accessible to all men and whose primary activity is the provision of a safe and friendly environment where men are able to work on meaningful projects at their own pace in their own time in the company of other men. A major objective is to advance the well-being and health of their male members.

The AMSA through the Men's Shed movement continues to develop initiatives and programs that address men's health and wellbeing from the perspective that many Aussie men are not very good at looking after themselves physically or emotionally.

To help to address this situation the Australian Men's Shed Association has put together a men friendly health screening and information project called "Spanner in the Works?". The program has the following main aims:

- · Provide some basic health screening and advice to men, utilising the staff resources of the local health service within the "men friendly" environment of the Men's Shed
- Referral on of men to health professionals (as appropriate)
- · Provide "men friendly" health information and health awareness through the "Spanner in the Works?" booklet
- · Have local men and shedders engage with their local health service providers
- Have local men (non 'shedders') engage with their local Men's Shed
- Have local health service providers and local Men's Shed engage with each other

In recognising the potential of the "Spanner in the Works" program to have a real impact on men's health issues, SafetyQuip provided a \$10,000 sponsorship to assist in promoting the program to all

Men's Sheds throughout Australia. Ask for a copy of the pocket guide or visit the AMSA website www. mensshed.org

SafetyQuip is honoured to support the vital community work undertaken by the Australian Men's Shed Association.

'Spanner in the Works?' pocket guide >



Are You Man Enough?

doesn't Breast cancer strike only women. Cancer Australia estimates that in 2019, 19,000+ women and 164 men will be diagnosed, and that the disease will claim the lives of 3,000+ women and 32 men.



Bisley and SafetyQuip are taking a stand in the fight against breast cancer.

Bisley has created a special 'Real Men Wear Pink' range of workwear and will donate \$3 from the sale of each promotional garment with the aim of raising \$2million research dollars focusing on breast cancer prevention. SafetyQuip is proud to be a part of this effort by offering the following 'Real Men Wear Pink' range in our catalogue. Both mens and ladies styles are available.

*Garments come complete with Bisley NBCF embroidery on sleeve Description **Product Code** Page WBS6896TP Mens Taped Two-Tone Shirt* 40 WBS6696TP Mens Taped Two-Tone Shirt* 40 WBSL6896TP 47 Ladies Taped Two-Tone Shirt*

To find out more about how you can be a part of this life-saving effort in the fight against breast cancer, visit nbcf.org.au/ real-men-wear-pink.

Care for the Environment

The paper used in printing this catalogue originates from legal and sustainable sources certified under the Programme for the Endorsement of Forest Certification (PEFC).



PEFC Certified This product is from sustainably managed forest and controlled sources. Recognised in Australia through the Australian Forestry Standard.

www.pefc.org.au

DISCLAIMER: Whilst every care and attention to detail has been taken in the presentation of products in this catalogue, SafetyQuip Australia Pty Ltd accepts no responsibility for manufacturers changes and/or amendments to product specifications displayed in the catalogue and reserves the right to supply these changed products as necessary. Not all products displayed herein are stock items and may be subject to order.

COPYRIGHT © SAFETYQUIP AUSTRALIA PTY LTD 2020. SafetyQuip Australia retains copyright in this catalogue. No part of this catalogue may be reproduced by any process, electronic or otherwise without the specific written authority of SafetyQuip Australia Pty Ltd.





The Store That Comes To You



Proudly Australian Owned & Operated

Connect with SafetyQuip on your favourite social channel:



company/safetyquip-australia-p-l



SafetyQuip

f

@SafetyQuipAustralia

FOR PRODUCT AND SERVICE ENQUIRIES...

NEW SOUTH WALES

NSW North East 2/81 Barnes Street TAMWORTH NSW 2340 Ph: 02 6762 1333 tamworth@safetyquip.com.au

Hunter Valley 1/43 Elwell Close BERESFIELD NSW 2322 Ph: 02 4966 1102 hunter@safetyquip.com.au

Central Coast 3/305 Manns Road WEST GOSFORD NSW 2250 Ph: 02 4322 4179 central.coast@safetyquip.com.au

VICTORIA

Melbourne East 417 Dorset Road BAYSWATER VIC 3153 Ph: 03 8740 1234 bayswater@safetyquip.com.au

Melbourne North 1/108 Bell Street PRESTON VIC 3072 Ph: 03 9484 2299 preston@safetyquip.com.au

QUEENSLAND

Brisbane North 1/420 Newman Road GEEBUNG QLD 4034 Ph: 07 3216 5844 brisbane.north@safetyquip.com.au

Brisbane West 2/56 Boundary Road ROCKLEA QLD 4106 Ph: 07 3274 1200 brisbane.west@safetyquip.com.au

Sunshine Coast 615 Old Maroochydore Road KUNDA PARK QLD 4556 Ph: 07 5450 1424 sunshine.coast@safetyquip.com.au

WESTERN AUSTRALIA

Perth North 1/39 Erindale Road BALCATTA WA 6021 Ph: 08 9446 1532 perth.north@safetyquip.com.au

SOUTH AUSTRALIA

Adelaide 100-102 Cavan Road DRY CREEK SA 5094 Ph: 08 8349 6988 adelaide.north@safetyquip.com.au





www.safetyquip.com.au