



SAFETY FOOTWEAR

APPLICATION

AS/NZS 2210.1:2010 recommends that safety footwear should be worn to reduce foot injuries caused by contact with moving or falling objects, sharp materials that may penetrate through the sole or uppers, friction, contact with chemicals, heat, molten metals, slipping and electrical hazards.

RISK ASSESSMENT

A risk assessment identifying all possible foot hazards is essential before implementing a footwear protection programme. It is important to note that safety footwear can only provide a limited degree of protection against hazards in the workplace.



FOOTWEAR SELECTION ELEMENTS

| SOLE | |
|-----------------------|--|
| Rubber | Heat resistant to 300°C |
| TPU | Heat resistant to 130°C - 140°C |
| PU | Heat resistant to 130°C - 140°C |
| PVC | Waterproof, oil/fat/acid resistant |
| TOE CAPS | |
| Steel | 200 Joules/1500 Newtons |
| Composite | 200 Joules/1500 Newtons |
| ELECTRICAL RESISTANCE | |
| Anti-static | Allows static electricity to earth |
| Conductive | Allows mains & static electricity to earth |
| Insulating | Protects against high voltage |
| OTHER | |
| Metatarsal Guard | Protects the metatarsal bones of the foot |
| Steel Midsole | Penetration resistant layer imbedded into the sole |

Typical hazards may include:

- Slipping due to surface type & condition and wet or dry state (including type of liquid)
- Dropped or falling objects causing crushing or cutting injuries
- Moving plant and equipment causing crushing injuries
- Sharp objects with the potential to puncture or penetrate
- Exposure to extremes of temperature including welding and hot metal operations
- Chemical spills and other hazardous or toxic substances
- Unsafe electrical equipment
- Static electricity discharge can cause harm to workers and equipment
- Uneven terrain
- High levels of physical activity and duration of shifts causing foot soreness/discomfort

SAFETY TIPS

- Correct fitting is essential to comfort and good foot health.
- If orthotics, arch supports and other inserts are necessary ensure fitting considers these requirements.
- Fitting is best conducted whilst standing and later in the day to allow for working conditions.
- Keep footwear clean and well maintained to ensure effectiveness.
- Good quality socks assist with comfort and overall foot hygiene if replaced daily.

All workers should be trained in the correct use and maintenance of personal protective equipment.

USEFUL REFERENCES

AS/NZS 2210.1:2010 Safety, protective and occupational footwear - Guide to selection, care and use.

| | |
|-------------------------------|-----------|
| LEATHER FOOTWEAR | 68 |
| PVC FOOTWEAR | 75 |
| ACCESSORIES | 76 |



by Honeywell

AT's 55 Series

- Water resistant leather
- TECTuff® toe bumper
- NATUREform® wide profile steel toe cap
- Dual density PU/Rubber sole, anti-static, heat resistant to 300° C
- Shock absorbing polyurethane midsole
- NANOLite® footbed helps reduce fatigue
- COOLstep® lining to absorb moisture and odour for optimum freshness and hygiene
- Aramid thread on critical wear seams



FO55322

FO55332Z



FO55320

FO55345Z



FO55332



FO55330Z



FO55345



FO55336

| CODE | STYLE | COLOUR | SIZES |
|----------|------------------------------------|--------|--------------|
| FO55322 | Elastic Sided Boot | Wheat | 4-14, 6½-12½ |
| FO55320 | Elastic Sided Boot | Black | 4-14, 6½-12½ |
| FO55332 | Lace-up Boot 150mm | Wheat | 4-14, 6½-12½ |
| FO55332Z | Lace-up/Zip Sided Boot 150mm | Wheat | 4-14, 6½-12½ |
| FO55336 | Lace-up Boot, Metatarsal 150mm | Wheat | 4-14, 6½-12½ |
| FO55330Z | Lace-up/Zip Sided Hiker Boot 130mm | Wheat | 4-14, 6½-12½ |
| FO55350Z | Lace-up/Zip Sided Hiker Boot 130mm | Stone | 4-14, 6½-12½ |
| FO55345 | Lace-up Boot 150mm | Black | 4-14, 6½-12½ |
| FO55345Z | Lace-up/Zip Sided Boot 150mm | Black | 4-14, 6½-12½ |
| FO55346 | Lace-up Boot, Metatarsal 150mm | Black | 4-14, 6½-12½ |
| FO55380 | High Leg Lace-up/Zip Sided Boot | Black | 4-14, 6½-12½ |
| FO55385 | High Leg Lace-up/Zip Sided Boot | Wheat | 4-14, 6½-12½ |



FO55346



FO55385



by Honeywell



AT's 45 Series

- Water resistant leather
- NATUREform® wide profile high impact non-metallic composite toe cap
- Dual density PU/TPU sole, heat resistant to 130° C
- Shock absorbing polyurethane midsole
- Fully lined with padded comfort collar and tongue (lace up styles)



FO45627



FO45632Z

FO45632



FO45650Z

| CODE | STYLE | COLOUR | SIZES |
|----------|--------------------------------------|--------|--------------|
| FO45632 | Lace-up Mid Cut Boot 150mm | Wheat | 5-14, 6½-10½ |
| FO45627 | Elastic Sided Boot | Brown | 5-14, 6½-10½ |
| FO45632Z | Lace-up/Zip Sided Mid Cut Boot 150mm | Wheat | 5-14, 6½-10½ |
| FO45630Z | Lace-up/Zip Sided Hiker Boot 130mm | Wheat | 5-14, 6½-10½ |
| FO45640Z | Lace-up/Zip Sided Hiker Boot 130mm | Black | 5-14, 6½-10½ |
| FO45650Z | Lace-up/Zip Sided Hiker Boot 130mm | Stone | 5-14, 6½-10½ |
| FO45645 | Lace-up Mid Cut Boot 150mm | Black | 5-14, 6½-10½ |
| FO45645Z | Lace-up/Zip Sided Mid Cut Boot 150mm | Black | 5-14, 6½-10½ |



FO45645



FO45645Z

OLIVER safety footwear conforms to AS/NZS 2210.3:2019



34 Series Dual Density Footwear

- Griphane® dual density polyurethane sole
- Slip resistant and heat resistant to 130 °C
- Water resistant leather uppers
- AEGIS Microbe Shield® comfort footbed
- COMFORTcushion® Impact Absorption System with PORON
- NATUREform® safety steel toe cap



FO34662



FO34610



FO34615



FO34692



FO34624



FO34620



FO34632



FO34623



FO34652



FO34660



FO34626

| CODE | STYLE | COLOUR | SIZES |
|---------|-----------------------------|--------|--------------|
| FO34626 | Elastic Sided Leather Boot | Claret | 4-13, 6½-10½ |
| FO34610 | Elastic Sided Leather Shoe | Black | 4-13, 6½-10½ |
| FO34615 | Slip-on Nubuck Leather Shoe | Wheat | 4-13, 6½-10½ |
| FO34620 | Elastic Sided Leather Boot | Black | 4-13, 6½-10½ |
| FO34623 | Suede Lace-up Ankle Jogger | Black | 4-13, 6½-10½ |
| FO34624 | Elastic Sided Suede Boot | Beige | 4-13, 6½-10½ |

| CODE | STYLE | COLOUR | SIZES |
|---------|------------------------------|--------|--------------|
| FO34632 | Lace-up Nubuck Leather Boot | Wheat | 4-13, 6½-10½ |
| FO34652 | Lace-up Derby Leather Shoe | Black | 4-13, 6½-10½ |
| FO34660 | Lace-up/Zip Sided Ankle Boot | Black | 4-13, 6½-10½ |
| FO34662 | Lace-up/Zip Sided Ankle Boot | Wheat | 4-13, 6½-10½ |
| FO34692 | Pull-on Rigger Boot | Brown | 4-13, 6½-10½ |



ST40 Series Composite Toecap Footwear

- Lightweight design with flexible textile uppers
- NATUREform® composite safety toe cap
- Fully non-metallic and airport friendly
- Breathable and anti-bacterial shock absorbing footbed
- Flexible EVA midsole
- HRO heat resistant rubber outsole. which resists 300 °C for up to one minute
- Q-Flex® non metallic penetration protection insole
- Electrostatic discharge (ESD) protection
- Superior slip resistant sole, resistant to mineral and organic oils and acids



FO40810



FO40820



FO40800

| CODE | STYLE | COLOUR | SIZES |
|---------|----------------------------|--------|--------------|
| FO40800 | Flyknit Sports Safety Shoe | Grey | 5-14, 6½-10½ |
| FO40810 | Safety Jogger | Grey | 5-14, 6½-10½ |
| FO40820 | Safety Ankle Jogger | Grey | 5-14, 6½-10½ |

OLIVER safety footwear conforms to AS/NZS 2210.3:2019



by Honeywell

49 Series Women's Dual Density Footwear

- Specifically designed last to support the shape of a female foot
- Dual density PU/Rubber sole with lightweight shock absorbing PU midsole
- Water resistant leather upper
- Oliver SOFTstride® insole support
- Anti-static sole - heat resistant outsole to 300°C
- NATUREform® wide profile steel safety toe cap
- Oliver COOLstep® lining to absorb moisture and odour
- COMFORTcushion® Impact Absorption System with PORON®

| CODE | STYLE | COLOUR | SIZES |
|----------|--------------------------------|--------|-------|
| FO49432Z | Lace-up/Zip Sided Boot | Wheat | 35-43 |
| FO49445Z | Lace-up/Zip Sided Boot | Black | 35-43 |
| FO49450Z | Lace-up/Zip Sided Low Cut Boot | Stone | 35-43 |
| FO49430 | Slip-on Shoe | Black | 35-42 |



FO49445Z

FO49432Z

FO49450Z



FO49430



by Honeywell

38 Series Footwear

- Lightweight dual density polyurethane sole
- Premium soft touch waterproof leather
- COMFORTcushion® Impact Absorption System with PORON®
- NATUREform® wide profile steel toe cap
- Footbed infused with ecofriendly Odorban™
- Oliver SOFTstride® insole support
- Excellent slip resistant sole rated SRC
- Anti-static sole
- Heat resistant outsole to 130°C



FO38275



FO38250



FO38265

| CODE | STYLE | COLOUR | SIZES |
|---------|-------------------------|--------|--------------|
| FO38275 | Executive Shoe | Black | 6-13, 6½-10½ |
| FO38250 | Executive Pull-on Boot | Black | 6-13, 6½-10½ |
| FO38265 | Executive Zip Side Boot | Black | 6-13, 6½-10½ |



by Honeywell

AT65 Series Mining & Caustic Resistant Footwear

Waterproof Mining Boot

- 100% waterproof premium full grain leather
- New Y-Guard TPU ankle protectors provides impact resistance
- Flush, integrated zip contours to the boot
- Heavy duty Aramid stitching on critical wear seams
- Internal PORON® 2 XRD metatarsal guard
- Q-flex® non metallic penetration protection insole
- Reflective panel above the heel



FO65791

Waterproof Rigger's Boot

- 100% waterproof premium full grain leather
- Heavy duty, durable coated leather
- Internal PORON® XRD metatarsal guard
- Q-flex® non metallic penetration protection insole
- Pull on loops for easy donning



FO65493

Waterproof Boot

- 100% waterproof CORDURA® and full grain leather
- High abrasion and chemical resistance
- Q-flex® non metallic penetration protection insole
- Free running, quick-adjust lacing system
- Lace-up only or Lace-up/Zip Sided



FO65490Z



by Honeywell

INSOL-N Nanolite Footbed

- PORON heel and ball of foot inserts for exceptional comfort
- Shaped PU footbed
- Removeable & washable
- Resistant to odours
- Massages your feet as you walk



| CODE | DESCRIPTION | SIZES |
|--------|--------------------------|-------|
| FGX600 | INSOL-N Nanolite Footbed | 4-14 |

OLIVER safety footwear conforms to AS/NZS 2210.3:2019

| CODE | STYLE | COLOUR | SIZES |
|----------|--------------------------------|--------|---------------|
| FO65791 | 350mm Laced In Zip Mining Boot | Black | 4-16, 6½-12 ½ |
| FO65493 | 240mm Pull-on Riggers Boot | Brown | 4-16, 6½-12 ½ |
| FO65490 | 150mm Lace-up Boot | Brown | 4-16, 6½-12 ½ |
| FO65490Z | 150mm Lace-up/Zip Sided Boot | Brown | 4-16, 6½-12 ½ |



ZipSider Safety Boots

- Slip, oil & fat resistant TPU/PU ToughSider sole
- OrthoTec PU footbed with anatomical arch support
- YKK zipper with ZipGuard
- AirZone Comfort System
- Padded tongue and collar
- Coats NylBond stitching
- Temperature regulating lining
- Certified to Type 1 AS/NZS 2210.3: 2019 Class 1 - 200J steel toe cap
- Rubber/PU sole (where indicated)
 - Heat, oil & acid resistant Vibram XS Work outsole
 - SRC slip resistance
 - Silicone AbrasionGuard
 - Dri-Freeze® lining that dissipates heat
- Moulded PU scuff cap for longevity (where indicated)



FV261020



FV261050



FV261060

AUSSIE BORN & BRED



FV251020



FV251050



FV451050



FV461020



FV461050



FV461060

| CODE | STYLE | SOLE | COL. | SIZES |
|----------|--|-----------|-------|--------------|
| FV251020 | Lace-up/ZipSider High Leg Boot | TPU/PU | Black | 5-14, 6½-10½ |
| FV251050 | Lace-up/ZipSider High Leg Boot | TPU/PU | Wheat | 3-14, 6½-10½ |
| FV261020 | Lace-up/ZipSider Ankle Boot | TPU/PU | Black | 3-14, 6½-10½ |
| FV261050 | Lace-up/ZipSider Ankle Boot | TPU/PU | Wheat | 3-14, 6½-10½ |
| FV261060 | Lace-up/ZipSider Ankle Boot | TPU/PU | Stone | 3-14, 6½-10½ |
| FV451050 | ZipSider High Leg Lace-up Scuff Cap Boot | TPU/PU | Wheat | 5-14, 6½-10½ |
| FV461020 | ZipSider Lace-up Scuff Cap Boot | TPU/PU | Black | 5-14, 6½-10½ |
| FV461050 | ZipSider Lace-up Scuff Cap Boot | TPU/PU | Wheat | 5-14, 6½-10½ |
| FV461060 | ZipSider Lace-up Scuff Cap Boot | TPU/PU | Stone | 5-14, 6½-10½ |
| FV561020 | High Ankle ZipSider Scuff Cap Boot | Rubber/PU | Black | 5-13, 6½-10½ |
| FV561050 | High Ankle ZipSider Scuff Cap Boot | Rubber/PU | Wheat | 5-13, 6½-10½ |



FV561020



FV561050



Safety Shoes

- Slip, oil & fat resistant TPU/PU ToughSider sole
- AirZone Comfort System
- Padded tongue and collar
- Coats NylBond stitching
- OrthoTec PU footbed with anatomical arch support
- Temperature regulating lining
- Certified to Type 1 AS/NZS 2210.3:2019 Class 1 - 200J steel toe cap



FV390080



FV315085



FV210025



FV315060

| CODE | STYLE | SOLE | COLOUR | SIZES |
|----------|--------------|--------|--------|--------------|
| FV210025 | Lace-up Shoe | TPU/PU | Black | 3-14, 6½-10½ |
| FV315085 | Slip-on Shoe | TPU/PU | Black | 3-13, 6½-10½ |

| CODE | STYLE | SOLE | COLOUR | SIZES |
|----------|--------------------|--------|--------|--------------|
| FV315060 | Slip-on Shoe | TPU/PU | Stone | 3-13, 6½-10½ |
| FV390080 | Lace-up Hiker Shoe | TPU/PU | Black | 3-13, 6½-10½ |

MONGREL safety footwear conforms to AS/NZS 2210.3:2019 Class 1



Elastic Sided Safety Boots

- Premium leather
- Slip, oil & fat resistant TPU/PU ToughSider sole
- OrthoTec PU footbed
- AirZone Comfort System®
- Coats NylBond stitching
- Certified to Type 1 AS/NZS 2210.3:2019 Class 1 - 200J steel toe cap



AUSSIE BORN & BRED

| CODE | STYLE | SOLE | COLOUR | SIZES |
|----------|--------------------|--------|--------|--------------|
| FV240020 | Elastic Sided Boot | TPU/PU | Black | 5-14, 6½-10½ |
| FV240030 | Elastic Sided Boot | TPU/PU | Claret | 3-14, 6½-10½ |
| FV240040 | Elastic Sided Boot | TPU/PU | Wheat | 5-14, 6½-10½ |
| FV240060 | Elastic Sided Boot | TPU/PU | Stone | 5-14, 6½-10½ |

| CODE | STYLE | SOLE | COLOUR | SIZES |
|----------|------------------------------|-----------|--------|--------------|
| FV240090 | Oil Kip Elastic Sided Boot | TPU/PU | Tan | 5-14, 6½-10½ |
| FV440050 | Elastic Sided Scuff Cap Boot | TPU/PU | Wheat | 5-14, 6½-10½ |
| FV545030 | Elastic Sided Scuff Cap Boot | Rubber/PU | Claret | 5-13, 6½-10½ |



Lace-Up Safety Boots

- Slip, oil & fat resistant TPU/PU ToughSider sole
- OrthoTec PU footbed
- AirZone Comfort System
- Temperature regulated lining
- Padded tongue and collar
- Coats NylBond stitching
- Certified to Type 1 AS/NZS 2210.3:2019 Class 1 - 200J steel toe cap



AUSSIE BORN & BRED

| CODE | STYLE | SOLE | COLOUR | SIZES |
|----------|--------------------|--------|--------|--------------|
| FV260020 | Ankle Lace-up Boot | TPU/PU | Black | 3-14, 6½-10½ |
| FV260030 | Ankle Lace-up Boot | TPU/PU | Claret | 5-14, 6½-10½ |

| CODE | STYLE | SOLE | COLOUR | SIZES |
|----------|--------------------|--------|--------|--------------|
| FV260050 | Ankle Lace-up Boot | TPU/PU | Wheat | 3-14, 6½-10½ |



OrthoTec PU Footbed

- Anti-bacterial polyurethane cushion footbed
- Provides arch support and shock absorption
- Incorporates AirZone comfort system



| CODE | SIZES | UOM |
|--------|--|------|
| FGX500 | 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13-14 | Pair |



Replacement Laces

- Cotton laces to suit Mongrel footwear



| CODE | LENGTH | COLOURS | UOM |
|---------|--------|---------------|------|
| FGLV120 | 120cm | Wheat, Black, | Pair |
| FGLV140 | 140cm | Stone | Pair |
| FGLV150 | 150cm | Wheat, Stone | Pair |



Suede & Nubuck Protector

- Highly effective water and oil repellent
- Promotes longer life for footwear



| CODE | DESCRIPTION | UOM |
|-------|-----------------------------|-----|
| FG200 | 200ml Atomiser Spray Bottle | Ea |



RotoFlex Safety Range

- SoftCell Overarching Comfort System
- Anti-bacterial, washable and breathable AirCell cushioning footbed
- Broad fitting steel toe caps



| CODE | STYLE | COLOUR | SIZES |
|---------|-----------------------------------|--------|--------------|
| FBL9090 | Penetration Resistant Safety Boot | Wheat | 5-14, 7½-11½ |
| FBL9020 | BOA® Fit System Safety Boot | Wheat | 5-14, 7½-11½ |
| FBL8071 | Anti-Static Zip Sided Boot | Black | 3-14, 7½-11½ |



Xfoot Rubber Safety Range

- Water resistant leathers
- Moulded TPU bump cap
- Dual density PU/Rubber sole - excellent slip resistance, heat resistant to 300°C
- Broad fit steel toe cap
- PU footbed - breathable and anti-bacterial



| CODE | STYLE | COLOUR | SIZES |
|---------|------------------------|--------|--------------|
| FBL9060 | Nubuck Zip Sided Boot | Wheat | 5-16, 7½-11½ |
| FBL9061 | Nubuck Zip Sided Boot | Black | 5-16, 7½-11½ |
| FBL9063 | Nubuck Zip Sided Boot | Stone | 5-16, 7½-11½ |
| FBL9960 | Women's Zip Sided Boot | Wheat | 5-12, 6½-10½ |
| FBL9961 | Women's Zip Sided Boot | Black | 5-12, 6½-10½ |
| FBL9001 | Elastic Sided Boot | Black | 4-15, 7½-11½ |



TPU Safety Range

- Dual density TPU sole for durability and comfort, heat resistant to 140°C
- Broad fit steel toe cap
- XRD® Extreme Impact Protection
- Breathable and anti-bacterial PU footbed



| CODE | STYLE | COLOUR | SIZES |
|---------|---|--------------|--------------|
| FBL8553 | Nubuck 135mm Zip Sided Composite Toe Boot | Stone | 4-14, 7½-10½ |
| FBL8550 | Nubuck 135mm Zip Sided Composite Toe Boot | Wheat | 4-14, 7½-10½ |
| FBL8863 | Women's Zip Sided Composite Toe Boot | Stone | 5-12, 6½-10½ |
| FBL172 | Elastic Sided Boot | Brown | 3-14, 6½-10½ |
| FBL8002 | Elastic Sided Boot | Rustic Brown | 4-14, 7½-11½ |
| FBL8066 | Leather Zip Sided Boot | Saddle | 5-14, 7½-11½ |



Active Range

- Breathable upper material
- Airport friendly composite toe cap
- Durable rubber outsole with increased grip, heat resistant to 140°C
- Lightweight Comfort-XRD® Technology



| CODE | STYLE | COL. | SIZES |
|--------|-----------------------------------|-------|-------------|
| FBL796 | Microfiber Zip Sided Safety Hiker | Wheat | 5 - 13 |
| FBL797 | Microfiber Zip Sided Safety Hiker | Black | 5 - 13 |
| FBL795 | Lace-up Uniform Safety Jogger | Black | 5 - 13 |
| FBL793 | Lace-up Safety Jogger | Bl/Wh | 5 - 13 |
| FBL883 | Women's Anti-static Safety Jogger | Black | 5-11, 6½-9½ |
| FBL886 | Slip-on Safety Shoe | Black | 5-11, 6½-9½ |
| FBL887 | Women's Leather Safety Hiker | Black | 5-11, 6½-9½ |

BLUNDSTONE safety footwear conforms to AS/NZS 2210.3:2019



BATA INDUSTRIALS

Avenger - The Super Boot Range

- High quality leather uppers
- 200 joule carbon fibre toe cap
- Scuff cap
- Padded collar and tongue
- D30® impact shock protection
- Armour layer anti-penetration midsole protection
- Slip, fuel & oil resistant
- Rubber outsole - resistant to 300 °C
- ASTM F2413-18 Electrical Hazard Protection
- 3M™ Scotchgard™ Protector
- Ortholite® cushioning insole
- Life natural anti-odour lining
- Metal free - airport friendly



FB66641



FB88830



FB66012



FB88011



| CODE | STYLE | COLOUR | SIZES |
|---------|--------------------------------------|------------------|---------------|
| FB66641 | Avenger Zip Side/Lace Up Boot | Black Full Grain | 3-14, 7½ -10½ |
| FB88830 | Avenger Zip Side/Lace Up Boot | Wheat Nubuck | 3-14, 7½ -10½ |
| FB88011 | Ladies Avenger Zip Side/Lace Up Boot | Sand Nubuck | 5-11 |
| FB66012 | Ladies Avenger Zip Side/Lace Up Boot | Black Full Grain | 5-11 |



BATA INDUSTRIALS

Helix Ultra Energy Footwear Range

- High quality leather uppers
- Scuff cap
- BASF Elastopan midsole
- Rubber Michelin sole
- Slip, fuel and oil resistant
- 3M™ Scotchgard™ Protector
- ASTM F2413-18 Electrical Hazard Protection
- Cool comfort lining
- Kevlar® stitching
- Type 1 200 joule steel toe cap (Longreach CT styles have a composite toe cap)



FB88008



FB66010



FB88009



FB66029



FB88015



FB44021

| CODE | STYLE | TOE CAP | COLOUR | SIZES |
|---------|---|-----------|-------------------|---------------|
| FB88008 | Horizon Ultra Leather Zip Side/Lace-up Boot | Steel | Wheat Nubuck | 3-14, 7½ -10½ |
| FB88009 | Longreach SC Ultra Leather Lace-up Boot | Steel | Wheat Nubuck | 3-14, 7½ -10½ |
| FB66010 | Longreach SC Ultra Leather Lace-up Boot | Steel | Black Full Grain | 3-14, 7½ -10½ |
| FB88015 | Longreach CT Ultra Zip Side/Lace-up Boot | Composite | Wheat Nubuck | 3-14, 7½ -10½ |
| FB66029 | Longreach CT Ultra Zip Side/Lace-up Boot | Composite | Black Full Grain | 3-14, 7½ -10½ |
| FB44021 | Trekker Ultra Slip-on Elastic Sided Boot | Steel | Claret Full Grain | 3-14, 7½ -10½ |

BATA INDUSTRIALS safety footwear conforms to AS/NZS 2210.3:2019



BATA INDUSTRIALS

Naturals Collection Footwear

- Cushioned dual density polyurethane outsole (Defender has rubber sole and is Electrical Hazard resistant)
- Type 1, 200 joule steel toe cap
- Fuel, oil and heat resistant to 130°C
- Defined heel strike for ladder use
- Anti-static, slip resistant sole
- Premium styling featuring a wide, stable footbed
- PU cushioned insoles
- Unique Bata Tunnel System® in the heel



FB88841



FB60514



FB80514

NATURALS



FB60510



FB80510



FB80851

| CODE | STYLE | COLOUR | SIZES |
|---------|-----------------------------|---------------|--------------|
| FB88841 | Zippy Zip Side/Lace-up Boot | Wheat Nubuck | 2-13, 6½-10½ |
| FB60514 | Hercules Elastic Sided Boot | Black Rambler | 2-13, 6½-10½ |
| FB80514 | Mercury Elastic Sided Boot | Sand Suede | 3-13, 6½-10½ |

| CODE | STYLE | COLOUR | SIZES |
|---------|--------------------------------|--------------|--------------|
| FB60510 | Saturn Lace-up Boot | Black Smooth | 2-13, 6½-10½ |
| FB80510 | Titan Lace-up Boot | Wheat Nubuck | 3-13, 6½-10½ |
| FB80851 | Defender Zip Side/Lace-Up Boot | Wheat Nubuck | 5-13, 6½-10½ |



BATA INDUSTRIALS

Utility PVC Gumboots

- Fully lined, 400mm knee length boots
- Fuel & oil resistant
- Kick-off lug
- Reinforced at heel, ankle and shin
- AS/NZS 2210.3: 2019 (safety styles)



FBG65190

FBG11090

FBG66380

FBG69092

| CODE | STYLE | COLOUR | SIZES |
|----------|------------------------|------------|-------|
| FBG69092 | Steel Toe/Midsole Boot | Black/Blue | 5-12 |
| FBG66380 | Non Safety Boot | Black | 5-12 |
| FBG11090 | Steel Toe Boot | White | 5-12 |
| FBG65190 | Steel Toe Boot | Black/Red | 5-12 |



BATA INDUSTRIALS

Jobmaster III PVC Gumboots

- 400mm knee length boots
- Reinforced at heel, toe, calf and ankle
- Comfort fabric lining
- Wide comfortable fitting with broad toe design
- Kick-off lug
- AS/NZS 2210.3: 2019 (safety styles)



FBG62290

FBG67280

FBG22292

| CODE | STYLE | COLOUR | SIZES |
|----------|------------------------|-------------|-------|
| FBG22292 | Steel Toe/Midsole Boot | Black/Grey | 4-14 |
| FBG67280 | Non Safety Boot | Black/Green | 4-14 |
| FBG62290 | Steel Toe Boot | Black/Grey | 4-14 |



10 Series PVC Gumboots

- PVC/Nitrile sole
- Nylon lined
- 3 trim heights
- Heavy duty PVC upper
- Reinforced ankle, heel and instep
- Wide profile Type 1 toe cap
- AS/NZS 2210.3:2019



FKG10105

FKG10110

FKG10100

| CODE | STYLE | COLOUR | SIZES |
|----------|------------------------|--------------|-------|
| FKG10100 | Steel Toe Boot | Black/Yellow | 5-12 |
| FKG10110 | Steel Toe Boot | White/Tan | 5-12 |
| FKG10105 | Steel Toe/Midsole Boot | Black/Yellow | 5-12 |



22 Series PVC Gumboot

- Waterproof PVC/nitrile gumboot
- STEELflex® steel midsole penetration protection
- METprotect® metatarsal protection
- Plush NANOLite® footbed, for more room to flex, especially when kneeling
- Kick-off spur
- Two trim heights
- AS/NZS 2210.3:2019



COMFORTcushion Impact Absorption System



NATUREform Type 1 Toe Cap

| CODE | STYLE | COLOUR | SIZES |
|----------|----------------------------------|------------|-------|
| FOG22205 | PVC Gumboot Safety Toe & Midsole | Grey/Black | 5-13 |

B3G BAMBOO 3G
ULTIMATE COMFORT | ULTIMATE ANTI-ODOUR

Bamboo Charcoal Work Socks

- Nano Bamboo Charcoal Technology in sole helps keep feet dry and comfortable
- Ultimate anti-bacterial performance which eliminates foot odour
- Regulates skin temperature keeping your skin cooler in summer and warmer in winter
- Ribbed band on foot for less movement



FGS30

Thick Work Sock

- 4 yarn sock

Work Sock

- Thinner, 3 yarn sock

Trekking Sock



FGS31/2



FGS33

| CODE | DESCRIPTION | COLOURS | SIZES | UOM |
|---------|--|--------------------------|------------------|--------------|
| FGS30 | Bamboo Charcoal Thick Work Sock - 4 Yarn | Various | 4-6, 6-10, 10-14 | Pair |
| FGS31/2 | Bamboo Charcoal Work Sock - 3 Yarn | Navy, Black | 6-10, 10-14 | Pack/2 Pairs |
| FGS33 | Bamboo Charcoal Trekking Sock | Brown, Red, Khaki, Black | 4-6, 6-10, 10-14 | Pair |

bt bamboo textiles

Bamboo Work Socks

- Highly absorbent, wear resistant fabric - 92% bamboo/8% elastane
- Antibacterial properties to reduce foot odour
- Thermo-regulating for hot or cold weather
- Extensive colour palette
- XLong style - perfect for gumboots



FGS08



FGS09



| CODE | DESCRIPTION | COLOURS | SIZES | UOM |
|-------|-------------------------------|--------------------|-------------------|------|
| FGS08 | Bamboo Sock Extra Thick Short | Various | 6 - 10 10 - 14 | Pair |
| FGS09 | Bamboo XL Gumboot Sock | Black, Navy, Khaki | 14 - 18 | Pair |

Joseph Laddy
Horse Care Products

Dubbin Polish

- Traditional non-shine waterproofing compound
- Not recommended for suede or nubuck



| CODE | DESCRIPTION | COLOURS | UOM |
|--------|--------------|----------------------------|-----|
| FG3301 | Dubbin 125gm | Black, Brown, Tan, Neutral | Ea |

waproo

Waterproofer Spray

- Protection for leather, suede and nubuck
- Ozone friendly aerosol



| CODE | DESCRIPTION | UOM |
|---------|--------------------|-----|
| FG43400 | Waterproofer 200gm | Ea |

BADGER

Boot Cleaning Brush

- Excellent for building and construction sites
- Sturdy construction for long life
- UV stabilised bristles
- Can be bolted down



| CODE | DESCRIPTION | UOM |
|----------|----------------------------|-----|
| FGBB4059 | Badger Boot Cleaning Brush | Ea |

ELLIOTTS E

Bowyangs - Bootcovers

- Elastic top to cover top of wearer's boots
- Keeps the dirt out of your boots
- Made of cotton drill
- One size




| CODE | DESCRIPTION | COLOURS | UOM |
|-------|------------------|--------------------|------|
| FG15C | Bootcover Cotton | Navy, Khaki, Green | Pair |

matTEK

Boot Dip Mat

- Raised walls to hold detergent or any liquid for hygienic cleaning
- Hundreds of cleaning bristles encourage boot cleaning whilst trapping dirt
- Yellow edges for high visibility
- Cross grip rear design firmly holds the mat to the floor



| CODE | DESCRIPTION | UOM |
|---------|-----------------------------------|-----|
| YMATBDM | Boot Dip Mat 980mm x 810mm x 47mm | Ea |