



# HAND PROTECTION

## APPLICATION

Many workplace tasks cannot be undertaken safely without some form of hand protection. In general, hand protection must be provided wherever there is residual hand injury risk after other control measures have been put in place.

## RISK ASSESSMENT

The need for hand protection should be assessed by conducting an audit of potential workplace hazards.

To ensure that the most appropriate glove is provided for the tasks and the environmental conditions, it is necessary to:

- identify the hazard(s) and the need for hand protection;
- identify the level of manual dexterity required;
- select suitable material to give the protection required;
- select a suitable style and a good fit;
- determine whether re-useable or disposable gloves are appropriate.

## CHEMICAL RISKS

AS/NZS 2161.10.3:2005 and EN374.1:2016 apply to gloves that protect against chemicals and micro-organisms. The pictograms below signify that gloves so marked indicate:



**X - LOW CHEMICAL**

Level 1 (>10mins)  
performance against  
at least 1 chemical



**XXX**

Level 2 (>30mins)  
performance against  
at least 3 chemicals



**XXXXXX**

Level 2 (>30mins)  
performance against  
at least 6 chemicals

A	METHANOL	J	N-HEPTANE
B	ACETONE	K	SODIUM HYDROXIDE 40%
C	ACETONITRILE	L	SULPHURIC ACID 96%
D	DICHLOROMETHANE	M	NITRIC ACID 65%
E	CARBON DISULPHIDE	N	ACETIC ACID 99%
F	TOLUENE	O	AMMONIA HYDROXIDE 25%
G	DIETHYLAMINE	P	HYDROGEN PEROXIDE 30%
H	TETRAHYDROFURANE	S	HYDROFLUORIC ACID 40%
I	ETHYL ACETATE	T	FORMALDEHYDE 37%

When dealing with glove performance against chemicals it is important to reference supplier glove compatibility charts for suitability and permeation & degradation time frames.

## USEFUL REFERENCES

**AS/NZS 2161.2:2020** Occupational protective gloves General Requirements.

## EN 388



**XXXXXX**

**Impact EN13594:2015:** Pass or Fail  
**Cut ISO13997:** Min A, Max F  
**Puncture:** Min 0, Max 4  
**Tear:** Min 0, Max 4  
**Cut - Coup:** Min 0, Max 5  
**Abrasion:** Min 0, Max 4

## MECHANICAL RISKS

AS/NZS 2161.3/EN388 applies to gloves that protect against physical and mechanical hazards. Glove performance is indicated by the numbers below the pictogram for Abrasion, Cut-Coup, Tear, Puncture, Cut ISO13997 and Impact EN13594:2015.

## SAFETY TIPS

- Correct glove fit is essential to comfort and dexterity.
- Do not use gloves worn by others or where there is any uncertainty about prior chemical exposure.
- Consider the use of barrier creams before and after work - but never as the primary care.
- Cotton liners may assist in reducing moisture where prolonged use occurs.
- Extended cuff length may provide protection to the lower arm.
- Dispose of contaminated gloves appropriately.

*All workers should be trained in the correct use and maintenance of personal protective equipment.*

<b>CUT RESISTANT .....</b>	<b>77</b>
<b>SYNTHETIC/MECHANICS .....</b>	<b>80</b>
<b>RIGGERS/LEATHER .....</b>	<b>81</b>
<b>NITRILE/LATEX DIP .....</b>	<b>82</b>
<b>PU, PVC DIP/INDUSTRIAL .....</b>	<b>84</b>
<b>CHEMICAL, CLEANING .....</b>	<b>85</b>
<b>WELDER'S/COTTON/ELECTRICIAN'S .....</b>	<b>86</b>
<b>DISPOSABLE .....</b>	<b>87</b>
<b>ACCESSORIES .....</b>	<b>88</b>

## Cut Resistant Gloves



TOUCH SCREEN COMPATIBLE

### G-Tek® PolyKor® X7™ Platinum Cut Level F+

- A7 ANSI/ISEA rating 25% higher than the EN388:2016 level F rating
- PolyKor® blended 18 gauge shell with X7™ technology offers very high cut resistance, dexterity and durability
- NeoFoam® coated palm and fingertips offers great abrasion resistance and outstanding wet/dry grip
- Touch screen compatible
- EN388 4X42F

CODE	SIZES	UOM
GCNF16377	7 - 11	Pair


**Arax® Cut Level 5 Protective Sleeves**

- 35cm length
- Protects forearms from cuts and abrasions
- Contact heat resistant to 100 °C
- Form-fitting design, remains comfortable to wear over extended periods
- EN388 4X4XD
- EN407 X1XXXX

CODE	SIZES	UOM
CSLA5SLE35	One size	Pair



### G-Tek® CUT-3YE Cut Level 3

- Lightweight seamless knit HPPE HI VIS yellow liner
- Breathable micro-porous nitrile coating keeps hands cool and dry
- EN388 4342

CODE	SIZES	UOM
GCR3YE	7 - 11	Pair

### G-Tek® CUT-5YE Cut Level 5/C

- HI VIS yellow, soft feel HPPE/glass fibre seamless knit liner
- Breathable micro-porous nitrile coating keeps hands cool and dry
- EN388 4X44C

CODE	SIZES	UOM
GCR5YE	7 - 11	Pair

### G-Tek® 16-333 Cut Level C

- 13 gauge PolyKor® lightweight soft feel seamless shell
- Thicker flexible nitrile micro-surface coated palm and fingertips
- EN388 4X42C

CODE	SIZES	UOM
GCNF16333	7 - 11	Pair

### G-Tek® 16-939 Cut Level C

- Double dipped full nitrile coating with palm micro-surface for improved wet/oily grip
- Touch screen compatible
- 18 gauge seamless liner
- EN388 4X42C

CODE	SIZES	UOM
GCR16939	7 - 11	Pair



### G-Tek® VR-X380 Cut Level C

- 18 gauge ultra-thin liner
- Anti virus/bacterial single layer PU coating
- 360° liquid proof coating provides wet and dry grip
- Touch screen compatible
- EN380 4X32C

CODE	SIZES	UOM
GCPT16VRX380	7 - 11	Pair

### ARAX® Lite - Nitrile Cut Level C

- Lite ARAX® knit liner
- Super thin 18 gauge machine knit
- Black nitrile sand dip
- EN388 4X13C

CODE	SIZES	UOM
GCRAGND	7 - 11	Pair

### ARAX® Gold Cut - Nitrile Cut Level D

- HI VIS nitrile foam coated palm
- Breathable Arax® liner
- Excellent dexterity
- EN388 4X43D

CODE	SIZES	UOM
GCRAFYN	7 - 12	Pair

### ARAX® Wet Grip - Nitrile Cut Level D

- Black nitrile sand palm dip for superior grip in wet/greasy conditions
- Contact heat resistant to 100 °C
- EN388 4X42D

CODE	SIZES	UOM
GCRAND	7 - 11	Pair

## Cut Resistant Gloves



## Honeywell

### SpectraKnight® PU Cut 5

- Superior cut and abrasion resistance
- Enhanced dexterity and durability
- Made from a knit of Spectra polyamide, composite fibre & elastane
- Natural cooling and moisture repelling properties
- Polyurethane palm dip coating
- Ventilated back for breathability
- 13 gauge knit
- EN388 4543



CODE	SIZES	UOM
GCRSPEC5	7 - 11	Pair



Portwest's PLANET gloves are made using recycled plastic bottles, saving 227g of CO<sub>2</sub> per pair of gloves during production.

## PLANET

### AP15 Micro Foam Cut B

- Very low carbon footprint value
- Anti-microbial finish
- Breathable nitrile micro foam coating
- Silicone free
- 18 gauge liner
- Touch screen compatible
- EN388 4X31B



CODE	SIZES	UOM
GCNTAP15	XS - 3XL	Pack/12 Pair

## PLANET

### AP18 Micro Foam Cut C

- Very low carbon footprint value
- Anti-microbial finish
- Breathable nitrile micro foam coating offers ultra high dexterity
- 15 gauge liner
- Touch screen compatible
- EN388 4X42C



CODE	SIZES	UOM
GCNFAP18	XS - 3XL	Pack/12 Pair

## PORTWEST

### A670 PU Cut F

- Smooth PU coating for abrasion resistance
- Reflective label
- Exceptional fit and dexterity
- Reinforced thumb crotch
- Seamless 13 gauge liner
- Touch screen compatible
- EN388 4X43F



CODE	SIZES	UOM
GPCT670	XS - 2XL	Pair

## PORTWEST

### A672 Cut F

- Nitrile foam coating for excellent grip in wet and dry conditions
- Reflective label
- Reinforced thumb crotch
- Seamless 13 gauge liner
- Touch screen compatible
- EN388 4X44F



CODE	SIZES	UOM
GCNFT672	XS - 2XL	Pair

## PORTWEST

### A755 Nitrile Foam Impact Cut F

- Maximum impact protection
- Double dipped nitrile foam coating for durability and excellent grip in both wet and dry conditions
- Wrist strap for a secure fit
- Protection against contact heat up to 100°C
- Touch screen compatible
- EN388 4X42FP, EN 407 X1XXXX



CODE	SIZES	UOM
GCNFI755	XS - 2XL	Pair

## PORTWEST

### A671 Latex Cut F

- Superior strength and comfort
- Crinkle latex grip palm coating for exceptional grip in wet and dry conditions
- Breathable, seamless 13 gauge liner
- Reinforced thumb crotch
- EN388 3X44F



CODE	SIZES	UOM
GCR671	XS - 2XL	Pair

## Synthetic Leather Gloves


**PRO** **PROFIT**  
PRO CHOICE SAFETY GEAR

**PRO**  
PRO CHOICE SAFETY GEAR

## PROFIT™ Mechanics

- Quality synthetic leather fabrics
- Wide range of coatings for improved wear and performance
- Breathability through design and fabric selection
- Abrasion resistant
- Full hand, fingerless, anti-vibration and thermal styles

### ProFit® Riggamate

- Synthetic leather palm
- Reinforced foam padded inner palm
- Neoprene knuckle panel
- Velcro strap

CODE	COLOUR	SIZES	UOM
GLSPFR	Black	S - 2XL	Pair
GLSPFRY	Yellow	S - 2XL	Pair



### ProFit® Deer Hunter

- Premium gold deer grain leather palm
- Nylon, lycra, foam back for comfort & flexibility
- Neoprene knuckle bar protectors
- Elastic cuff with fastener tape
- EN388 3121



### ProFit® PROTec

- Durable synthetic leather palm
- Reinforced foam padded palm
- Neoprene knuckle bar
- Mesh backing for breathability
- Extended neoprene cuff
- EN388 3121



### ProFit® Fingerless (AV)

- Synthetic leather Gecko grip palm
- SBR foam insert for vibration attenuation
- Reinforced foam padded inner palm
- Breathable mesh back
- Padded knuckles
- EN388 3131



### ProFit® PROTec HI VIS

- Durable synthetic leather palm
- Reinforced foam padded palm
- Neoprene knuckle bar
- HI VIS mesh backing for breathability
- Extended neoprene cuff
- EN388 3121



### G-Tek® Forceshield

- TPR impact protection
- Cut Level E
- 18 gauge ultrafine seamless knit liner
- "Wet Grip" nitrile coat
- Touch screen compatible
- EN388 4X42EP
- ANSI/ISEA 138 level 2

**PRO** **PROFIT**  
PRO CHOICE SAFETY GEAR


### ProFit® PROVibe

- Anti-vibration 100% foam padded palm
- Padded knuckle panel
- Easy pull-on tab
- Velcro® strap for snug fit
- HI VIS orange breathable and flexible spandex back of hand & fingers
- EN388 4121

CODE	SIZES	UOM
GAPV	M - 2XL	Pair

**Eureka**  
safety through progress

### Eureka Impact Vibration

- Reduces vibration transmission at medium to high speed rotations above +350Hz (+21,000 R.P.M)
- EN388:2016 Cut Rating C
- Unique Supra Block vibration foam in palm and fingers
- Covered in microfibre with silicon grip on fingers
- EN388 3X31C


**Eureka**  
safety through progress

### Eureka Flexi Vibration

- Reduces vibration transmission for slow to medium rotating tools (50 - 350Hz or 3,000 - 21,000 R.P.M)
- Unique Supra Block Vibration Foam in palm and base of fingers
- Covered in microfibre with silicon grip on fingers
- Removable fingers for increased control
- EN388 2221



CODE	SIZES	UOM
GAVEIMPVIG	XS - 3XL	Pair

CODE	SIZES	UOM
GAVEVIBFLEXI	S - 3XL	Pair

## Synthetic Leather Gloves



### Leather Rigger's Gloves



### General Purpose Leather Gloves



## ELLIOTTS E Mec-Flex Mechanics

### Mec-Flex® Oiler LX

- Full 360° Dynamax Cut level 5 protection on the palm, back of hand and all finger walls
- K-Guard® TPR back of hand exoskeleton
- Soft, durable goat leather on the palm
- Neoprene cuff
- Kevlar® stitched palm
- HI VIS stretch spandex on the back of the hand
- EN388 2542DP

**CODE | SIZES | UOM**

GLS6230 | M - 2XL | Pair



### Mec-Flex® Rigger GT

- Rigger style with goat skin palm
- K-Guard® TPR back of hand exoskeleton
- Rubberised reinforced palm
- Black soft neoprene cuff with TPR pull tab and Velcro® closure
- EN388 3133

**CODE | SIZES | UOM**

GLS6310 | M - 2XL | Pair



### Riggamate® Split Back

- Cow split leather back, premium cow grain leather stitch free palm
- Wing thumb
- Elastic on back of wrist
- EN388 3142

**CODE | SIZES | UOM**

GLC901 | S - XL | Pair



### Riggamate® Natural

- High quality cow grain leather
- Wing thumb design
- Elastic on back of wrist
- EN388 3121

**CODE | SIZES | UOM**

GLC301 | S - 3XL | Pair



### Riggamate® Premium

- Premium beige cow grain leather
- Wing thumb design
- Elastic on back of wrist
- Outstanding durability & comfort
- EN388 3121

**CODE | SIZES | UOM**

GLC201 | S - 2XL | Pair



### Yellow & Grey

- Heavy duty one piece palm
- Yellow safety cuff & knuckle bar
- Cotton back with elastic
- EN388 3124

**CODE | SIZES | UOM**

GLC727 | One Size | Pair



### Grey All Chrome

- 'A' Grade quality heavy duty all chrome cow split leather
- 5cm leather cuff
- EN388 3232

**CODE | SIZES | UOM**

GLC722 | One Size | Pair



### Candy Stripe

- Lightweight cow split leather palm
- Cotton back
- Elastic on back of wrist
- Safety cuff & knuckle bar

**CODE | SIZES | UOM**

GLC747 | One Size | Pair



### Green & Grey

- Heavy duty with safety cuff
- Reinforced palm/thumb/fingers
- Cotton back with knuckle bar
- EN388 3232

**CODE | SIZES | UOM**

GLC714 | One Size | Pair

## General Purpose Nitrile Dipped Gloves



### G-Tek® Superskin

- High abrasion/tear resistance
- Seamless knit 15 gauge polyamide/spandex liner moulds to your individual hand shape, providing an unrestricted "second skin" fit and feel
- Breathable micro-porous nitrile coated palm and fingers
- Anti-microbial infusion with high water vapour transmission keeps hands cool and hygienically dry
- EN388 4132



### G-Tek® Superskin Neo

- High abrasion and tear resistance
- Seamless knit 15 gauge polyamide/spandex liner moulds to your individual hand shape, providing an unrestricted "second skin" fit and feel
- Anti-microbial infusion
- Touch screen compatible
- Breathable micro-porous NeoFoam® coated palm and fingers
- EN388 4121



## Honeywell

### WorkEasy® Polytril Plus

- Sandy nitrile palm dip
- Resists oil/grease
- Seamless nylon knit construction
- Knit wrist
- Black and HI VIS options
- EN388 4121



CODE	COLOUR	SIZES	UOM
GRN2232232	Black	7 - 11	Pair
GRN2232232H	HI VIS	7 - 11	Pair

### Honeywell

### WorkEasy® Grip

- Sandy nitrile full dip
- Oil/grease resistant
- Black nylon seamless knit construction
- EN388 4121



CODE	SIZES	UOM
GRN2232232F	7 - 11	Pair

## ELLIOTTS E

### G-Flex® Nitrile

- Super light-weight nitrile coating
- Seamless 18 gauge black nylon liner
- Palm dip
- Wet/dry grip
- EN388 4141



Certified Product  
Australian Standard

CODE	SIZES	UOM
GRN3000	7 - 11	Pair

## General Purpose Latex Dipped Gloves



### ProSense™ Black Panther®

- Latex dipped palm for extra grip
- Seamless 13 gauge black nylon liner
- Excellent abrasion resistance
- Lightweight and breathable
- EN388 3121

CODE	SIZES	UOM
GRL5000	7 - 11	Pair



## ELLIOTTS E

### G-Flex Red Devil™

- Crinkle latex dip palm for excellent grip on light oil surfaces
- Seamless nylon liner
- Protection from small knicks and cuts
- EN388 2242



Certified Product  
Australian Standard

CODE	SIZES	UOM
GRL3220	8 - 11	Pair



### ProSense™ Latex Foam

- Latex foam coated palm
- HI VIS nylon liner
- Anti-microbial
- Wet/dry grip
- EN388 3131



CODE	SIZES	UOM
GRLFN	7 - 11	Pair



### ProSense™ Diamond Grip

- Crinkle latex dip palm
- Poly/cotton liner
- Open knit back
- EN388 3141



CODE	SIZES	UOM
GRL5485	8 - 11	Pair



### Latex Glass Gripper

- Latex 3/4 dip
- Ripple palm for grip
- Jersey lined for comfort and sweat absorption
- Knit wrist



CODE	SIZES	UOM
GRL5476	One Size	Pair

## General Purpose Synthetic Dipped Gloves



### G-Tek® Superskin HVO

- Moulds to your individual hand shape for unrestricted "second skin" fit and feel
- Breathable micro-porous nitrile coat for exceptional tactile sensitivity and maximum dexterity
- Seamless knit 15 gauge polyamide/spandex liner
- Reflective strip
- Anti-microbial infusion
- Highly abrasion and rear resistant
- EN388 4132



#### CODE

GR34326HVO

#### SIZES

7 - 11

#### UOM

Pair

### G-Tek® Superskin NEO HI VIS

- Moulds to your individual hand shape
- Breathable NeoFoam® coated palm and fingers
- Seamless knit 15 gauge polyamide/spandex liner
- Reflective strip
- Anti-microbial infusion
- EN388 4121



#### CODE

GR34427HVY

#### SIZES

7 - 11

#### UOM

Pair



### G-Tek® VR-X 180 General Purpose

- 18 gauge ultra-thin knit liner
- Strong and durable with ultimate dexterity
- Single layer PU coating
- VRX Technology helps stop the spread of virus and bacteria
- Touch screen compatible
- EN388 3111



#### CODE

GPU33VRX180

#### SIZES

XS - 2XL

#### UOM

Pair



### G-Tek® Wet Work GP

- 18 gauge nylon/spandex seamless knit
- Flat nitrile inner for liquid barrier and nitrile micro-surface outer for wet/dry grip
- Inner sanitised treatment for hygienic re-use
- Touch screen compatible
- EN388 4131



#### CODE

GR34282

#### SIZES

7 - 12

#### UOM

Pair

## PRO

## PROSENSE

### ProSense™ DexiPro™ Wet/Dry

- Nitrile coating for wet/dry grip
- Extra long 20mm cuff
- Lycra infused lint free nylon knit liner
- Anti-static
- EN388 4121



#### CODE

GRNBNNL

#### SIZES

6 - 11

#### UOM

Pair

## PRO

## PROSENSE

### ProSense™ MaxiPro™ Wet/Dry PU Foam

- Nitrile/water based PU foam palm dip
- Seamless 15 gauge, nylon fused lycra shell
- Touch screen compatible
- EN388 4121



#### CODE

GRNNPN

#### SIZES

6 - 11

#### UOM

Pair

## PRO

## PROSENSE

### ProSense™ Lite Grip Nitrile Foam

- Nitrile foam palm dip
- Breathable and lightweight nylon liner
- Ideal for production line and small parts handling
- EN388 4131



#### CODE

GRN5643

#### SIZES

7 - 11

#### UOM

Pair

## PRO

## PROSENSE

### ProSense™ Touch Screen Sand Dip Winter Lined

- Full 360° nitrile dip
- Sandy nitrile dip
- Touch screen compatible
- Warm acrylic liner
- EN388 3121



#### CODE

GRNNSDWL

#### SIZES

7 - 12

#### UOM

Pair



## General PU/PVC Dipped Gloves



### PU/PVC

#### ProSense™ Stinga®

- PVC foam coating provides water repellency, comfort and enhanced gripping power in wet and dry conditions
- Seamless 15 gauge, 100% apparel grade nylon shell
- Water repellent
- Wet/dry grip
- EN388 4131

CODE	SIZES	UOM
GPVNPF	7 - 11	Pair



#### ProSense™ ProLite®

- PU palm dip
- Breathable nylon liner
- Touch screen compatible
- EN388 4141

CODE	SIZES	UOM
GPUUN	7 - 11	Pair



#### ProSense™ ProLite® HI VIS

- HI VIS PU palm dip
- Breathable nylon liner
- Touch screen compatible
- EN388 4131

CODE	SIZES	UOM
GPUPUNY	6 - 11	Pair



#### ProSense™ Stinga Frost

- PVC foam palm dip
- 15 gauge nylon shell
- Fleece lined
- Water repellent
- Wet/dry grip
- EN388 3221

CODE	SIZES	UOM
GPVNPF	7 - 11	Pair

## Industrial PVC Gloves



### Single Dip PVC

- Oil & grease resistant
- Interlock lined



GPV127



GPV126



GPV145

CODE	DESCRIPTION	SIZES	UOM
GPV127	27cm	One Size	Pair
GPV126	27cm Knit Wrist	One Size	Pair
GPV145	45cm	One Size	Pair



### PU Palm Glove

- Breathable 13 gauge seamless liner
- Palm dipped with smooth PU coating
- CE Foodsafe
- Colours available: Blue, Black, Grey, White
- EN388 3131X

CODE	SIZES	UOM
GPUA120	XS - 2XL	Pair



### Honeywell

#### WorkEasy® Lite

- Ultra thin PU palm dip
- Lightweight 18 gauge nylon liner
- Form fitting for tactile sensitivity
- EN388 2121



CODE	SIZES	UOM
GPUWE50	S - XL	Pair

### ELLIOTTS

#### G-Flex® Lite

- Ultra lightweight PU palm coat
- Seamless, lint free nylon liner
- Excellent dexterity, sensitivity & tactility
- EN388 4142



CODE	SIZES	UOM
GPU3100	7 - 11	Pair



### Double Dip PVC

- Sand palm finish
- Oil & grease resistant
- Jersey lined



GPV227



GPV245

CODE	LENGTH	SIZES	UOM
GPV227	27cm	One Size	Pair
GPV245	45cm	One Size	Pair

## Chemical Gloves



## PORTWEST Water Resistant

### Aqua Cut Pro

- Double nitrile coated - prevents grease, oil and water penetration
- Cut Level D
- Sandy finish for grip
- Seamless 13 gauge liner
- EN388 4X44D



#### CODE

GCNFAP50 | S - 2XL

SIZES | UOM

### Liquid Pro

- Double latex coated for maximum liquid protection
- Excellent grip in wet and dry conditions
- 13 gauge liner
- EN388 4131X



#### CODE

GRLAP80 | S - 2XL

SIZES | UOM

### Liquid Pro HR Cut

- Double latex coated - prevents grease, oil and water penetration
- Cut Level D
- Seamless 13 gauge liner
- EN388 3X43D



#### CODE

GCRFAP81 | XS - 2XL

SIZES | UOM



## Neoprene & Nitrile

### Neoprene Chemical

- Heavy duty neoprene
- Resistant to solvents, oils & mild acids
- 33cm length
- Cotton flock lining
- EN388 4110/ EN374-3 ABCIJ



**CODE** | **SIZES** | **UOM**

GRN4000 | L - 2XL | Pair

### Nitrile Chemical

- Premium grade nitrile
- Textured palm
- EN374 AJKLPS or AJKLPT
- EN388 4101



**CODE** | **DESCRIPTION** | **SIZES** | **UOM**

GRN5650 | 33cm Long, 0.38mm Thick, Flock Lined | S - 3XL | Pair

GRN5655 | 45cm Long, 0.55mm Thick, Unlined | M - XL | Pair

**CODE** | **DESCRIPTION** | **SIZES** | **UOM**

## ELLIOTTS E ChemVex® Nitrile

- 3 layers of nitrile protection
- Resistant to chemicals, oil and grease
- T-Touch non-slip palm
- 356mm length
- Excellent flexibility, dexterity and comfort
- EN374-3 AJKL



GRN7010

### ChemVex® 7000

- EN388 4121

### ChemVex® C3 7010

- 18 gauge Cut Level 3 liner
- EN388 4343

**CODE** | **DESCRIPTION** | **SIZES** | **UOM**

GRN7000 | ChemVex 7000 | 7 - 11 | Pair

GRN7010 | ChemVex 7010 Cut 3 | 8 - 11 | Pair



## Cleaning Gloves



## Latex Rubber

### Thrifty Yellows

- Yellow latex rubber
- Non slip embossed palm
- Lightweight, soft and flexible
- Flock lined
- 30cm length - 0.38mm thick
- HACCP certification



**CODE** | **SIZES** | **UOM**

GRL350 | S - XL | Pair

### Tuff Pinks

- Pink latex rubber
- Honeycomb palm grip
- Silver lined - anti-microbial protection to resist bacteria
- Resistant to detergents and diluted chemicals
- 30cm length - 0.50mm thick
- HACCP certification



**CODE** | **SIZES** | **UOM**

GRL330 | 7 - 7½, 8 - 8½, 9 - 9½, 10 - 10½ | Pair

### Process Blues

- Food safe blue latex rubber
- Honeycomb palm grip
- Blue lined - anti-microbial protection to resist bacteria
- Resistant to detergents and diluted chemicals
- 30cm length - 0.45mm thick
- HACCP certification



**CODE** | **SIZES** | **UOM**

GRL300 | 7 - 7½, 8 - 8½, 9 - 9½, 10 - 10 | Pair



## Welder's Gloves

### Pyromate® Blue Heeler® Blue & Gold

- High quality blue cow split leather
- Aramid thread stitched
- Lined and welted
- Reinforced palm and thumb
- 406mm gauntlet
- EN388 4124
- EN407 434134

CODE	SIZES	UOM
GLC60W	One Size	Pair



### Pyromate® Black Jack® Black & Gold

- High quality black cow split leather
- Lined and welted
- 406mm gauntlet
- EN388 4133
- EN407 434134

CODE	SIZES	UOM	CODE	SIZES	UOM
GLC50W	One Size	Pair	GLP13W	L, XL	Pair

### Pyromate® Tigga™

- Durable deerskin leather
- Aramid thread stitched
- 340mm gauntlet
- EN388 2121
- EN407 41224X

CODE	SIZES	UOM
GLC300KB	S - XL	Pair

## ELLIOTTS E




### KEV Blue

- Premium butt leather, lined
- Welted seams
- Aramid stitching
- 406mm gauntlet
- EN407 41324X
- EN388 4244

CODE	SIZES	UOM
GLC300WA	L	Pair

### The Wakatac®

- Red butt leather, lined
- Welted seams
- Aramid stitching
- 406mm gauntlet
- EN407 41324X
- EN388 3243



## Cotton/ Poly Gloves



### Poly/Cotton Knit Polka Dot

- Bleached 7 gauge poly/cotton blend knit
- PVC dot grip palm
- Seamless design

CODE	SIZES	UOM
GCO418	Men's	Pair
GCO007	Women's	Pair



### Poly/Cotton Knit

- Bleached 7 gauge poly/cotton blend knit
- Seamless ambidextrous design

CODE	SIZES	UOM
GCO450M	Men's	Pair
GCO450L	Women's	Pair



### Poly/Cotton Interlock Knit Wrist

- Lightweight bleached interlock blend
- Knitted wrist band
- Suitable for use as a liner

## DECO

### Electrical Safety Gloves



- Natural rubber insulated gloves
- 430mm glove is dual colour - any knick or cut in the glove will expose the inside layer of latex, making it easy to check if the glove is safe to use
- AS2225
- Over Glove also available

CODE	DESCRIPTION	SIZES	UOM
GRL10003600	1000V 360mm Glove	8, 8½, 9, 9½, 10, 10½, 11	Pair
GRL1000430	1000V 430mm Glove Dual Colour	9, 10, 11	Pair
GLCEOVG	Goatskin Over Glove	8, 8½, 9, 9½, 10, 10½, 11	Pair



GLCEOVG



GRL1000430



GRL10003600

## Disposable Gloves - Latex



### Securitex

#### Securitex Examination

- Latex rubber
- Beaded cuff
- Ambidextrous design
- 295mm length
- Textured surface
- For single use, non sterile
- TGA listed
- HACCP Certification



CODE	DESCR.	SIZES	UOM
GDL6500	Lightly Powdered	S - XL	Bx/100
GDL6510	Powder Free	XS - XL	

#### Securitex HR Examination PF

- High Risk examination glove
- Triple thickness latex
- Powder free
- Textured surface
- Ambidextrous design - 295mm
- For single use, non sterile
- TGA listed
- HACCP Certification

CODE	SIZES	UOM
GDL41066	S - 2XL	Bx/50



### Latex

#### Examination

- Latex rubber
- Textured surface
- Ambidextrous design
- 'Sensitive touch' for enhanced dexterity
- For single use, non sterile
- HACCP Certification



CODE	DESCR.	SIZES	UOM
GDL6550	Lightly Powdered	S - XL	Bx/100
GDL6560	Powder Free	XS - XL	

## Disposable Gloves - Vinyl



#### General Purpose Vinyl PF

- Vinyl - latex free
- Powder free
- Smooth surface
- Ambidextrous design
- For single use, non sterile
- HACCP Certification
- Also available in carton of 1000



CODE	COLOURS	SIZES	UOM
GDV5520	Blue	S - XL	Bx/100

#### General Purpose Vinyl PF

- Vinyl - latex free
- Powder free
- Smooth surface
- Ambidextrous design
- For single use, non sterile
- HACCP Certification
- Also available in carton of 1000



CODE	COLOURS	SIZES	UOM
GDV5520	Clear	S - XL	Bx/100



#### Nitrile Blax HD

- Powder free, latex free
- Extra thick
- Raised diamond grip
- Touch screen friendly
- Ambidextrous design
- For single use, non sterile
- HACCP Certification



CODE	SIZES	UOM
GDN41162	M - 2XL	Bx/50

## Disposable Gloves - Nitrile



#### Nitrile Blax PF

- Strong, durable nitrile
- Powder free
- Resistant to chemicals, oils & fuels
- Textured fingertips
- Ambidextrous design
- Beaded cuff



CODE	SIZES	UOM
GDN41079	S - 2XL	Bx/100

#### Nitesafe Examination PF

- Strong, stretchy nitrile
- Powder free
- Resistant to chemicals
- Textured surface
- Ambidextrous design
- Single use - non sterile
- TGA listed
- HACCP Certification

CODE	SIZES	UOM
GDN7500	S - XL	Bx/100



#### General Purpose Nitrile PF

- Industrial grade nitrile
- Powder free
- Chemical & oil resistant
- Textured surface
- Single use - non sterile
- HACCP Certification

CODE	COL.	SIZES	UOM
GDN7550	Blue	S - XL	Bx/100
GDN2000	Black	S - 2XL	100



#### Grippaz™ Skins

- Heavy duty glove with inside and outside texture for extra traction with oily or wet parts
- Chemical resistant
- Proprietary nitrile blend
- Touch screen compatible



GDNGNSBDN

GDNGNSODN





## Derma Guard Skin Protectant

- Light and easy to use
- Protects and nourishes
- Non greasy formula
- One application lasts four hours
- Protects against acids, chemicals, odours, resins, mastic, adhesives and more



CODE	DESCRIPTION	UOM
JHDG150C	Derma Guard Cream - 150ml	Ea
JHDG500C	Derma Guard Cream Pump - 500ml	Ea
JHDG500M	Derma Guard Mousse - 500ml	Ea
JHDG2000C	Derma Guard Cream Pump - 2L	Ea
JHDGWALL	Wall Dispenser for 500ml Aerosol Mousse	Ea



## Glove Dispenser

- Dispenses quickly & cleanly
- Manages high usage
- Single: 95(H) x 295(W) x 100mm(D)
- Triple: 490(H) x 275(W) x 100mm(D)



CODE	DESCRIPTION	UOM
GDZ41056	Single Box Dispenser	Ea
GDZ41057	Triple Box Dispenser	Ea



By VISIONSafe



## Glove Guard Clip

- Double jaw configuration
- Attaches to belt loop, pocket,etc.
- 'Safety Breakaway' feature
- Metal detectable version available

CODE	COLOURS	UOM
MGG1	Various	Ea

## Safety Knives



### Fish 200 Safety Knife

- Cuts strapping, string, tape etc.
- Replaceable blades
- Versatile ergonomic design

CODE	COLOUR	UOM
YK002	Green	Ea



### Penguin 900 Safety Knife

- Cuts tape, bubble wrap etc.
- Integrated tape cutter
- Ergonomic design with knuckle protection

CODE	COLOUR	UOM
YK004	Orange	Ea



### ReAkt Safety Knife

- Easy to replace 60mm blade
- Automatic blade retraction when the knife is shaken, jerked or dropped
- Heavy duty with aluminium blade carrier

CODE	COLOUR	UOM
YK006	Black	Ea



## Barrier Creams

### Water Repellent Barrier Cream

- Protects hands against chemicals, detergents, acids, alkalis
- Relieves and moisturises



### Solvent Resistant Barrier Cream

- Protects hands against solvents, steel, dust, oils
- Relieves and moisturises



### After Work Moisturising Cream

- Assists in repair of damaged skin
- Relieves and moisturises
- Contains lanolin



CODE	DESCRIPTION	UOM
JHBCWR125	Ultra Clean Water Repellent Barrier Cream - 125ml	Ea
JHBCWR500	Ultra Clean Water Repellent Barrier Cream - 500ml	Ea
JHBCWR1	Ultra Clean Water Repellent Barrier Cream - 1L	Ea
JHBCSR125	Ultra Clean Solvent Resistant Barrier Cream - 125ml	Ea
JHBCSR500	Ultra Clean Solvent Resistant Barrier Cream - 500ml	Ea
JHBCSR1	Ultra Clean Solvent Resistant Barrier Cream - 1L	Ea
JHBCMC125	Ultra Clean After Work Moisturising Cream - 125ml	Ea
JHBCMC500	Ultra Clean After Work Moisturising Cream - 500ml	Ea
JHBCMC1	Ultra Clean After Work Moisturising Cream - 1L	Ea



## Glove Clip Keeper

- Twin locking jaws
- Breakaway connecting cord
- Attaches to belts/belt loops

CODE	COLOURS	UOM
MGGCK	Black, Yellow, Orange	Ea



CODE	COLOUR	UOM
YK006	Black	Ea