



www.safetyquip.com.au

CONFINED SPACE & RESPIRATORY PROTECTION



Honeywell

Confined Space Gas Detector Kits

Our Honeywell 4-Gas Confined Space Gas Detector Kits are a popular choice for many confined space applications. Often used in the civil works, mining and water utility industries, these kits are supplied in a robust carry case with either a Honeywell BW™ Flex4 or Honeywell BW™ Microclip X3 Gas Detector.



Sensors fitted are:
LEL/O₂/H₂S/CO

Kit contains:

- Case 910 Yellow
- Gas Detector (either Flex4 or MicroClip X3)
- Manual Pump/Tubing
- Cylinder of Bump Test Gas
- Regulator (0.5L Trigger Style)



With Honeywell BW™ Flex4
4-Gas Detector

\$3,024.19
RGMKSQFLEX4Y



With Honeywell BW™ MicroClip X3
4-Gas Detector

\$3,068.16
RGMKSQMCX3Y

SCAN ME
to watch video



LEL

O₂

H₂S

CO



Gas Detector Servicing

SafetyQuip operates service centres for the Honeywell brand of portable gas detection equipment at many locations around Australia. SafetyQuip service technicians are available to attend client premises in many metro and regional areas for on-site service assistance. Service technicians are trained and accredited by the equipment manufacturer to diagnose faults and conduct scheduled service work, in addition to supporting client personnel in the safe operation of gas detection equipment.



Gas detector servicing
at our in-house service
department....

or... our SafetyQuip Service
Vans can come to YOUR
premises to service your
gas detection equipment!

maxisafe®

Dustlight Mini Personal Dust and Fume Monitor

- Compact, hand-held dust monitor designed to provide real-time monitoring of airborne particles in any environment where dust exposure is a concern
- Measures respirable dust, including PM1, PM2.5, and PM10 fractions
- Specially designed to measure alveolar dust (A dust)
- Captures particles with an aerodynamic diameter of less than 4 µm
- Monitors PM1, PM2, and PM10 particle matter
- Easy viewing of current and average dust concentrations
- Attaches easily to belts and clothing
- Long battery life: up to 40 hours in eco mode
- Built with precision and quality in Germany



Colour-coded alerts for quick
response - simple green,
amber, red system

NEW

\$1,649.34
RPMR230033

Browse Online

Thousands of products
at your fingertips on
our website.

Trade Stores

Huge range, top brands,
reliable service and
professional advice.

Mobile Service

We come to you! PPE,
Workwear & footwear
fitouts at your premises.



Honeywell

BW™ Solo Serviceable Single Gas Detector

- The easiest single-gas detector to service
- The first single-gas detector with the 1-Series sensor for O₂, H₂S and CO
- Extensive selection of sensor options
- Compatible with IntelliDoX: save time and centralise data with automated bump testing, calibration and instrument management
- Use IntelliDoX docking stations with Honeywell Safety-Suite Device Configurator software



FROM
\$524.49

RGMSOLOBL - CO₂
RGMSOLOHL - H₂S
RGMSOLOML - CO
RGMSOLOSY - NH₃
RGMSOLOXL - O₂
RGMSOLOZY - HCN

Honeywell

BW™ Ultra Multi-Gas Detector

- Tamper proof operation with one-button operation
- Intuitive LCD icons for quick decision making
- Easy service and maintenance
- IntelliFlash™ and Reverse IntelliFlash™ for clear compliance
- Scratch resistant display protector
- Honeywell TouchConnect Technology™ for activating a feature
- Honeywell SafetySuite for unit configuration and reporting
- Honeywell Connected Worker compatible
- Quick bump and calibration with IntelliDoX system



FROM
\$3,544.98

RGMULTRA0Q1YA - VOCs
RGMULTRA100YA - O₂/LEL/H₂S/CO
RGMULTRA1A1YA - O₂/LEL/H₂S/CO/NH₃
RGMULTRA1B1YA - O₂/LEL/H₂S/CO/CO₂ IR
RGMULTRA1Q1YA - O₂/LEL/H₂S/CO/VOCs
RGMULTRA1S1YA - O₂/LEL/H₂S/CO/SO₂



Confined Space Kits

- Lightweight, portable kits, ideal for confined space manhole entry and retrieval
- Can be set up by one worker
- Tripod has locking legs, simple detent pin style adjustment and skid resistant tread plate soles on feet



to watch video



Kit includes: AM100 2.4m Tripod, AT052/1 Pulley, 3591002 15m SRL or 20m Rescue Winch, AK0100 Storage Bag



With Rescue Winch
Automatic locking system, 20m

\$4,510.61
UCSK600AU



With 3-Way SRL
Galvanised cable, 15m

\$5,700.15
UCSK610AU



Suspension Trauma Straps



- Helps prevent the effects of suspension trauma after a fall by allowing the casualty to stand up in their harness
- Set of 2

\$52.89
UBHZ9501403



Spreader Bar



- Typically used with a winch & davit arm or tripod assembly to raise and lower a worker into and out of a confined space
- Complete with karabiner connections




\$325.88
UBHZ522



Suspension Seat

- Robust, adjustable positioning seat designed for suspended working
- Broad, padded seat for comfort and stability
- Adjustable side straps with autoblocking buckles
- To be used with a full body harness with five attachment points
- Seven sturdy gear loops



\$277.80
UBHZ0208



SPECIAL PRICING FOR LARGER ORDERS

Call us for details

www.safetyquip.com.au

CONFINED SPACE & RESPIRATORY PROTECTION

SKYLOTEC

SRL HSG HK Plus Fall Arrest Blocks

- Galvanised steel cable
- Swivel T-action, impact indicating karabiner
- Automatic rope retraction ensures only required rope length is extended
- Suitable for edges without using additional energy absorbers, making them appropriate for horizontal use
- Fall indicator: integrated colour symbol displays a previous fall and indicates that the device needs to be checked



\$1,006.71
6m UFA050-06

\$1,076.25
10m UFA050-10

SKYLOTEC

Mini Pulley System Rescue Kit

- Ultra-light and compact pre-rigged rescue and hauling system
- Ratio of 6:1
- Easy lifting
- Rope lock
- Includes 23 metres of robust micro-rope with an operating length of just under 4 metres
- Two trilock double carabiners
- Comes with compact carry bag



\$897.60
URK337-23

SKYLOTEC

Conrest Rescue Stretcher Kit



\$3,660.80
URZ910

- Ideal for confined areas
- More practical than a spineboard, which often cannot be used in confined spaces due to its size
- Sturdy skid plate
- Equipped with arm loops and a head attachment to stabilise the spine, head and arms, plus a pelvis strap and a foot cover

3M PROTECTA

Fall Protection

All Purpose Harness



- Front, side & rear fall arrest D-rings
- Sub-pelvic strap
- Integrated shoulder & lower back/hip pads
- Confined space retrieval/attachment points
- Adjustable chest, shoulder and leg straps
- Sizes: S - XL

\$379.38
UBH124

SKYLOTEC

Ignite Ion Harness

- Easy to put on and adjust
- Alloy rear (dorsal) attachment point
- Large webbing fall arrest loops (chest) with wear indicator
- Adjustable confined space loops
- Sizes: XS/M, M/2XL, 2XL/5XL



FROM
\$594.05
XS/M UBH1135

SKYLOTEC

Ignite Proton Wind Harness

- Sliding plate on the waist belt provides protection to the Airpad in the tight confines of a wind turbine ladder or general work at height
- Dorsal and sternal attachment points
- Chest eyelet for belay & rescue
- Limited fall arrest attachment point on waist belt
- Adjustable confined space loops
- Sizes: XS/M, M/2XL, 2XL/5XL



FROM
\$1,070.24
XS/M UBH1132

3M PROTECTA

Fall Protection

Single Tail Adjustable Lanyard



- Minimises shock loads on the body limiting the arresting forces to under 6kN in the event of a fall
- Double action snap hooks
- Adjustable 0.75m - 2.0m

\$248.22
ULY529ADJ



3M PROTECTA

Fall Protection

Twin Tail Lanyard



- Elasticated webbing lanyard, ideal for fall arrest, work positioning and restraint
- Snap hook and two scaffold hooks
- 2.0m length

\$400.63
ULY529EY5



SKYLOTEC

Skysafe Pro+ Twin Leg Lanyard

- Elasticised Y twin leg lanyard
- Unique energy absorbers limit the fall arrest forces to less than 6 kN in the event of a fall
- Quickly and easily check its readiness for use at any time with the integrated drop indicator
- 1.8m length



\$533.72
ULY0836



Proudly Australian
Owned & Operated

Mobile Service - Our Place or Yours

3M 6000 Series Half Face Respirator Kits



RHFK6251 kit shown

Half Face Dust/Particle Respirator Kit

Common applications: Certain dusts, mists and fumes such as sanding, grinding, cutting, drilling metal, masonry, wood and concrete.

Contains: 3M™ Half Face Respirator 6000 Series, pair of P2 Particulate Filters



FROM
\$83.84
RHFK6225

Half Face Spraying Respirator Kit

Common applications: Paint spraying, pesticide spraying, chemical handling, fibreglassing, printing, degreasing.**

Contains: 3M™ Half Face Respirator 6000 Series, pair of A1 Cartridges, pair of P2 Particulate Filters and Filter Retainers



FROM
\$98.41
RHFK6251

Half Face Multi-Gas Respirator Kit

Common applications: Protection against a range of vapours and gases including (but not limited to): Chlorine, sulphur dioxide, solvents, hydrogen sulphide, ammonia, hydrogen chloride.

Contains: 3M™ Half Face Respirator 6000 Series, pair of A1B1E1K1 Gas/Vapour Filters, pair of P2 Particulate Filters, Filter Retainers

FROM
\$103.58
RHFK6259

3M 7500 Series Half Face Respirator Kits



RHFK7535 kit shown

Half Face Spraying Respirator Kit

Common applications: Paint spraying, pesticide spraying, chemical handling, fibreglassing, printing, degreasing.** Ideal for hot and humid conditions.

Contains: 3M™ Half Face Respirator 7500 Series, pair of A1 Organic Vapour Cartridges, pair of P2 Particulate Filters and Filter Retainers



\$137.75
RHFK7551

Half Face Asbestos/Dust Respirator Kit

Common applications: Asbestos removal and environments containing dust.

Contains: 3M™ Half Face Respirator 7500 Series, 2 pairs of P2/P3* Particulate Filters, pair of 3M™ SecureFit™ Safety Glasses and 3M™ No-Touch Foam Earplugs



\$163.26
RHFK7535

3M 6000 Series Full Face Respirator Kits



RFFK6851 kit shown

Full Face Asbestos/Dust Respirator Kit

Common applications: Asbestos removal and environments containing dust. The polycarbonate lens is molten metal and high impact resistant.

Contains: 3M™ Full Face Respirator 6000 Series, 2 pairs of P3 Particulate Filters and 3M™ No-Touch™ Foam Earplugs



\$460.51
RFFK6835

Full Face Spraying/Painting Respirator Kit

Common applications: Paint spraying, pesticide spraying, chemical handling, fibreglassing, printing, degreasing.**

Contains: 3M™ Full Face Respirator 6000 Series, pair of A1 Organic Vapour Filters, 5 pairs of P2 Particulate Filters, Filter Retainers and 3M™ No-Touch™ Foam Earplugs



\$469.75
RFFK6851

3M Filters for 6000 & 7500 Series Respirators



P2
\$23.35
RF2125 (Pair)



Retainer
\$9.61
RFX501 (Pair)



P2
\$13.98
RF5925 (Pair)



A1
\$31.07
RF6051 (Pair)



A1B1E1K1
\$52.11
RF6059 (Pair)

CONFINED SPACE & RESPIRATORY PROTECTION



P2 Disposable Valved Respirator



- Protection against mechanically and thermally generated particles
- Exhalation ProValve for extra air flow
- Latex free dual straps
- Nose flange

\$25.84

Box/12
RD4037



P2 Carbon Disposable Valved Respirator



- Protection against nuisance level organic vapours, mechanically and thermally generated particles
- P2 activated carbon
- Exhalation ProValve
- Latex free dual straps
- Nose flange

\$43.41

Box/12
RD4057



Qualitative Fit Testing Kit



- Easy to use method for performing qualitative fit testing of any negative pressure respirator to help your organisation meet AS/NZS 1715:2009 mandatory fit testing of respirators for compliance
- Kit contains a hood and collar assembly, sensitivity solution, test solution, two nebulisers and instructions
- Available with: FT-10 Sweet (Saccharin) and FT-30 Bitter (Bitrex) solutions

\$498.53

Sweet RZFT10 Bitter RZFT30



P2 ProMesh Disposable Valved Respirator



- Protection against mechanically and thermally generated particles
- Flexible mesh for optimum shape retention
- Quick lock straps for easy fit and release
- Exhalation ProValve

\$57.92

Box/12
RD3822



P2 Flat Fold Disposable Valved Respirator



- Model 9322A+
- 3-panel design
- Protection against mechanically and thermally generated particles
- High performance filter media
- Cool Flow™ valve reduces heat & moisture build-up

\$89.93

Box/10
RD9322



In some states of Australia, **RESPIRATOR FIT TESTING** is mandatory.

What is a Respirator Fit Test?

People's faces vary significantly in size and shape. Respirator performance relies on a good seal between the respirator and the worker's face. A fit test determines if the selected respirator provides suitable protection, being a suitable size and style for the wearer.

Without an adequate facial seal the respirator will leak, exposing the worker to airborne contaminants in the environment, which may lead to adverse health effects or in extreme cases, even death.

When should respirator fit testing be done?

Australian Standard 1715:2009 states that wearers of tight-fitting respirators should be fit tested before wearing a respirator for the first time and subsequently every 12 months thereafter.

Fit testing should also be repeated:

- each time a new make, model or size of respirator is issued
- whenever there is a change in the worker's facial characteristics or features which may affect the facial seal (e.g. large weight loss or gain).

Who should be fit tested?

Fit testing is required in workplaces for all types of tight-fitting respirators, including: **Half Face Disposable, Half Face Reusable and Full Face Reusable.**

In addition, fit testing is required for tight-fitting Powered Air Purifying Respirators (PAPR) and tight-fitting facepieces for Self-Contained Breathing Apparatus (SCBA).

Selected SafetyQuip branches offer fit testing services. Speak with your local branch or representative for more information.

Note: Loose fitting PAPR facepieces are not required to be fit tested.



VIDEO: Fit Test using PortaCount Machine



CONFINED SPACE & RESPIRATORY PROTECTION



Fall Protection

Self Rescue Unit

- Allows you to lower yourself to safety in the event of being suspended after a fall
- Universal harness attachment
- Sealed descent device and rope spool
- EZ-Link™ D-ring
- Assisted-rescue ring
- 15.2m rope length

\$1,870.68
USR3320030



ELSA Emergency Escape Breathing Device

- Rechargeable and reusable emergency life support apparatus with 15 minute cylinder
- Automatic activation upon opening the carry bag - delivers constant flow of air
- Cubic hood design with elastomeric neck seal - allows wearing by users with beards
- Warning whistle for depleted air
- Certified to AS/NZS 1716:2012/MED Ship Wheelmark approved



\$1,083.45
RSK2009419

SCAN ME



to watch video



Sigma 2 Type 2 SCBA Compliance Set

- Suitable for general industry, short duration confined space entry work and rescue, petrochemical, oil and gas applications
- Compact first breath activated demand valve with bypass - approximately 45 minute duration
- Ergonomically designed lightweight backplate and Type 2 harness
- Kevlar® blend flame retardant webbing
- Includes backplate, harness, pneumatics, Promask PP LQF full face mask and 6.8L 300 bar carbon fibre cylinder
- Certified to AS/NZS 1716:2012 and EN137:2006 Type 2 MED



\$3,091.18
RSKCOMP6T2



NSW

NSW NORTH EAST

2/81 Barnes St **TAMWORTH**
Ph: 02 6762 1333
tamworth@safetyquip.com.au

HUNTER VALLEY

1/43 Elwell Cl **BERESFIELD**
Ph: 02 4966 1102
hunter@safetyquip.com.au

CENTRAL COAST

3/305 Manns Rd **WEST GOSFORD**
Ph: 02 4322 4179
central.coast@safetyquip.com.au

WA

PERTH

1/39 Erindale Rd **BALCATT**
Ph: 08 9446 1532
wa@safetyquip.com.au

VIC

MELBOURNE EAST

417 Dorset Rd **BAYSWATER**
Ph: 03 8740 1234
bayswater@safetyquip.com.au

MELBOURNE NORTH

1/108 Bell St **PRESTON**
Ph: 03 9484 2299
preston@safetyquip.com.au

SA

ADELAIDE

100-102 Cavan Rd **DRY CREEK**
Ph: 08 8349 6988
adelaide.north@safetyquip.com.au

MURRAY BRIDGE

25 Adelaide Rd **MURRAY BRIDGE**
Ph: 08 8151 2370
murray.bridge@safetyquip.com.au

QLD

BRISBANE NORTH

1/420 Newman Rd **GEEBUNG**
Ph: 07 3216 5844
brisbane.north@safetyquip.com.au

SUNSHINE COAST

615 Old Maroochydore Rd **KUNDA PARK**
Ph: 07 5450 1424
sunshine.coast@safetyquip.com.au

WIDE BAY

85 Gympie Rd **TINANA**
Ph: 07 4114 1479
wide.bay@safetyquip.com.au

Check your local store for availability. While stocks last. Freight charges may apply.
Whilst every care is taken in the production of this advertisement, any discrepancy, error or misprint is subject to correction.

www.safetyquip.com.au

SPECIAL PRICING FOR LARGER ORDERS



SAFETYQUIP™
The safety professionals!